


Zoology in the Middle East

Table of Contents

Volumes 1 (1986)–61 (2015)

Supplements 1–4



Zoology in the Middle East is published by the Taylor & Francis Group

http://www.tandfonline.com/loi/tzme20#.VoEn-f_Smih

All articles are available online

28.12.2015

Zoology in the Middle East

Table of Contents: 1986–2015

Publication schedule:

1 (1986); 2 (1988); 3 (1989); 4 (1990); 5 (1991); 6 (1992); 7 (1992); 8 (1993); 9 (1993); 10 (1994); 11 (1995); 12 (1996); 13 (1996); 14 (1997); 15 (1997); 16 (1998); 17 (1999); 18 (1999); 19 (1999); 20 (2000); 21 (2000); 22 (2001); 23 (2001); 24 (2001); 25 (2002); 26 (2002); 27 (2002); 28 (2003); 29 (2003); 30 (2003); 31 (2004); 32 (2004); 33 (2004); 34 (2005); 35 (2005); 36 (2005); 37 (2006); 38 (2006); 39 (2006); 40 (2007); 41 (2007); 42 (2007); 43 (2008); 44 (2008); 45 (2008); 46 (2009); 47 (2009); 48 (2009); 49 (2010); 50 (2010); 51 (2010); 52 (2011); 53 (2011); 54 (2011); 55 (2012); 56 (2012); 57 (2012); 58 (2012); 59 (2013); 60 (2014); 60 (2015).

Supplementum 1: 2003; Supplementum 2: 2010; Supplememntum 3: 2011; Supplementum 4: 2012.

Contents

General (including methodological approaches to biodiversity conservation)	4
General: Ecosystems (freshwater ecosystems, coral reefs, soil fauna, parasitology, etc.)	5
Mammalia (Chiroptera)	6
Mammalia (Eulipotyphla = Insectivora)	7
Mammalia (Carnivora)	7
Mammalia (Rodentia)	9
Mammalia (Artiodactyla = Paraxonia)	11
Mammalia (Hyracoidea)	12
Mammalia (Cetacea)	13
Mammalia: Lagomorpha	13
Mammalia (general; all other groups)	13
Aves (Birds): Non-Passeriformes without Otidae, Strigiformes and Falconiformes	14
Aves (Birds): Non-Passeriformes: Strigiformes (owls)	17
Aves (Birds): Non-Passeriformes: Otidae (bustards)	17
Aves (Birds): Non-Passeriformes: Falconiformes (raptors)	18
Aves (Birds): Passeriformes	18
Aves (Birds): Passeriformes and Non-Passeriformes (general works)	20
Reptilia (Reptiles): Chelonioidea – marine turtles	20
Reptilia (Reptiles): Testudinoidea – freshwater turtles and tortoises	22
Reptilia (Reptiles): Trionychoidea – soft-shelled turtles	23
Reptilia (Reptiles): Sauria / Agamidae – agamas	23
Reptilia (Reptiles): Sauria / Chamaeleonidae – chameleons	24
Reptilia (Reptiles): Sauria / Gekkonidae – geckos	24
Reptilia (Reptiles): Sauria / Scincidae – skinks	25
Reptilia (Reptiles): Sauria / Lacertidae (lizards)	26
Reptilia (Reptiles): Serpentes (snakes)	27
Reptilia (Reptiles): Other groups / papers covering more than one group	29
Amphibia (Amphibians)	29
Osteichthyes (Bony fish): Freshwater Fishes	31
Osteichthyes (Bony fish): Marine Fishes	33

Chondrichthyes (Cartilaginous fish)	36
Cyclostomata (Cyclostomes: lampreys and hagfish).....	36
Insecta (Insects): Coleoptera	36
Insecta (Insects): Collembola	40
Insecta (Insects): Dermaptera	40
Insecta (Insects): Diptera.....	40
Insecta (Insects): Ephemeroptera	42
Insecta (Insects): Hemiptera	42
Insecta (Insects): Heteroptera.....	43
Insecta (Insects): Homoptera.....	43
Insecta (Insects): Hymenoptera	43
Insecta (Insects): Isoptera.....	46
Insecta (Insects): Lepidoptera	46
Insecta (Insects): Neuroptera.....	47
Insecta (Insects): Odonata	47
Insecta (Insects): Orthoptera	48
Insecta (Insects): Strepsiptera.....	48
Insecta (Insects): Trichoptera	48
Insecta (Insects): Other groups.....	48
Tardigrada (Water bears)	48
Chilopoda (Centipedes).....	48
Diplopoda (Millipedes)	48
Crustacea (Crustaceans): Maxillopoda.....	49
Crustacea (Crustaceans): Malacostraca.....	49
Crustacea (Crustaceans): Ostracoda.....	50
Crustacea (Crustaceans): Branchiopoda.....	50
Arachnida: Araneae.....	51
Arachnida: Opiliones – harvestmen	52
Arachnida: Scorpiones – scorpions	52
Arachnida: Pseudoscorpiones	53
Arachnida: Solifugae.....	53
Arachnida: Acari	53
Pycnogonida (Sea spiders)	55
Annelida (Annelids)	55
Mollusca (Molluscs).....	57
Ectoprocta (Moss animals).....	59
Plathelminthes	59
Nematoda (Nematodes)	59
Rotatoria (Rotifers)	59
Cnidaria (Cnidarians)	60
Porifera (Sponges).....	60
Protozoa (Protozoa).....	60
Echinodermata.....	60
Hydrozoa	60

General (including methodological approaches to biodiversity conservation)

Al Midfa, A., D. Mallon & K. Budd: Ten years of conservation workshops for the fauna of Arabia 2000-2009	SUP3: 7
Al Omari, K. H.: Protected Areas in the Arabian Peninsula	SUP3: 21
Amr, Z.: In memory of Dr. Adwan Shehab	61(3): 294
Anderson, S. C.: An introduction to the literature of the vertebrate zoology of Iran	26: 15
Ebrahimzadeh, H. & M. Karami: Biological education and research in Iran: past and present .	26: 11
Hall, M. & A. G. Miller: Strategic requirements for plant conservation in the Arabian Peninsula	SUP3: 169
Holness, S., M. Knight, M. Sorensen & Y. R. A. Othman: Towards a systematic conservation plan for the Arabian Peninsula	SUP3: 197
Klausewitz, W.: Frankfurt versus Berlin: The Red Sea explorers Wilhelm Hemprich, Christian Ehrenberg and Eduard Rüppell	27: 7
Knight, M. H., Ph. J. Seddon & A. Al Midfa: Transboundary conservation initiatives and opportunities in the Arabian Peninsula	SUP3: 183
Leus, K.: Captive breeding and conservation	SUP3: 151
Mallon, D. P.: Global hotspots in the Arabian Peninsula	SUP3: 13
Seddon, P., D. Mallon & M. Knight: Preface [to Supplementum 3: "Biodiversity Conservation in the Arabian Peninsula].....	SUP3: 5
Shobrak, M.: Bird flyways and stopover conservation sites in the Arabian Peninsula	SUP3: 27
Stanley Price, M. R.: Re-introductions in today's Arabian Peninsula: The first steps for a grander vision?	SUP3: 159
Werner, Y. L.: Middle Eastern herpetology loses John Gasperetti, 1920-2001	27: 5
Zehzad, B., B. H. Kiabi & H. Madjnoonian: The natural areas and landscape of Iran: an overview	26: 7

General: Ecosystems (freshwater ecosystems, coral reefs, soil fauna, parasitology, etc.)

Abo-Hegab, S., W. Z. A. Mikhail & M. S. A. Ammar: Community structure and diversity of reef-building corals at Sharm El-Sheikh, Red Sea, Egypt	17: 99
Akulut (Emir), N. & A. Akbulut: The plankton composition of Lake Mogan in Central Anatolia	27: 107
Al-Horani, F. A., S. A. Al-Rousan, M. Al-Zibdeh & M. A. Khalaf: The status of coral reefs on the Jordanian coast of the Gulf of Aqaba, Red Sea	38: 99
Al-Najjar, T.: Seasonal and spatial variations in mesozooplankton biomass in the northern Gulf of Aqaba	34: 87
Ammar, M. S. A.: Recovery patterns of corals at Shabror Umm Gam'ar, Hurghada, Red Sea, Egypt, after the 1998 outbreak of <i>Acanthaster planci</i>	40: 97
Gugel, J.: Sessile Invertebrates from the Nile	9: 103
Kazancı, N., R.-H. Plasa, E. Neubert & A. Izbırak: On the limnology of Lake Köyceğiz (SW Anatolia).....	6: 109
Kochzius, M.: Community structure of coral reef fishes in El Quadim Bay (El Quseir, Egyptian Red Sea coast)	42: 89
Mhaisen, F. T. & N. R. Khamees: Check-list of the parasites and disease agents of the Siluriformes of Iraq	11: 113
Mikhail, W. Z. A.: Diversity of soil mesofauna in the Mariut region, Egypt	12: 109
Mikhail, W. Z. A.: Activity density of the epigaeic soil mesofauna in northern Sinai, Egypt	16: 111
Mikhail, W. Z. A., S. Abo-Hegab & M. S. A. Ammar: Distribution of reef-building corals at some locations of the Red Sea, Egypt.....	17: 109-119

Nasrollahzadeh, A.: Zur Süßwasserfauna des Gilan (Iran).....	17: 91
Rizk, M. A. & W. Z. A. Mikhail: Impact of no-tillage agriculture on soil fauna diversity	18: 113
Sayıgı (Başbuğ), Y.: Seasonal succession and distribution of zooplankton in Yeniçağa Lake in northwestern Turkey	34: 93
Ustaoğlu, M. R., S. Balık, D. Özdemir Mis & C. Aygen: The zooplankton of some mountain lakes in the Taurus Range (Turkey)	34: 101
Van Damme, K. & L. Banfield: Past and present human impacts on the biodiversity of Socotra Island (Yemen): implications for future conservation	31
Mammalia (Chiroptera)	
Akmali, V., M. Sharifi & H. Farassat: Habitat selection by the Common Pipistrelle, <i>Pipistrellus pipistrellus</i> s. l. (Chiroptera: Vespertilionidae), in the Dinevar region of western Iran	33: 043
Al-Omari, K. A., M. A. Abu Baker & Z. S. Amr: First record of the Egyptian Slit-faced Bat, <i>Nycteris thebaica</i> , from Jordan	21: 005
Carpenter, J., Z. Hegyeli, S. Bugariu, & I. Moldován: First confirmed records of Lesser Mouse-tailed Bat, <i>Rhinopoma cystops</i> Thomas, 1903, for Sinai, Egypt (Mammalia: Chiroptera).....	60(2): 180
Darweesh, N., W. N. Al-Melhim, A. M. Disi & Z. S. Amr: First record of the Naked-bellied Tomb Bat, <i>Taphozous nuditiventris</i> Cretschmar, 1830, from Jordan	15: 013
Dietz, Ch., I. Schunger, Ö. Keşaplı-Didrickson, Ah. Karataş & F. Mayer: First record of <i>Pipistrellus pygmaeus</i> (Chiroptera: Vespertilionidae) in Anatolia	34: 005
Helversen, O. v.: New records of bats (Chiroptera) from Turkey	3: 005
Karataş, Ah., M. M. Gharkhloo & M. Rehnema: The karyotypic characterisation of the Large Horseshoe Bat, <i>Rhinolophus ferrumequinum</i> (Schreber, 1774) (Chiroptera: Rhinolophidae) from Iran	38: 017
Karataş, Ah. & S. A. Özgül: On the occurrence of Geoffroy's Bat, <i>Myotis emarginatus</i> (Geoffroy, 1806), in Turkey (Chiroptera: Vespertilionidae).....	28: 017
Karataş, Ah. & M. Sözen: Contribution to karyology, distribution and taxonomic status of the Long-winged Bat, <i>Miniopterus schreibersii</i> (Chiroptera: Vespertilionidae), in Turkey ..	33: 051
Karataş, Ah., M. Sözen, Ş. Özkurt & F. Matur: Karyology of three bat species of the genus <i>Myotis</i> (<i>M. myotis</i> , <i>M. bechsteinii</i> , <i>M. brandtii</i>) (Chiroptera: Vespertilionidae) from Turkey	40: 005
Karataş, Ah., N. Yiğit, T. Kankılıç & E. Çolak: Contribution to the distribution and karyology of some vespertilionid bats (Mammalia: Chiroptera) from Turkey	31: 005
Kinzelbach, Ragnar: New records of the Egyptian Fruit Bat, <i>Rousettus aegyptiacus</i> , in Turkey	1: 020
Rudolph, B.-U., A. Liegl & Ah. Karataş: The bat fauna of the caves near Havran in Western Turkey and their importance for bat conservation	36: 011
Sharifi, Mozafar & Somaye Vaissi: Postnatal growth in the Long-fingered Bat, <i>Miniopterus schreibersii pallidus</i> , in Iran (Chiroptera: Miniopteridae).....	59: 001
Sharifi, M. & V. Akmali: Postnatal growth in the Lesser Mouse-eared Bat, <i>Myotis blythii</i> , in captivity	37: 013
Sharifi, M., R. Ghorbani, P. Rahimi & Z. Hemmati: Reproductive cycle of <i>Miniopterus</i> in western Iran	26: 059
Sharifi, M. & Z. Hemmati: Variation in the diet of the Greater Mouse-tailed Bat, <i>Rhinopoma microphyllum</i> (Chiroptera: Rhinopomatidae) in south-western Iran	26: 065
Sharifi, M. & Z. Hemmati: Variation in the diet of Mehely's Horseshoe Bat, <i>Rhinolophus mehelyi</i> , in three contrasting environments in western Iran	33: 065

Sharifi, Mozafar & Vaissi, Somaye: Postnatal growth in the Long-fingered Bat, <i>Miniopterus schreibersii pallidus</i> , in Iran (Chiroptera: Miniopteridae)	59: 001
Shehab, A. H. & I. H. Mamkhair: First record of the Egyptian Fruit Bat, <i>Rousettus aegyptiacus</i> , from Syria	33: 073
Shehab, A. H. & I. H. Mamkhair: Notes on two species of horseshoe bats, <i>Rhinolophus ferrumequinum</i> and <i>R. euryale</i> (Rhinolophidae, Chiroptera), from northern Syria	39: 025

Mammalia (Eulipotyphla = Insectivora)

Esmaeili, H. R., G Gholumhosseini, H. Zareian, B. Krystufek: Noteworthy range extension of two white-toothed shrews in Iran: <i>Crocidura suaveolens</i> and <i>Suncus etruscus</i> (Soricidae)	45: 105
Hind M. Al-Musfir, H. M. & N. Yamaguchi: Timings of hibernation and breeding of Ethiopian Hedgehogs, <i>Paraechinus aethiopicus</i> , in Qatar	45: 003
Kock, D.: Notes on mammals (Insectivora, Rodentia) taken by the Tawny Owl, <i>Strix aluco</i> , in NW Turkey	4: 005
Morshed, S. & J. L. Patton: New records of mammals from Iran with systematic comments on hedgehogs (Erinaceidae) and mouse-like hamsters (<i>Calomyscus</i> , Muridae)	26: 049

Mammalia (Carnivora)

Abu Baker, M. & Z. Amr: Status of the Eurasian Badger, <i>Meles meles</i> , in Jordan (Carnivora: Mustelidae)	27: 13
Abu Baker, M., K. Nassar, L. Rifai, M. Qarqaz, W. Al-Melhim & Z. Amr: On the current status and distribution of the Jungle Cat, <i>Felis chaus</i> , in Jordan (Mammalia: Carnivora) ...	30: 5
Abd Rabou, A. F. N.: On the occurrence of some carnivores in the Gaza Strip, Palestine (Mammalia: Carnivora)	46: 109
Abi-Said, M. R.: Breeding potential of the Striped Hyena, <i>Hyaena hyaena syriaca</i> Matschie, 1910 (Carnivora) in captivity	33: 79
Abi-Said, M. & D. Marrouche Abi-Said: Distribution of the Striped Hyena (<i>Hyaena hyaena syriaca</i> Matius, 1882) (Carnivora: Hyaenidae) in urban and rural areas of Lebanon	42: 3
Aghbolaghi, M. A., H. R. Rezaei, M. Scandura, & M. Kaboli: Low gene flow between Iranian Grey Wolves (<i>Canis lupus</i>) and dogs documented using uniparental genetic markers	60(2): 95
Albayrak, T.: Anthropogenic barriers to the distribution of the Grey Wolf (<i>Canis lupus Linnaeus</i> , 1758) in the Beydağları Mountains area, Turkey	52: 11
Al Jumaily, M. M., W. A. M. Al Rayl & M. M. Abdulla Naji: First record of Blanford's Fox, <i>Vulpes cana</i> Blanford, 1877, for Yemen (Mammalia: Carnivora: Canidae)	57: 137
Al-Shafee, D. M., M. Yuosef, W. N. Al-Melhim & Z. S. Amr: The status of the Stone Marten, <i>Martes foina syriaca</i> (Nehring, 1902) in Jordan	15: 5
Al-Safadi, M. M.: On the biology and ecology of the White-tailed and Bushy-tailed Mongoose (<i>Ichneumia albicauda</i> and <i>Bdeogale crassicauda</i>) in Yemen	11: 5
Al-Sheikhly, Omar F. & David Mallon: The Small Asian Mongoose, <i>Herpestes javanicus</i> , and the Indian Grey Mongoose, <i>Herpestes edwardsii</i> in Iraq (Mammalia: Carnivora: Herpestidae).....	59: 173
Amr, Z. S., G. Kalishaw, M. Yosef, B. J. Chilcot & A. Al-Budari: Carnivores of Dana Nature Reserve (Carnivora: Canidae, Hyaenidae and Felidae), Jordan.....	13: 5
Ansorge, H. & H. Meinig: Craniological data and age structure of Red Foxes (<i>Vulpes vulpes arabica</i> Thomas, 1902) from Oman	2: 13
Askerov, E., T. Talibov, K. Manvelyan, N. Zazanashvili, A. Malkhasyan, P. Fatullayev & A. Heidelberg: South-Eastern Lesser Caucasus: the most important landscape for conserving the Leopard (<i>Panthera pardus</i>) in the Caucasus region (Mammalia: Felidae)	61(2): 95

Bosman, C. A. W. & A. B. van den Berg: Egyptian Mongoose, <i>Herpestes ichneumon</i> , in Southern Turkey	2: 5
Budd, J. & K. Leus: The Arabian Leopard <i>Panthera pardus nimr</i> conservation breeding programme	SUP3: 141
Bunaian, F., S. Mashaqbeh, M. Yousef, A. Buduri & Z. S. Amr: A new record of the Sand Cat, <i>Felis margarita</i> , from Jordan	16: 5
Cunningham, P. L.: Status of the Sand Cat, <i>Felis margarita</i> , in the United Arab Emirates	25: 9
Cunningham, P. L. & C. Gross: Reproduction and development of the Arabian Leopard, <i>Panthera pardus nimr</i> , in captivity	20: 9
Cunningham, P. L & B. Howarth: Notes on the distribution and diet of Blanford's Fox, <i>Vulpes cana</i> Blanford, 1877 from the United Arab Emirates	27: 21
Farhadinia, M. S., H. Akbari, M. Beheshti & A. Sadeghi: Ecology and status of the Caracal, <i>Caracal caracal</i> , (Carnivora: Felidae) in the Abbasabad Naein Reserve, Iran	41: 5
Farhadinia, M. S., A. Mahdavi, F. Hosseini-Zavarei: Reproductive ecology of the Persian leopard, <i>Panthera pardus saxicolor</i> , in Sarigol National Park, northeastern Iran (Mammalia: Felidae)	48: 13
Farhadinia, M. S., M. Kaboli, M. Karami, H. Farahmand: Patterns of sexual dimorphism in the Persian Leopard (<i>Panthera pardus saxicolor</i>) and implications for sex differentiation.....	60(3): 189
Fernandes, C. A.: Colonization time of Arabia by the White-tailed Mongoose <i>Ichneumia albicauda</i> as inferred from mitochondrial DNA sequences (Mammalia: Herpestidae)	SUP3: 111
Ghoddousi, A., A. K. Hamidi, T. Ghadirian, D. Ashayeri, M. Hamzehpour, H. Moshiri, H. Zohrabi, L. Julayi: Territorial marking by the Persian Leopard (<i>Panthera pardus saxicolor</i> Pocock, 1927) in Bamu National Park, Iran	44: 101
Gutleb, B. & H. Ziae: On the distribution and status of the Brown Bear, <i>Ursus arctos</i> , and the Asiatic Black Bear, <i>U. thibetanus</i> , in Iran	18: 5
Handwerk, J.: Zur Biologie und Ökologie ägyptischer Wiesel, <i>Mustela subpalmata</i> Hemprich und Ehrenberg, 1833	9: 5
İlemin, Y.: A camera trapping survey reveals a melanistic Grey Wolf (<i>Canis lupus</i>) in an unusual habitat in Turkey (Mammalia: Carnivora).....	60(1): 1
İlemin, Y. & B. Gürkan: Status and activity patterns of the Caracal, <i>Caracal caracal</i> (Schreber, 1776), in Datça and Bozburun Peninsulas, Southwestern Turkey	50:3
Kasperek, Max: On a historical occurrence of the Lion, <i>Panthera leo</i> , in Turkey	1: 9
Kasperek, Max: On the occurrence of the Weasel, <i>Mustela nivalis</i> , in Turkey	2: 8
Kasperek, Max: The Egyptian Mongoose, <i>Herpestes ichneumon</i> , in Western Egypt	9: 31
Kasperek, Max, Aygün Kasperek, Bülent Gözcelioglu, Ercüment Çolak & Nuri Yiğit: On the status and distribution of the Striped Hyaena, <i>Hyaena hyaena</i> , in Turkey	33: 93
Khalatbari, L., F. Heidari, A. Turk Qashqaei & K. Faizolah: First confirmed record of the Corsac Fox, <i>Vulpes corsac</i> , from Iran and considerations on its status (Mammalia: Canidae).....	61(2): 102
Khaleghizadeh, A. & S. Khormali: The Brown Bear, <i>Ursus arctos</i> , feeding on sunflowers in the vicinity of Golestan National Park, Iran	34: 109
Khorozyan, I.: Habitat preferences by the Persian Leopard (<i>Panthera pardus saxicolor</i> Pocock, 1927) in Armenia	30: 25
Khorozyan, I. G. & A. V. Abramov: The Leopard, <i>Panthera pardus</i> , (Carnivora: Felidae) and its resilience to human pressure in the Caucasus	41:11
Kiabi, B. H., B. F. Dareshouri, R. A. Ghaemi & M. Jahanshahi: Population status of the Persian Leopard (<i>Panthera pardus saxicolor</i> Pocock, 1927) in Iran	26: 41
Kock, D.: Historical record of a Tiger, <i>Panthera tigris</i> (Linnaeus, 1758), in Iraq	4: 11

Lenain, D. & S. Ostrowski: Opportunistic predation of trapped mammals by the Ratel, <i>Melivora</i>	Masseti, M.: Artiodactyls of Syria	33: 139
Mazzolli, M.: Arabian Leopard, <i>Panthera pardus nimr</i> , status and habitat assessment in north-west Dhofar, Oman (Mammalia: Felidae)	47: 3	
Mohammad, M. K., S. R. Lahony, & H. M. Al-Rammahi: First record of the Sand Cat, <i>Felis margarita</i> Loche, 1858 (Mammalia: Carnivora, Felidae), from Iraq	59(4): 358	
Mirzaei, R., M. Karami, A. Danehkar & A. Abdoli: Habitat selection of the Eurasian Otter, <i>Lutra lutra</i> , in Jajrood river, Iran (Mammalia: Carnivora)	47: 13	
Mirzaei, R., M. Krami, A. Danehkar, A. Abdoli & J Conroy: Prey size selection of the Eurasian Otter, <i>Lutra lutra</i> (Linnaeus, 1758), at the Jajrood River, Iran	50: 19	
Özkurt, Ş., M. Sözen, N. Yiğit, E. Çolak & R. Verimli: On colouration and karyology of the Marbled Polecat, <i>Vormela peregusna</i> , in Turkey	21: 13	
Qarqaz, M. A., M. A. Abu Baker & Z. S. Amr: Status and ecology of the Striped Hyaena, <i>Hyaena hyaena</i> , in Jordan	33: 87	
Qashqaei, A. T., M. Karami, & V. Etemad: Wildlife conflicts between humans and Brown Bears, <i>Ursus arctos</i> , in the Central Zagros, Iran.....	60(2): 107	
Rasooli, P., B. H. Kiabi & A. Abdoli: On the status and biology of the European Otter, <i>Lutra lutra</i> , (Carnivora: Mustelidae) in Iran	41:25	
Rifai, L. B., D. M. Al-Shafee, W. N. Al-Melhim & Z. S. Amr: Status of the Marbled Polecat, <i>Vormela peregusna</i> (Güldenstaedt, 1770), in Jordan.....	17: 5	
Sarhangzadeha, J., H. Akbari & B. Shams Esfandabad: Ecological niche of the Asiatic Cheetah (<i>Acinonyx jubatus venaticus</i>) in the arid environment of Iran (Mammalia: Felidae)..	61(2): 109	
Serra, G., M. S. Abdallah & G. Al Qaim: Occurrence of Rüppell's Fox, <i>Vulpes rueppelli</i> , and Sand Cat, <i>Felis margarita</i> , in Syria	42: 99	
Shah, M. S. & P. Cunningham: Fences as a threat to Sand Cats, <i>Felis margarita</i> Loche, 1858, in Saudi Arabia	44: 104	
Thol-Schmitz, H.: Status of the Eurasian Otter, <i>Lutra lutra</i> , in Turkey, and experiences with establishing a National Otter Data Base	33: 109	
Tourani, M., E. M. Moqanaki & Bahram H. Kiabi: Vulnerability of Striped Hyenas, <i>Hyaena hyaena</i> , in a human-dominated landscape of Central Iran	56: 133	
Ullrich, B. & M. Riffel: New evidence for the occurrence of the Anatolian Leopard, <i>Panthera pardus tulliana</i> (Valenciennes, 1856) in Western Turkey	8: 5	
ul-Islam, M. Z., M. Basheer, W. Rahman & A. Boug: The Honey Badger, <i>Mellivora capensis</i> , killing captive Asian Houbara Bustards, <i>Chlamydotis macqueenii</i> , in Saudi Arabia	50: 127	
Wronski, T. & W. Macasero: Evidence for the persistence of Arabian Wolf (<i>Canis lupus palipes</i>) in the Ibex Reserve, Saudi Arabia and its preferred prey species.	45: 11	

Mammalia (Rodentia)

Abi-Said, M. R.: First record of the Five-toed Jerboa, <i>Allactaga euphratica</i> , Thomas, 1881 in Lebanon	33: 149
Abi-Said, M. R.: First record of Wagner's Gerbil, <i>Gerbillus dasyurus</i> (Wagner, 1842) (Mammalia: Rodentia), in Lebanon	48: 101
Abi-Said, M. R. & B. Kryštufek: First record of the Forest Dormouse, <i>Dryomys nitedula</i> (Palłas, 1799), in Lebanon (Mammalia: Rodentia)	56: 137
Arslan, A.: A karyotypic study on the Indian Crested Porcupine, <i>Hystrix indica</i> (Kerr, 1792), in Turkey (Mammalia: Rodentia)	37: 5
Arslan, A., Arısoy, A. & J. Zima: The chromosome banding pattern in two cytotypes (2n = 36 and 38) of blind mole rats from Turkey (Mammalia: Spalacidae).....	59(2): 95

Arslan, A., J. Zima, T. Yorulmaz, & E. Arslan: A new cytotype ($2n=46$) of <i>Nannospalax xanthodon</i> from Turkey	60(4): 283
Arslan, E., E. Gülbahçe, H. Ariköglu, A. Arslan, E. V. Bužan & B. Kryštufek: Mitochondrial divergence between three cytotypes of the Anatolian Mole Rat, <i>Nannospalax xanthodon</i> (Nordmann, 1840)	50: 27
Baramaki Yazdi, R., M. Shaghoozaie, S. Galdavi, M. Y. Elahi, M. Sh. Moghadam, N. Shokri Bousjain & M. Javidkar: Identification of a new morphotype of the Indian Gerbil, <i>Tatera indica</i> Hardwicke, 1807 (Muridae, Rodentia), from Iran	52: 111
Bray, T. C., Bennett, N. C., & O. B. Mohammed: On the genetic diversity of spiny mice (genus <i>Acomys</i>) and gerbils (genus <i>Gerbillus</i>) in the Arabian Peninsula	59(4): 283
Coşkun, Y.: On distribution, morphology and biology of the Mole Vole, <i>Ellotomys lutescens</i> Thomas, 1897 (Mammalia: Rodentia) in eastern Turkey	23: 5
Coşkun, Y.: A new species of mole rat, <i>Nannospalax munzuri</i> sp. n., and the karyotype of <i>Nannospalax tuncelicus</i> (Coşkun, 1996) (Rodentia: Spalacidae) in eastern Anatolia	33: 153
Coşkun, Y., A. Kaya & G. Yürümmez: Chromosomal forms of the Mole Rat, <i>Nannospalax nehringi</i> (Satunin, 1898), from the Van Lake Basin in Eastern Turkey (Mammalia: Rodentia)	48: 17
Çolak, R. & S. Özkurt: Electrophoretic comparison of blood-serum proteins of <i>Spermophilus citellus</i> and <i>Spermophilus xanthoprymnus</i> (Mammalia: Rodentia) in Turkey	25: 5
Darvish, J., M. Javidkar & R. Siahzarvie: A new species of wood mouse of the genus <i>Apodemus</i> (Rodentia, Muridae) from Iran	38: 5
Gharkheloo, M. M.: Morphological and karyological peculiarities of <i>Cricetulus migratorius</i> (Pallas, 1773) (Mammalia: Rodentia) in the Zanjan province of Iran	37: 9
Handwerk, J.: Altersstruktur einer <i>Mus</i> -Population in Mittelägypten nach Fallenfängen und Gewölleanalysen	30: 11
Javidkar, M., J. Darvish & A. R. Bakhtiari: Discriminant analysis of dental and cranial characteristics in the wood mice <i>Apodemus hyrcanicus</i> and <i>A. hermonensis</i> (Rodentia, Muridae) from Iran	35: 5
Kadhim, A.-H. H.: Distribution and reproduction of the Indian Crested Porcupine <i>Hystrix indica</i> (Hystricidae: Rodentia) in Iraq	15: 9
Kadhim, A.-H. H.: Winter breeding of the Indian Gerbil, <i>Tatera indica</i> (Rodentia: Gerbillinae), with reference to its first recorded outbreak in Iraq	16: 9
Kankılıç, T., T. Kankılıç, R. Çolak, E. Çolak & A. Karataş: Karyological comparison of populations of the <i>Spalax leucodon</i> Nordmann, 1840 superspecies (Rodentia: Spalacidae) in Turkey	42: 15
Kaya, Alaettin & Yüksel Coşkun: A new chromosomal form of <i>Meriones tristrami</i> Thomas, 1892 (Rodentia: Gerbillinae) in South-east Anatolia	55: 127
Kryštufek, Boris, Abi-Said, Mounir, and Matjaž Hladnik: The Iranian vole <i>Microtus irani</i> occurs in Lebanon (Mammalia: Rodentia)	59: 101
Kinzelbach, Ragnar: Additional records of the Porcupine, <i>Hystrix indica</i> , from the Middle East	1: 22
Kock, D.: Notes on mammals (Insectivora, Rodentia) taken by the Tawny Owl, <i>Strix aluco</i> , in NW Turkey	4: 5
Kryštufek, Boris: The distribution of the Levant Mole, <i>Talpa levantis</i>	23: 17
Kryštufek, Boris & R. Hutterer: The Ural Field Mouse <i>Apodemus uralensis</i> – a mammal species new to Iran	38: 111
Kryštufek, Boris & V. Vohralík: Distribution of field mice (<i>Apodemus</i>) (Mammalia: Rodentia) in Anatolia	42: 25
Kryštufek, Boris, V. Vohralík, J. Zima, D. Koubínová & E. V. Bužan: A new subspecies of the Iranian Vole, <i>Microtus irani</i> Thomas, 1921, from Turkey	50: 11

Mamkhair, I. H., F. F. Samara & A. H. Shehab: Morphological characteristics of the Libyan Jird, <i>Meriones libycus</i> Lichtenstein, 1823 (Rodentia: Gerbillinae), in Syria	42: 37
Matur, F.: A cytogenetic study on the Taurus Ground Squirrel, <i>Spermophilus taurensis</i> Gündüz et al., 2007 (Mammalia: Rodentia), in Turkey	48: 103
Matur, F. & M. Sözen: A karyological study on subterranean mole rats of the <i>Spalax leucodon</i> Nordmann, 1840 (Mammalia: Rodentia) superspecies in northwestern Turkey	36: 5
Morshed, S. & J. L. Patton: New records of mammals from Iran with systematic comments on hedgehogs (Erinaceidae) and mouse-like hamsters (<i>Calomyscus</i> , Muridae)	26: 49
Naderi, G., M. R. Hemami, B. Riazii & A. Alesheikh: Notes on the ecological peculiarities of the Iranian Jerboa, <i>Allactaga firouzi</i> Womochel, 1978 (Mammalia: Dipodidae)	47: 21
Özkurt, Ş., M. Sözen, N. Yiğit, E. Çolak & R. Verimli: On the karyology and morphology of <i>Sciurus anomalus</i> (Mammalia: Rodentia) in Turkey	18: 9
Özkurt, Ş., N. Yiğit, E. Çolak, M. Sözen & R. Verimli: Observations on the reproduction biology of <i>Meriones meridianus</i> Pallas, 1773 (Mammalia: Rodentia) in Turkey	23: 23
Shahin, A. A. B.: A comparative study of the molar and soft palate characters of the genera <i>Allactaga</i> and <i>Jaculus</i> (Mammalia: Rodentia) in Egypt	18: 17
Shahin, A. A. B. & A. T. M. Ata: A comparative study on the karyotype and meiosis of the jerboas <i>Allactaga</i> and <i>Jaculus</i> (Rodentia: Dipodidae) in Egypt	22: 5
Shehab, A. H., S. A. Al-Ahmad & F. F. Samara: Morphology and distribution of the Indian Gerbil, <i>Tatera indica</i> (Hardwicke, 1807), in Syria	52: 3
Shehab, A. W., M. Asaad & I. Mamkhair: Morphology and distribution of the Asian Garden Dormouse, <i>Eliomys melanurus</i> Wagner, 1840, in Syria (Rodentia: Gliridae)	48: 003
Shehab, A. H., I. H. Mamkhair & Z. S. Amr: Remains of the Water Vole, <i>Arvicola terrestris</i> (Linnaeus, 1758) (Microtinae, Rodentia), from north-western Syria	37: 111
Shehab, A. H., O. Mouhra, M. A. Abu Baker & Z. S. Amr: Observations on the Forest Dormouse, <i>Dryomys nitedula</i> (Pallas, 1779) (Gliridae: Rodentia), in Syria	29: 5
Siahzarvie, R., J. Darvish & A. Sarafrazi: Geometric morphometric comparison of the mandibles of three species of vole of the genus <i>Microtus</i> (Rodentia: Arvicolinae) from northern Iran	43: 21
Sözen, M., A. Karatas, F. Alsheyab, A. Shehab & Z. Amr: Karyotypes of seven rodents from Jordan (Mammalia: Rodentia)	44: 3
Strauss, W. M., M. Sher Shah, M. Shobrak: Rodent trapping in the Saja/Umm Ar-Rimth Protected Area of Saudi Arabia using two different trap types	43: 31
Yiğit, N., E. Çolak, İ. Kandemir, T. Kankılıç, R. Çolak, Ş. Bulut, P. Cam, F. Saygılı, M. Sözen & Ş. Özkurt: Allozyme variation in <i>Rattus rattus</i> (Rodentia: Muridae) in Turkey, with particular emphasis on the taxonomy	45: 19
Yiğit, N., E. Çolak, M. Sözen, Ş. Özkurt & R. Verimli: Observations on the feeding biology and behaviour of the Fat Dormouse, <i>Glis glis orientalis</i> Nehring, 1903 (Mammalia: Rodentia) in captivity	22: 17
Yiğit, N., E. Kıvanç & E. Çolak: On the taxonomic status of <i>Meriones tristrami</i> Thomas, 1892 (Rodentia: Gerbillinae) in Turkey	16: 19
Yiğit, N., R. Verimli, M. Sözen, E. Çolak & Ş. Özkurt: The karyotype of <i>Apodemus agrarius</i> (Pallas, 1771) (Mammalia: Rodentia) in Turkey	20: 21
Yağcı, T., Y. Coşkun & N. Aşan: The tunnel structure of blind mole rats (genus <i>Spalax</i>) in Turkey	50: 35

Mammalia (Artiodactyla = Paraxonia)

Abbasian, H., B. H. Kiabi & K. Kavousi: Food habits of Wild Goat, <i>Capra aegagrus aegagrus</i> , in the Khorramdasht area, Kelardasht, Iran	33: 119
---	---------

Akbari, H., H. V. Moradi, J. Sarhangzadeh, B. Shams Esfandabad: Population status, distribution, and conservation of the Chinkara, <i>Gazella bennettii</i> , in Iran (Mammalia: Bovidae)	60(3): 189
Al Hikmani, H., S. Zabanoot, T. Al Shahari, N. Zabanoot, K. Al Hikmani & A. Spalton: Status of the Arabian Gazelle, <i>Gazella arabica</i> (Mammalia: Bovidae), in Dhofar, Oman....	61(4): 195
Al-Safadi, M. M.: On the status of Artiodactyles in the Republic of Yemen	20: 5
Arslangündoğdu, Z., M. Kasparek, H. Saribaşak, M. S. Kacar, O. Yöntem, M. T. Şahin: Development of the population of the European Fallow Deer, <i>Dama dama dama</i> (Linnaeus, 1758), in Turkey (Mammalia: Cervidae)	49: 3
Cunningham, P. L.: On the distribution and status of the Arabian Tahr, <i>Hemitragus jayakari</i> , in the United Arab Emirates and northern Oman.....	23: 13
El Alqamy, H. & S. Baha El Din: Contemporary status and distribution of gazelle species (<i>Gazella dorcas</i> and <i>Gazella leptoceros</i>) in Egypt	39: 5
Boug, A., M. Z.-ul Islam, A. Al Shehry, T. Wronski: Camera trapping confirms the persistence of Arabian Gazelles, <i>Gazella arabica</i> , in the Asir Mountains, Saudi Arabia (Mammalia: Bovidae)	57: 3
Farhadinia, M. S., B. Sh. Esfandabad, M. Karami, F. Hosseini-Zavarei, H. Absalan, B. Nezami: Goitered Gazelle, <i>Gazella subgutturosa</i> : its habitat preference and conservation needs in Miandasht Wildlife Refuge, north-eastern Iran (Mammalia: Artiodactyla)	46: 9
Hosseini-Zavarei, Fatemeh, M. S. Farhadinia, M.-R. Hemami, M. Karami, R. Daniali & M. Omidi: Sex-age structure of bovids in Ghameshlou, Central Iran	51: 3
Karami, M., M. R. Hemami & C. P. Groves: Taxonomic, distributional and ecological data on gazelles in Iran	26: 29
Kasparek, Max: On the historical distribution and present situation of Gazelles, <i>Gazella</i> spp., in Turkey	1: 11
Kiabi, B. H., R. A. Ghaemi, M. Jahanshahi & A. Sassani: Population status, biology and ecology of the Maral, <i>Cervus elaphus maral</i> , in Golestan National Park, Iran	33: 125
Kock, D.: The Fallow Deer <i>Dama schaeferi</i> Hilzheimer, 1926 (Mammalia: Cervidae), enigmatic and forgotten	21: 9
Masseti, M.: Artiodactyls of Syria	33: 139
Reid, S. W. J., B. J. Godley, S. M. Henderson, G. J. Lawrie, D. Lloyd, K. Small, N. Swannie & R. L. Thomas: Ecology and behaviour of the feral Donkey, <i>Equus asinus</i> , population of the Karpas peninsula, northern Cyprus	14: 27
Tez, C., Y. Özkul, H. Yıldız, M. Dursun & İ. Gündüz: The karyotype of the Goitred Gazelle, <i>Gazella subgutturosa</i> , from Turkey	36: 105
ul-Islam, M. Z., Kh. Ismail & A. Boug: Restoration of the endangered Arabian Oryx <i>Oryx leucoryx</i> , Pallas 1766 in Saudi Arabia: lessons learnt from the twenty years of re-introduction in arid fenced and unfenced protected areas (Mammalia: Artiodactyla)	SUP3: 125
Wronski, T.: Population development of Arabian Gazelles (<i>Gazella arabica</i>) on the Farasan Islands, Saudi Arabia (Mammalia: Bovidae)	59(3): 189
Wronski, T., K. Alageel, M. Plath, M. A. Sandouka: Twenty years of monitoring a re-introduced population of Mountain Gazelles, <i>Gazella gazella</i> (Pallas, 1776), in the Ibex Reserve, Saudi Arabia	55: 3

Mammalia (Hyracoidea)

Rifai, L. B., M. Abu Baker & Z. S. Amr: Ecology, distribution and status of the Rock Hyrax, <i>Procavia capensis syriaca</i> , in Jordan	21: 19
--	--------

Mammalia (Cetacea)

Bishop, J. M. & A. H. Alsaffar: Quantitative observations on marine mammals and reptiles of Kuwait's Boubyan Island	43: 3
Braulik, G., O. S. Savadkouhi, S. Fadakar, H. Mohammadi, R. L. Brownell Jr., R. R. Reeves, M. B. Nabavi, A. Fernandez: A retrospective investigation of two dolphin mass mortality events in Iran, autumn 2007 (Mammalia: Cetacea)	49: 13
Bressem, M. F. Van, G. Minton, T. Collins, A. Willson, R. Baldwin & K. Van Waerebeek: Tattoo-like skin disease in the endangered subpopulation of the Humpback Whale, <i>Megaptera novaeangliae</i> , in Oman (Cetacea: Balaenopteridae)	61(1): 1
Güven Veryeri, N.: Postmortem examinations of stranded dolphins found on the Black Sea coast near Ordu, Turkey (Mammalia: Cetacea)	55:129
Kasperek, Max: The False Killer Whale, <i>Pseudorca crassidens</i> (Cetacea: Delphinidae), new for Syria	14: 23
Keijl, G. O. & T. M. van der Have: Observations on marine mammals in southern Iran, January 2000	26: 37
Kinzelbach, Ragnar: The Sperm Whale, <i>Physeter macrocephalus</i> , in the Eastern Mediterranean Sea	1: 15
Kinzelbach, Ragnar: First record of Risso's Dolphin, <i>Grampus griseus</i> , in the Eastern Mediterranean Sea	1: 17
Kinzelbach, Ragnart: Records of the Bottlenosed Dolphin, <i>Tursiops truncatus</i> , in the Aegean Sea and the Sea of Marmara (Cetacea: Delphinidae)	5: 5
Kinzelbach, Ragnar: A record of Striped Dolphin <i>Stenella coeruleoalba</i> (Meyen, 1833) from the Turkish Mediterranean Sea coast	15: 15
Mizrahi, N., D. Kerem, O. Goffman, O. Lernau, E. Spani: Identified fish remains regurgitated by a solitary Indian Ocean Bottlenose Dolphin, <i>Tursiops aduncus</i> , in the Gulf of Aqaba (Mammalia: Delphinidae)	46: 19
Weitkowitz, W.: Sightings of whales and dolphins in the Middle East (Cetacea)	6: 5

Mammalia: Lagomorpha

Drew: C.: The distribution of the Cape Hare, <i>Lepus capensis</i> , in Abu Dhabi Emirate, United Arab Emirates	20: 15
Khalilipour, O., H. R. Rezaei, A. A. Shabani, M. Kaboli, & S. Ashrafi: Genetic structure and differentiation of four populations of Afghan Pika (<i>Ochotona rufescens</i>) in Iran based on mitochondrial cytochrome b gene	60(4): 288

Mammalia (general; all other groups)

Al-Safadi, M. M.: The Hamadryas Baboon, <i>Papio hamadryas</i> (Linnaeus, 1758) in Yemen (Mammalia: Primates: Cercopithecidae)	10: 5
Amr, Z. S., W. N. Al-Melhim & M. A. Yousef: Mammal remains from pellets of the Eagle Owl, <i>Bubo bubo</i> , from Azraq Nature Reserve, Jordan	14: 5
Cunningham, P. L.: Checklist and status of the terrestrial mammals from the United Arab Emirates	33: 7
Emek Inanmaz, Ö., Ö. Değirmenci & A. C. Güçü: A new sighting of the Mediterranean Monk Seal, <i>Monachus monachus</i> (Hermann, 1779), in the Marmara Sea (Turkey)	60(3): 278
Gucu, A. C., S. Sakinan, M. Ok: Occurrence of the critically endangered Mediterranean Monk Seal, <i>Monachus monachus</i> , at Olympos-Beydağları National Park, Turkey (Mammalia: Phocidae)	46: 3
Güçlüsoy, H.: Interaction between Monk Seals, <i>Monachus monachus</i> (Hermann, 1779), and artisanal fisheries in the Foça Pilot Monk Seal Conservation Area, Turkey	43: 13

Güçlüsoy, H. & Y. Savaş: Status of the Mediterranean Monk Seal, <i>Monachus monachus</i> , in the Foça Pilot Monk Seal Conservation Area, Turkey	28: 5
Güçlüsoy, H., N. Veryeri & Ş. Cirik: Cetacean strandings along the coast of İzmir Bay, Turkey	33: 163
Hanafy, M., M. A. Gheny, A. B. Roushdy, A. Salam & M. Fouad: The Dugong, <i>Dugong dugon</i> , in Egyptian waters: distribution, relative abundance and threats	39: 17
Kamal, K. B., A. Boug & P. F. Brain: Effects of food provisioning on the behaviour of commensal Hamadryas Baboons, <i>Papio hamadryas</i> , at Al Hada Mountain in Western Saudi Arabia	14: 11
Kıraç, C. & Y. Savaş: Status of the Monk Seal (<i>Monachus monachus</i>) in the neighbourhood of Ereğli, Black Sea coast of Turkey	12: 5
Morshed, S. & J. L. Patton: New records of mammals from Iran with systematic comments on hedgehogs (Erinaceidae) and mouse-like hamsters (<i>Calomyscus</i> , Muridae)	26: 49
Seddon, P. J., Y. van Heezik & I. A. Nader: Mammals of the Harrat al-Harrah Protected Area, Saudi Arabia	14: 37
Yousef, M. A. & Z. S. Amr: Altitudinal stratification and habitat selection of rodents in Dana Nature Reserve, Jordan	35: 13

Aves (Birds): Non-Passeriformes without Otidae, Strigiformes and Falconiformes

Aghanajafizadeh, Sh., K. Eslami, H. Abbasian, & F. Heydari: Nest-site selection by the Woodchat Shrike (<i>Lanius senator</i>) in Boroyeh Wildlife Sanctuary, Inner Iran.....	60(1): 020
Aghanajafizadeh, Sh., F. Heydari, Gh. Naderi & M. R. Hemami: Nesting hole site selection by the Syrian Woodpecker, <i>Dendrocopos syriacus</i> , in Yazd province, Iran	53: 003
Almalki, M., M. AlRashidi, M. Shobrak, & T. Székely: Breeding distribution and conservation of the Crab Plover (<i>Dromas ardeola</i>) in Saudi Arabia (Aves: Charadriiformes)	60(1): 006
AlRashidi, M., A. Kosztolányi, M. Shobrak & T. Székely: Breeding ecology of the Kentish Plover, <i>Charadrius alexandrinus</i> , in the Farasan Islands, Saudi Arabia	53: 015
Al-Safadi, M: 1993, a good breeding year for Abdim's Stork, <i>Ciconia abdimii</i> , in the Republic of Yemen	9: 033
Al-Safadi, M.: On the breeding biology of the Spur-winged Plover, <i>Hoplopterus spinosus</i> , in the Gaza Strip	14: 047
Al-Safadi, M. M.: On the breeding biology of the Syrian Woodpecker, <i>Dendrocopos syriacus</i> , in the Gaza Strip	32: 007
Arslangündöđu, Z., C. Dalyan, E. Bacak, Ü. Yardım, C. Gezgin, V. Beşkardeş: Spring migration of the White Stork, <i>Ciconia ciconia</i> , and the Black Stork, <i>Ciconia nigra</i> , over the Bosphorus	53: 007
Ashoori, A., S. Naderi & A. Barati: Nestling diet of the Grey Heron, <i>Ardea cinerea</i> , in Siahkeshim, Northern Iran (Aves: Ardeidae)	57: 139
Ashoori, A., and Y. Rakhsbhar: Nestling diet of the Purple Heron, <i>Ardea purpurea</i> , in Anzali wetland, Northern Iran (Aves: Ardeidae)	59(3): 280
Azar, J. F., I. Al Hasani & K. Nishimura: The Demoiselle Crane, <i>Anthropoides virgo</i> (Linnaeus, 1758) (Aves: Gruidae), new to Jordan	41: 109
Balkız, Ö., O. Onmuş, M. Sıkı, Ö. Döndüren, O. Gül, A. Arnaud, C. Germain, S. İsfendiyaroğlu, M. Özbek, E. Çağlayan, N. Araç, B. Parmak, U. Özsesmi & A. Béchet: Turkey as a crossroad for Greater Flamingos <i>Phoenicopterus roseus</i> : evidence from population trends and ring-resightings (Aves: Phoenicopteridae)	61(3): 201
Barati, A.: Diet and growth of chicks of the Great Cormorant, <i>Phalacrocorax carbo</i> , at Ramsar, northern Iran (Aves: Phalacrocoracidae).....	46: 029

Barati, A., & F. Ataii: Observations on the breeding of the Ferruginous Duck, <i>Aythya nyroca</i> (Güldenstädt, 1770), at Lake Zarivar, Kurdistan Province, Iran	43: 105
Barati, A. & B. Behrouzi-Rad: Breeding success of the Great Cormorant, <i>Phalacrocorax carbo</i> Linnaeus, 1758, at Ramsar, northern Iran	50: 41
Behrouzi-Rad, B.: On the movements of the Greater Flamingo, <i>Phoenicopterus ruber</i> , in Iran	6: 21
Berg, A. B. van den : Grey-headed Woodpecker, <i>Picus canus</i> , in northeastern Turkey	2: 12
Berg, A. B. van den & M. Kasperek: The White-breasted Kingfisher, <i>Halcyon smyrnensis</i> , in Turkey: On the occurrence of an endangered species	2: 19
Bezzel, E.: Lesser Sandplover, <i>Charadrius mongolus</i> , in Turkey	1: 24
Boye, P.: On the distribution and status of the Black Francolin, <i>Francolinus francolinus</i> , in Cyprus	4: 17
Bulyuk, V. N. & A. K. Shamuradov: The migration of the Common Crane, <i>Grus grus</i> , in southern Turkmenistan	11: 21
Charalambidou, I. & S. Gücel: First survey of Audouins Gull, <i>Larus audouinii</i> (Payraudeau, 1826), colonies at Kleidhes Islands, Cyprus	45: 29
Crivelli, A. J., T. Mitchev, G. Catsadorakis & V. Pomakov: Preliminary results on the wintering of the Dalmatian Pelican, <i>Pelecanus crispus</i> , in Turkey	5: 11
Cunningham, P.: Confirmed breeding of the Lichtenstein Sandgrouse, <i>Pterocles lichtensteinii</i> , from the United Arab Emirates	25: 15
Eason, P., R. Victor, J. Eriksen & A. Kwarteng: Status of the exotic Ring-necked Parakeet, <i>Psittacula krameri</i> , in Oman (Aves: Psittacidae)	47: 29
Eason, P., B. Rabea & O. Attum: Conservation implications of flight initiation distance and refuge use in Corn Crakes <i>Crex crex</i> at a migration stopover site	51: 9
Eken, G.: The breeding population of some species of waterbirds at Gediz Delta, Western Turkey	14: 53
Erciyas Yavuz, K., N. Yavuz, J. Tavares & Y. S. Barış: Nesting habits and breeding success of the White Stork, <i>Ciconia ciconia</i> , in the Kızılırmak delta, Turkey (Aves: Ciconiidae)	57: 19
Etezadifar, F. & M. Barati: Nestling diet of the Western Reef Heron, <i>Egretta gularis</i> , in Hara Biosphere Reserve, Persian Gulf	54: 131
Flint, P.: Coasting migration of waterbirds at Cape Elea, Cyprus	14: 69
Ghadiri Khanaposhtani, M., M. Shariati Najafabadi, M. Kaboli, A. Farashi & D. Spiering: Habitat requirements of the Black Woodpecker, <i>Dryocopus martius</i> , in Hyrcanian forests, Iran	55: 19
Groh, G.: Mass migration of the Red-necked Phalarope, <i>Phalaropus lobatus</i> , in Eastern Turkey	1: 28
Haaß, C.: First record of the Storm Petrel, <i>Hydrobates pelagicus</i> , in Turkey	4: 23
Have, T. M. van der, G. O. Keijl, J. Mansoori & V. V. Morozov: Waterbirds in coastal wetlands along the Persian Gulf coast of Iran, January–February 2000	26: 71
Islam, M. Z., K. Ismail & A. Boug: Re-introduction of the Red-necked Ostrich, <i>Struthio camelus camelus</i> , in Mahazat as-Sayd Protected Area in central Saudi Arabia	44: 31
Javed, S., S. B. Khan & J. Nazeer Shah: Breeding status of the Red-billed Tropicbird, <i>Phaethon aethereus</i> (Aves: Phaethontidae), on Jarnein Island, United Arab Emirates	44: 11
Javed, S., Sh. B. Khan, Ch. Tourenq, F. Launay & J. Merritt: Nesting, distribution and conservation of the Crab Plover, <i>Dromas ardeola</i> , in the United Arab Emirates (Aves: Dromadidae)	56: 9
Kasperek, M.: On the occurrence of the Bittern, <i>Botaurus stellaris</i> , in Turkey	1: 33
Kasperek, M.: On the age of the colony of the Bald Ibis, <i>Geronticus eremita</i> , at Birecik, Turkey	1: 42

Kasperek, M.: The Demoiselle Crane, <i>Anthropoides virgo</i> , in Turkey: distribution and population of a highly endangered species	2: 31
Kasperek, M.: On the migration of the Whimbrel, <i>Numenius phaeopus</i> , in Turkey	4: 25
Kasperek, M., C. C. Bilgin & A. Akin: The Purple Gallinule, <i>Porphyrio porphyrio</i> , in the Eastern Mediterranean	3: 19
Kägi-Hubmann, L.: Ein neues Brutvorkommen des Rosapelikans, <i>Pelecanus onocrotalus</i> , in Zentralanatolien	7: 5
Kayvanfar, N., M. Aliabadian & S. M. Ghasempouri: Morphometric and morphological differentiation of the subspecies of <i>Phasianus colchicus</i> (Linnaeus, 1758) on the Iranian Plateau (Aves: Galliformes).....	61(1): 9
Khaleghizadeh, A.: On the diet and population of the Alexandrine Parakeet, <i>Psittacula eupatria</i> , in the urban environment of Tehran, Iran	32: 27
Khaleghizadeh, A. & B. Behrouzi-Rad: On waterbirds in the Anzali Wetlands, Iran, in 1999/2000	31: 13
Khaleghizadeh, A. & M. E. Sehati-Sabet: Temporal variation in the numbers of the Alexandrine Parakeet, <i>Psittacula eupatria</i> , in Tehran, Iran	39: 107
Kinzelbach, R.: New records of Alexander's Parrot, <i>Psittacula krameri</i> , from Egypt and the Levant countries	1: 69
Kinzelbach, R.: Ein antiker Nachweis der Türkentaube, <i>Streptopelia decaocto</i> , aus Pakistan...	9: 39
Kılıç, Ay.: The Ereğli Marshes: A new nesting site for the Greater Flamingo, <i>Phoenicopterus ruber</i> , in Turkey	2: 39
Kirwan, G.: The migration of the Great Snipe, <i>Gallinago media</i> , through Turkey	7: 11
Kirwan, G.: American Golden Plover, <i>Pluvialis dominica</i> , in Turkey	10: 23
Kirwan, G.: The status of the Red Knot, <i>Calidris canutus</i> , in the Middle East	13: 17
Nankinov, D.: Distribution of the Great Spotted Cuckoo, <i>Clamator glandarius</i> , in Bulgaria	17: 9
Onmuş, O., M. Sıkı, G. Sarıgül & A. J. Crivelli: Status and development of the population of the globally threatened Dalmatian Pelican, <i>Pelecanus crispus</i> , in Turkey	54: 3
Serra, G., M. S. Abdallah, G. al Qaim: Feeding ecology and behaviour of the last known surviving oriental Northern Bald Ibises, <i>Geronticus eremita</i> (Linnaeus, 1758), at their breeding quarters in Syria	43: 55
Shobrak, M.: On the nesting status of some seabirds in Djibouti	42: 59
Stalling, Th., R. Ayé & T. Roth: The first record of the White-breasted Waterhen, <i>Amaurornis phoenicurus</i> , in Iran (Aves: Rallidae)	61(2): 184
Symens, P., R. Kinzelbach, A. Suhaibani & M. Werner: A review of the status, distribution and conservation of the Socotra Cormorant, <i>Phalacrocorax nigrogularis</i>	8: 17
Uhlig, R.: On the migration of the Whimbrel, <i>Numenius phaeopus</i> , in Bulgaria	4: 33
Uhlig, R.: Zum Zug des Kiebitzregenpfeifers, <i>Pluvialis squatarola</i> , in Bulgarien	5: 21
Uzun, A. & B. Uzun: Comparison of nestling nutrition and growth of Black-crowned Night Heron, <i>Nycticorax nycticorax</i> , and Little Egret, <i>Egretta garzetta</i>	44: 110
Uzun, A., B. Uzun, G. Kopij: Year-to-year variation in clutch size and breeding success of the Little Egret, <i>Egretta garzetta</i> Linnaeus, 1766, in Turkey	45: 35
Victor, R. & Victor, J. R.: Invasive on invasive – On the feeding ecology of the Ring-necked Parakeet, <i>Psittacula krameri</i> , in Oman (Aves: Psittacidae)	59(3): 203
Winkler, H., A. V. Newton & S. F. Newton: On the ecology and behaviour of the Arabian Woodpecker <i>Picoides dorsae</i>	12: 33
Wittenberg, J.: Additional records of the Ring-necked Parakeet, <i>Psittacula krameri</i> , from Egypt and the Middle East	2: 49
Wronski, T.: Habitat preference and diurnal activity pattern in the Sand Partridge, <i>Ammoperdix heyi heyi</i> (Aves: Phasianidae)	48: 35

Yosef, R. & P. Zduniak: Salinity affects territory size of migratory Little Stint (<i>Calidris minuta</i>) (Aves: Limicolae).....	61(3): 220
---	------------

Aves (Birds): Non-Passeriformes: Strigiformes (owls)

Al-Melhim, W. N., Z. S. Amr, A. M. Disi & A. Katbeh-Bader: On the diet of the Little Owl, <i>Athene noctua</i> , in the Safawi area, eastern Jordan	15: 019
Amr, Z. S., W. N. Al-Melhim & M. A. Yousef: Mammal remains from pellets of the Eagle Owl, <i>Bubo bubo</i> , from Azraq Nature Reserve, Jordan	14: 005
Charter, M., Y. Leshem, I. Izhaki, M. Guershon & Y. Kiat: The diet of the Little Owl, <i>Athene noctua</i> , in Israel	39: 31
Hizal, Erdem: Diet of the Long-eared Owl, <i>Asio otus</i> , in Central Anatolia (Aves: Strigidae)....	59(2): 118
Hoppe, N.: Pellet contents of the Barn Owl, <i>Tyto alba</i> , near Sarnandag, Turkey	1: 29
Kasperek, M.: On the distribution and systematic position of the Barn Owl, <i>Tyto alba</i> , in Turkey and adjacent areas	1: 44
Khaleghizadeh, A., M. Tohidifar, S. B. Musavi, A. Hashemi, A. Khani & M. Omidi: Population increase of the Long-eared Owl, <i>Asio otus</i> (Linnaeus, 1758), in Iran (Aves: Strigidae)	61(3): 215
Mohedano, I., M. A. Abu Baker, B. Hunter, J. Buchan, C. J. Michaels, & N. Yamaguchi: On the diet of the Pharaoh Eagle Owl, <i>Bubo ascalaphus</i> (Savigny, 1809), in Qatar, with an overview of its feeding habits	60(2): 111
Kiat, Y., G. Perlman, A. Balaban, Y. Leshem, I. Izhaki, M. Charter: Feeding specialization of urban Long-eared Owls, <i>Asio otus</i> (Linnaeus, 1758), in Jerusalem, Israel	43: 49
Rifai, L. B., W. N. Al-Melhim & Z. S. Amr: On the diet of the Barn Owl, <i>Tyto alba</i> , in northern Jordan	16: 31
Sandor, A. D. & Z. Orban: Food of the Desert Eagle Owl, <i>Bubo ascalaphus</i> Savigny, 1809, in Siwa Oasis, Western Desert, Egypt	44: 107
Seçkin, S. & Y. Coşkun: Small mammals in the diet of the Long-eared Owl, <i>Asio otus</i> , from Diyarbakir, Turkey	35: 102
Shehab, A. H.: Diet of the Eagle Owl, <i>Bubo bubo</i> , in Syria	33: 21
Shehab, A. H., A. Daoud, D. Kock & Z. Amr: Small mammals recovered from owl pellets from Syria (Mammalia: Chiroptera, Rodentia)	33: 027

Aves (Birds): Non-Passeriformes: Otidae (bustards)

Aghanajafizadeh, S., M. R. Hemami & F. Heydari: Nest-site selection by the Asian Houbara Bustard, <i>Chlamydotis macqueenii</i> , in the steppe of Harat, Iran (Aves: Otidae)	57: 011
Aghanajafizadeh, Sh., M. R. Hemami, Gh. Naderi, F. Heydari: Estimation of Houbara Bustard, <i>Chlamydotis macqueenii</i> , population density in the central Iranian steppes (Aves: Otidae)	56: 003
Barati, A., A. A. Amerifar: On the status of the Great Bustard, <i>Otis tarda</i> Linnaeus, 1758 (Aves: Otididae) in Kurdistan Province, Iran	43: 41
Combreaux, O., S. Riou, J. Judas & M. Lawrence: Population structure, migratory connectivity and inference on gene exchange mechanisms in the Asian Houbara Bustard <i>Chlamydotis macqueenii</i> : a summary of recent findings	SUP3: 107
D'Aloia, M.-A.: Studies on the population structure of the Houbara Bustard <i>Chlamydotis undulata</i> in the Middle East with DNA analysis techniques	22: 25
D'Aloia, M.-A. & R. Griffiths: Molecular sexing of the Houbara Bustard, <i>Chlamydotis undulata</i> , and other arid-land species	18: 33
Islam, M. Z., M. Basheer, W. Rahman & A. Boug: The Honey Badger, <i>Mellivora capensis</i> , killing captive Asian Houbara Bustards, <i>Chlamydotis macqueenii</i> , in Saudi Arabia	50: 127

Karakas, R. & F. Akarsu: Recent status and distribution of the Great Bustard, <i>Otis tarda</i> , in Turkey (Aves: Otidae)	48: 25
Kilic, Ah. & R. Karakas: Recent observations on the Great Bustard, <i>Otis tarda</i> , in south-eastern Anatolia	35: 99

Aves (Birds): Non-Passeriformes: Falconiformes (raptors)

Beton, Damla, Baris Saydam, and Robin Snape: Status and ecology of the Bonelli's Eagle, <i>Aquila fasciatus</i> , in the Pentadaktylos Mountain Range, Cyprus (Aves: Falconiformes)	59: 123
D'Aloia, M.-A. & C. P. Eastham: DNA-based sex identification of falcons and its use in wild studies and captive breeding	20: 25
Heiss, M.: The first breeding record of the Red-footed Falcon, <i>Falco vespertinus</i> (Linnaeus, 1766), in Azerbaijan	52: 113
Kasperek, M.: On the migration of raptors through Yemen	15: 29
Kasperek, M. & D. Ristow: On the occurrence of Eleonora's Falcon, <i>Falco eleonorae</i> , in Turkey	1: 60
Khaleghizadeh, A. & M. Javidkar: On the breeding season diet of the Common Kestrel, <i>Falco tinnunculus</i> , in Tehran, Iran	37: 113
Khaleghizadeh, A., M. E. Sehhati-Sabet, M. Javidkar & A. Adjami: On the diet of the Long-legged Buzzard, <i>Buteo rufinus</i> , in the Turan Biosphere Reserve, Semnan, Iran	35: 104
Kilic, Ah., R. Karakas & M. Biricik: Observations on a newly detected breeding site of Bonelli's Eagle, <i>Hieraaetus fasciatus</i> , in south-eastern Anatolia	30: 37
Kirazli, C., & E. Yamaç: Population size and breeding success of the Cinereous Vulture, <i>Aegypius monachus</i> , in a newly found breeding area in western Anatolia (Aves: Falconiformes)	59(4): 289
Kopij, G. & I. Liven-Schulman: Diet of the Lesser Kestrel, <i>Falco naumanni</i> , in Israel	55: 27
Shafaeipour, A.: Prey selection of the Barbary Falcon (<i>Falco pelegrinoides</i>) in south-western Iran	60(1): 13
Strick, J., P. Vercammen, J. Judas & O. Combret: Satellite tracking of a rehabilitated Greater Spotted Eagle <i>Aquila clanga</i>	SUP3: 103
Uhlig, R.: On the present situation of vultures in Bulgaria: A review	2: 46
Wirth, H.: Breeding record of the Imperial Eagle, <i>Aquila heliaca</i> , in Turkey	12: 47
Yamaç, E. & E. Günyel: Diet of the Eurasian Black Vulture, <i>Aegypius monachus</i> Linnaeus, 1766, in Turkey and implications for its conservation	51: 15

Aves (Birds): Passeriformes

Albayrak, T., A. Erdogan: A GIS-based approach to assess the population size of Krüper's Nuthatch, <i>Sitta krueperi</i> at a newly found breeding area in Inner Anatolia (Aves: Passeriformes)	49: 027
Al-Hmoud, A. R., M. Janaydeh, S. Damhoureyeh & F. Khoury: Inter-locality variation in the reproductive ecology of the Linnet, <i>Carduelis cannabina</i> (Linnaeus, 1758) (Aves: Fringillidae), in Jordan	42: 047
Al-Sheikhly, Omar, F., Nader, Iyad, & Barbanera, Filippo: Breeding ecology of the Basra Reed Warbler, <i>Acrocephalus griseldis</i> , in Iraq (Aves: Passeriformes: Acrocephalidae) ..	59:107
Al-Sheikhly, O. F., I. Nader & F. Barbanera: A response to the comment of Porter et al. (2014) on "Breeding ecology of the Basra Reed Warbler <i>Acrocephalus griseldis</i> (Hartlaub, 1891) in Iraq (Aves: Passeriformes: Acrocephalidae)"	61(2): 193
Amiri Baghdarani, F., S. Abasi & A. Barati: Reproductive ecology of the Eurasian Magpie (<i>Pica pica</i> Linnaeus, 1758) in central Iran –	50: 132

Aslan, A. & A. Erdoğan: On the distribution of the White-spectacled Bulbul, <i>Pycnonotus xanthopygos</i> (Hemprich & Ehrenberg, 1833), in Turkey	41: 031
Ayé, R., T. Roth, & T. Stalling: Paddyfield Pipit (<i>Anthus rufulus</i>) in south-eastern Iran: a species new to the Middle East.....	60(2): 183
Berg, A. B. van den & C. A. W. Bosman: Paddyfield Warbler, <i>Acrocephalus agricola</i> , at Van Gölü, eastern Turkey	2: 16
Bilgin, C. C.: First record of the Common Myna (<i>Acridotheres tristis</i>) from Ankara, Turkey ..	13: 25
Cofta, T., R. Lasecki & R. Karakaş: First record of the Blackstart, <i>Cercomela melanura</i> , in Turkey	36: 107
Förschner, M. I., Ch. Randler: A song analysis of the insular Cyprus Short-toed Treecreeper, <i>Certhia brachydactyla dorotheae</i> , supports its subspecies status (Aves: Passeriformes).	46: 37
Glimmerveen, U. & H. Hoës: Red-rumped Wheatear, <i>Oenanthe moesta</i> , in Turkey	1: 26
Hölzinger, J.: The Cinereous Bunting <i>Emberiza cineracea</i> breeding on Skyros (Greece)	11: 31
Jakobsen, O.: Occurrence of Brown-necked Raven, <i>Corvus ruficollis</i> , at Cizre in Eastern Turkey	1: 32
Kabasakal, B. & T. Albayrak: Offspring sex ratios and breeding success of a population of the Great Tit, <i>Parus major</i> (Aves: Passeriformes).....	56: 27
Kaboli, M., M. Aliabadian, M. Thevenot, C. P. Guillaume & R. Prodöhl: Ecological segregation between Iranian wheatears	39: 41
Karaardıç, Hakan & Leyla Özkan: Breeding ecology of the Greater Short-toed Lark (<i>Calandrella brachydactyla</i>) in southern Turkey (Aves: Passeriformes)	59(1): 6
Kasperek, M.: New records of the Red-tailed Wheatear, <i>Oenanthe xanthoprymna</i> , in Turkey..	1: 51
Kasperek, M.: The Cyprus Warbler, <i>Sylvia melanothorax</i> , recorded in Turkey.....	1: 54
Kasperek, M.: On records of the Pine Bunting, <i>Emberiza leucocephalos</i> , in Turkey from the last century	1: 56
Kasperek, M.: The Basra Reed Warbler Debate: Introduction	61(2): 189
Kelly, A., B. J. Godley & R. W. Furness: Magpies, <i>Pica pica</i> , at the southern limit of their range actively select their thermal environment at high ambient temperatures	32: 13
Khaleghizadeh, A., M. Golshekan-Tatafi, M. Youzbashi & F. Aghabeigi: Autumn diet of the Crested Lark, <i>Galerida cristata</i> , in Iran	35: 106
Khoury, F., N. Boulad & M. Janaydeh: Territory size variations in wintering Finsch's Wheatears, <i>Oenanthe finschii</i> (Aves: Passeriformes)	57: 35
Kinzelbach, R.: The White-cheeked Bulbul, <i>Pycnonotus leucogenys</i> , a resident of the Palmyra Oasis, Syria.....	1: 73
Kirwan, G.: Olive-backed Pipit, <i>Anthus hodgsoni</i> , new for Turkey	9: 45
Krieger, H. : The Trumpeter Finch, <i>Bucanetes githagineus</i> , in Turkey	2: 43
Meadows, B. S.: First record of the Hawfinch <i>Coccothraustes coccothraustes</i> in Arabian Peninsula	12: 21
Porter, R., L. Batten, J. Burton, J. M. Collinson, P. Cowan, P. Kennerley, G. M. Kirwan, R. G. Newell, D. Pearson, R. Riddington, M. Salim, R. Sheldon, D. Scott, & M. Woodcock: Towards a better understanding of Basra Reed Warbler <i>Acrocephalus griseldis</i> (Aves: Passeriformes: Acrocephalidae) ecology? A comment on Al-Sheikhly et al. (2013)	61(2): 190
Porter, R., L. Batten, J. Burton, J. M. Collinson, P. Cowan, P. Kennerley, G. M. Kirwan, R. G. Newell, D. Pearson, R. Riddington, M. Salim, R. Sheldon, D. Scott, & M. Woodcock: Rejoinder to the Response of Al-Sheikhly et al.	61(2): 199
Peter, H.: The first breeding record of the Desert Wheatear, <i>Oenanthe deserti</i> , in Turkey	10: 27
Prünste, W., R. Vohwinkel, H. Karaardıç & A. Erdoğan: First record of Blyth's Pipit, <i>Anthus godlewskii</i> (Taczanowski, 1876), from Turkey	50: 129

Randler, Ch.: Resource partitioning between the breeding migrant Cyprus Wheatear, <i>Oenanthe cypriaca</i> , and the passage migrant Spotted Flycatcher, <i>Muscicapa striata</i> , in Cyprus (Aves: Passeriformes)	49: 33
Randler, Ch.: Do migrants influence the foraging behaviour of the insectivorous Cyprus Wheatear, <i>Oenanthe cypriaca</i> , at a stopover site? (Aves: Passeriformes)	59(3): 196
Sehhatisabet, M. E., B. Kiabi, A. Pazuki, H. Alipanah, A. Khaleghizadeh, H. Barari, R. Basiri & F. Aghabeigi: Food diversity and niche-overlap of sympatric tits (Great Tit, <i>Parus major</i> , Blue Tit, <i>Cyanistes caeruleus</i> and Coal Tit <i>Periparus ater</i>) in the Hyrcanian Plain forests	44: 17
Symens, P.: First record of Red-fronted Serin <i>Serinus pusillus</i> in Arabian Peninsula.....	12: 29

Aves (Birds): Passeriformes and Non-Passeriformes (general works)

Al-Safadi, M. M. & M. Kasperek: Breeding observations on the birds of the Tihamah, Yemen	11: 015
Baumgart, W. & M. Kasperek : Notes on some summer birds of Syria	6: 13
Bezzel, E.: Species assemblages and distribution patterns of swallows and swifts in the Near and Middle East	2: 26
Eyckermann, R., M. Louette & M. Becuwe: On the biometry of birds ringed in Turkey	6: 29
Felemban, H. M.: On exotic birds imported into Jeddah, Saudi Arabia	8: 15
Kasperek, M., D. Robel & M. Siering: Bemerkungen zu einigen Vogelarten des Jemen.....	10: 17
Khoury, F.: Habitat associations and communities of breeding birds in the highlands of southwest Jordan	16: 35
Khoury, F.: On the breeding bird community of Wadi Al-Kharrar, Jordan Valley	22: 37
Khoury, F., M. Al-Shamlah, H. Sultan & Y. Abu-Ghalyun: The effects of vegetation cover on the structure of bird communities in a hyperarid desert	40: 10
Kirwan, G.: Recent records of rare birds in Turkey.....	11: 37
Onmuş, O., R. Durusoy & G. Eken: Distribution of breeding birds in the Gediz Delta, Western Turkey (Aves)	47: 39
Robel, D.: Some ornithological winter observations from Southern Sinai	12: 25
Robel, D.: Records of the Grey Hornbill (<i>Tockus nasutus</i>), Crimson-rumped Waxbill (<i>Esacus rhodopyga</i>) and African Silverbill (<i>Lonchura cantans</i>) in Egypt	15: 33
Shobrak, M.: Electrocution and collision of birds with power lines in Saudi Arabia (Aves)	57: 45

Reptilia (Reptiles): Chelonioidea – marine turtles

Affronte, M. & D. Scaravelli: Analysis of stranded sea turtles in the north-western Adriatic Sea	24: 101
Al-Ghais, S. M.: Nesting of Hawksbill Turtles, <i>Eretmochelys imbricata</i> , on the islands of the Arabian Gulf (Reptilia: Cheloniidae)	48: 43
Al-Mohanna, S. Y., P. George: Assessment of the origin of a Loggerhead Turtle, <i>Caretta caretta</i> , found in Kuwaiti waters, using mitochondrial DNA (Reptilia: Cheloniidae)	49: 39
Al-Mansi, A. M. A., O. A. Khushaim & M. M. H. Al-Marghani: On the effect of substrate on nesting success of the Green Turtle, <i>Chelonia mydas</i> , in the Arabian Gulf	19: 5
Al-Mohanna, S. Y. & R. H. Meakins: Recent records of marine turtles (<i>Chelonia mydas</i> , <i>Caretta caretta</i> and <i>Eretmochelys imbricata</i>) in Kuwait	20: 33
Al-Mohanna, S. Y. & R. H. Meakins: First record of the Leatherback Turtle, <i>Dermochelys coriacea</i> , from Kuwait	21: 27
Al-Mukhaini, N., T. A. Ba-Omar, I. Y. Mahmoud & S. Al-Barwani: Embryonic staging of the Green Turtle, <i>Chelonia mydas</i> (Linnaeus, 1758).....	51: 39

Attum, O., A. Kramer, T. Mahmoud, & M. Fouda: Post-nesting migrations patterns of Green Turtles (<i>Chelonia mydas</i>) from the Egyptian Red Sea	60(4): 299
Baran, İ. & M. Kasperek: On the whereabouts of immature sea turtles (<i>Caretta caretta</i> and <i>Chelonia mydas</i>) in the eastern Mediterranean	3: 31
Baran, İ., A. Özdemir, Ç. Ilgaz & O. Türkozan: Impact of some invertebrates on eggs and hatchlings of the Loggerhead Turtle, <i>Caretta caretta</i> , in Turkey	24: 9
Bishop, J. M. & A. H. Alsaffar: Quantitative observations on marine mammals and reptiles of Kuwait's Boubyan Island	43: 3
Bishop, J. M., T. Deshti & S. Al-Ayoub: The Arabian Gulf's first record of the Olive Ridley, <i>Lepidochelys olivacea</i> , from Kuwait	42: 102
Broderick, A. C. & B. J. Godley: Population and nesting ecology of the Green Turtle, <i>Chelonia mydas</i> , and the Loggerhead Turtle, <i>Caretta caretta</i> , in northern Cyprus	13: 27
Campbell, A., M. Clarke, C. Simms, S. Ghoneim, W. S. Hameid & C. Edwards: On status and conservation of marine turtles along the Egyptian Mediterranean Sea coast: results of the Darwin Initiative Sea Turtle Conservation Project 1998–2000	24: 19
Casale, P., G. Gerosa & S. V. Yerli: Female-biased primary sex ratio of the Green Turtle, <i>Chelonia mydas</i> , estimated through sand temperatures at Akyatan, Turkey	20: 37
D'Aloia, M.-A. & S. M. Al-Ghais: Preliminary genetic analysis of the Green Turtle, <i>Chelonia mydas</i> , in the Arabian Gulf using mitochondrial DNA	21: 47
Erdoğan, A., M. Öz, Y. Kaska, S. Düşen, A. Aslan, M. Yavuz, M. R. Tunç & H. Sert: Marine turtle nesting at Patara, Turkey, in 2000	24: 31
Godley, B. J., A. C. Gücü, A. C. Broderick, R. W. Furness & S. E. Solomon: Interaction between marine turtles and artisanal fisheries in the eastern Mediterranean: a probable cause for concern?	16: 49
Godley, B. J., A. Ouerghi & M. S. Coyne: Resources available to individuals and organisations involved with marine turtle research and conservation in the Mediterranean	24: 155
Ilgaz, Ç. & İ. Baran: Reproduction biology of the marine turtle populations in Northern Karpaz (northern Cyprus) and Dalyan (Turkey)	24: 35
Kami, H. G.: First record of the Olive Ridley Turtle, <i>Lepidochelys olivacea</i> , in Iranian coastal waters (Testudines, Cheloniidae).....	15: 67
Kaska, Y., E. Başkale, R. Urhan, Y. Katılmış, M. Gidiş, F. Sarı, D. Sözbilen, A. F. Canbolat, F. Yılmaz, M. Barlas, N. Özdemir & M. Özkul: Natural and anthropogenic factors affecting the nest-site selection of Loggerhead Turtles, <i>Caretta caretta</i> , on Dalaman-Sarıgerme beach in South-west Turkey (Reptilia: Cheloniidae).....	50: 47
Kaska, Y. & R. Downie: Embryological development of sea turtles (<i>Chelonia mydas</i> , <i>Caretta caretta</i>) in the Mediterranean	19: 55
Kaska, Y. & R. W. Furness: Heavy metals in marine turtle eggs and hatchlings in the Mediterranean	24: 127
Kasperek, M.: The nesting of marine turtles on the coast of Syria	11: 51
Kasperek, M.: Organisations and institutions working on marine turtles in the Mediterranean: a preliminary overview	24: 143
Kasperek, M., B. J. Godley & A. C. Broderick: Nesting of the Green Turtle, <i>Chelonia mydas</i> , in the Mediterranean: a review of status and conservation needs	24: 45
Kinzelbach, R.: First record of the Leatherback Turtle, <i>Dermochelys coriacea</i> , from Jordan ...	1: 87
Levy, Y., O. Frid, A. Weinberger, R. Sade, Y. Adam, U. Kandanyan, V. Berkun, N. Perry, D. Edelist, M. Goren, S. Bat-Sheva Rothman, N. Stern, D. Tchernov & R. Gil: A small fishery with a high impact on sea turtle populations in the eastern Mediterranean	61(4): 300
Loghmani Devin, M. & P. Sadeghi: Barnacles on Hawksbill Sea Turtles, <i>Eretmochelys imbricata</i> , in Hormoz Island, Iran (Reptilia: Cheloniidae)	49: 45

Loghmani Devin, M., A. Savari & P. Sadeghi: Nesting of Hawksbill Turtle, <i>Eretmochelys imbricata</i> Linnaeus, 1766, on Hormoz Island, Iran (Cheloniidae)	45: 111
Mahmoud, I. Y., A. Y. AlKindi, T. A. Ba-Omar, S. Al-Siyabi, S. N. Al-Bahry, A. Q. Elshafie & Ch. S. Bakheit: Emergence pattern of Green Turtle, <i>Chelonia mydas</i> , hatchlings under laboratory and natural conditions	35: 19
Margaritoulis, D. & A. Rees: The Loggerhead Turtle, <i>Caretta caretta</i> , population nesting in Kyparissia Bay, Peloponnesus, Greece: Results of beach surveys over seventeen seasons and determination of the core nesting habitat	24: 75
Nada, M. A.: Observations on the trade in sea turtles at the fish market of Alexandria, Egypt .	24: 109
Newbury, N. M. Khalil & L. Venizelos: Population status and conservation of marine turtles at El-Mansouri, Lebanon	27: 47
Oruç, A.: Trawl fisheries in the eastern Mediterranean and its impact on marine turtles	24: 119
Öztürk, B., A. M. Tonay, A. Akkaya, A. A. Öztürk & A. Dede: Stranding of a Green Turtle, <i>Chelonia mydas</i> (Linnaeus, 1758), in the Turkish Black Sea	52: 115
Rabia, B. & O. Attum: Distribution and status of sea turtle nesting and mortality along the North Sinai coast, Egypt (Reptilia: Cheloniidae).....	61(1): 26
Rees, A. F., M. Jony, D. Margaritoulis & B. J. Godley: Satellite tracking of a Green Turtle, <i>Chelonia mydas</i> , from Syria further highlights importance of North Africa for Mediterranean turtles	45: 49
Sönmez, Bektaş, Cemal Turan, and Şükran Yalçın Özدilek: Comparison of the physical properties of two Green Turtle (<i>Chelonia mydas</i>) nesting beaches (Akyatan and Samandağ) in the eastern Mediterranean (Reptilia: Cheloniidae)	59: 30
Sönmez, Bektaş, Cemal Turan, & Ş. Yalçın Özdilek: The effect of relocation on the morphology of Green Turtle, <i>Chelonia mydas</i> (Linnaeus, 1758), hatchlings on Samandağ beach, Turkey	52: 29
Taşkavak, E. & B. Farkas: On the occurrence of the Leatherback Turtle, <i>Dermochelys coriacea</i> , in Turkey (Testudines: Dermochelyidae).....	16: 71
Taşkin, N. & İ. Baran: Reproductive ecology of the Loggerhead Turtle, <i>Caretta caretta</i> , at Patara, Turkey	24: 91
Türkozan, O. & H. Durmuş: Albino Loggerhead and Green Turtle (<i>Caretta caretta</i> and <i>Chelonia mydas</i>) hatchlings in Turkey	24: 133
Türkozan, O., Ç. Ilgaz & S. Sak: Carapacial scute variation in Loggerhead Turtles, <i>Caretta caretta</i>	24: 137

Reptilia (Reptiles): Testudinoidea – freshwater turtles and tortoises

Attum, O., M. M. Esawy, W. E. Farag, A. E. Gad, S. M. Baha El Din & B. Kingsbury: Returning them back to the wild: Movement patterns of repatriated Egyptian Tortoises, <i>Testudo kleinmanni</i> Lortet, 1883 (Sauropsida: Testudinidae)	41: 35
Bondarenko, D. A., E. A. Peregontsev Peculiarities of landscape distribution of the Central Asian Tortoise, <i>Agriornemys horsfieldii</i> , in Iran (Reptilia: Testudines).....	48: 49
Brinckmeier, C., F. Bode & A. Hampe: First record of the Marginated Tortoise, <i>Testudo marginata</i> , in Turkey	3: 47
Crucitti, P. & F. Emiliani: Morphological variability of the Spur-thighed Tortoise, <i>Testudo graeca</i> , in the Nemrut Volcano (Eastern Turkey) (Testudines: Testudinidae)	56: 19
Kami, H. G.: On the biology of the Afghan Tortoise, <i>Testudo horsfieldi</i> , in north-eastern Iran (Reptilia: Testudines)	19: 43
Kami, H. G., V. Hojati, S. Pashaei Rad & M. Sheidaee: A biological study of the European Pond Turtle, <i>Emys orbicularis persica</i> , and the Caspian Pond Turtle, <i>Mauremys caspica caspica</i> , in the Golestan and Mazandaran provinces of Iran	37: 21

Kaviani, M. & M. R. Rahimibashar: Sexual dimorphism of the European Pond Turtle, <i>Emys orbicularis</i> (Linnaeus, 1758), in Anzali Lagoon, Iran (Reptilia: Emydidae)	61(3): 231
Türkozan, O., Y. Kumlutaş, H. Arıkan, Ç. İlgaç & A. Avcı: Morphological and serological comparison of Mediterranean Spur-Thighed Tortoises, <i>Testudo graeca</i> , from the Aegean region and southeastern Turkey	29: 41
Yadollahvand, R., Kami, H. G., Kalbassi, M. R.: Cytogenetic characterisation of the Caspian Pond Turtle, <i>Mauremys caspica</i> , in Golestan and Mazandaran provinces, Iran (Reptilia: Testudines)	59(3): 214

Reptilia (Reptiles): Trionychoidea – soft-shelled turtles

Atatür, M. K. & S. Üçüncü: A preliminary report on some peculiarities in the skull of the Euphrates Soft-shelled Turtle, <i>Trionyx euphraticus</i>	1: 75
Baha El Din, S. M. & W. Salama: Some recent records of the Nile Soft-shelled Turtle, <i>Trionyx triunguis</i> , from Egypt	6: 39
Corsini-Foka, M. & M. Masseti: On the oldest known record of the Nile Soft-shelled Turtle, <i>Trionyx triunguis</i> (Forskål, 1775), in the Eastern Aegean islands (Greece)	43: 108
Katılmış, Y. & R. Urhan: Insects and mites infestation on eggs and hatchlings of the Nile Soft-shelled Turtle, <i>Trionyx triunguis</i> , in Kükürtlü Lake (Turkey)	40: 39
Kinzelbach, R.: Recent records of the Nile Soft-shelled Turtle, <i>Trionyx triunguis</i> , and of the Euphrates Soft-shelled Turtle, <i>Trionyx euphraticus</i> , in the Middle East	1: 83
Shanas, U., M. Gidiş, Y. Kaska, Y. Kimalov, O. Rosner & R. Ben-Shlomo: The Nile Soft-shell Turtle, <i>Trionyx triunguis</i> , of Israel and Turkey: Two genetically indistinguishable populations? (Reptilia: Testudines: Trionychidae)	57: 53
Stadtlander, T.: Recent observations of the Euphrates Soft-shelled Turtle, <i>Rafetus euphraticus</i> , in Mesopotamia	7: 55
Tuna, V.: The remains of a fossil Soft-shelled Turtle (<i>Trionyx</i>) from the Bayraktepe area (Turkey)	2: 63
Winden, J. van den, S. Bogaerts, H. Strijbosch & V. van den Berk: The Nile Soft-shelled Turtle, <i>Trionyx triunguis</i> , in the Göksu Delta, Turkey	10: 57

Reptilia (Reptiles): Sauria / Agamidae – agamas

Al-Sirhan, A.-R. & G. Brown: The status of the two Toad-headed Agamas, <i>Phrynocephalus arabicus</i> (Anderson, 1894) and <i>P. maculatus</i> (Anderson, 1872), in Kuwait	51: 23
Baran, İ., M. Kasparek & M. Öz: On the distribution of four species of agama (Agamidae) in Turkey	3: 37
Cheatsazan, H., H. G. Kami, B. H. Kiabi & V. Rabani: Sexual dimorphism in the Caucasian Rock Agama, <i>Laudakia caucasia</i> (Sauria: Agamidae)	39: 63
Cheatsazan, H., V. Rabani & A. Mahjoorazad: Sexual dimorphism and sexual dichromatism in the Small-scaled Rock Agama, <i>Laudakia microlepis</i> (Blanford, 1874) (Sauria: Agamidae)	45: 41
Cheatsazan, H., V. Rabani, A. Mahjoorazad & H. G. Kami: Taxonomic status of the Yellow-Headed Agama, <i>Laudakia nupta fusca</i> (Blanford, 1876) (Sauria: Agamidae)	44: 41
Cunningham, P.: Daily activity pattern and diet of a population of the Spiny-tailed Lizard, <i>Uromastyx aegyptius microlepis</i> , during summer in the United Arab Emirates	21: 37
Cunningham, P.: Morphological characteristics of the Spiny-tailed Lizard, <i>Uromastyx aegyptius microlepis</i> (Agamidae), from the United Arab Emirates	40: 105
Göçmen, B., M. Tosunoğlu & E. Taşkavak: A taxonomic comparison of the Hardun, <i>Laudakia stellio</i> (Reptilia, Agamidae), populations of southern Turkey (Hatay) and Cyprus ...	28: 25

Heidari, N., H. Cheatsazan, H. G. Kami & S. Shafiei: Sexual dimorphism of the Black Rock Agama, <i>Laudakia melanura lirata</i> (Blanford, 1874) (Sauria: Agamidae)	49: 49
Ibrahim, Adel A., & Moustafa H. El-Naggar: Diet and reproductive biology of the Starred Agama, <i>Laudakia stellio</i> (Linnaeus, 1758) (Squamata: Agamidae), in the northern Sinai, Egypt.....	59: 136
Mahjoorazad, A., H. Cheatsazan, H. G. Kami & V. Rabani: Distribution of the Yellow-Headed Agama, <i>Laudakia nupta fusca</i> (Blanford 1872), in Iran (Squamata: Agamidae)	36: 21
Mohammed; E. H. A. & D. M. Hammad: Notes on a sympatric population of two species of spiny-tailed lizards in Sudan: <i>Uromastyx dispar</i> Heyden, 1827, and <i>U. ocellata</i> Lichtenstein, 1823 (Sauria: Agamidae).....	44: 51
Rastegar-Pouyani, N.: Analysis of geographic variation in the <i>Trapelus agilis</i> complex (Sauria: Agamidae)	19: 75
Rastegar-Pouyani, N. & G. Nilson: Taxonomy and biogeography of the Iranian species of <i>Laudakia</i> (Sauria: Agamidae)	26: 93
Ross, W.: Tail signalling in <i>Phrynocephalus arabicus</i> Anderson, 1894 (Reptilia: Agamidae) ..	11: 63
Torki, F.: Spermatogenesis in the agama <i>Trapelus lessonae</i> (Agamidae: Reptilia) in the Central Zagros Mountains, Iran	38: 21
Werner, Y. L.: Identity and distribution of <i>Agama stellio picea</i> Parker (Sauria: Agamidae), endemic to the volcanic desert of Jordan	6: 41
Wilms, Th. & W. Böhme: Zur Taxonomie und Verbreitung der Arten der <i>Uromastyx ocellata</i> -Gruppe (Sauria: Agamidae)	21: 55
Wittenberg, J.: First records of Arabian Toad-head Agamid (<i>Phrynocephalus arabicus</i>) (Sauria: Agamidae) in Jordan	7: 59
Zari, T. A.: Some observations on the reproductive biology of the herbivorous spiny-tailed agamid <i>Uromastyx philbyi</i> in western Saudi Arabia	19: 123

Reptilia (Reptiles): Sauria / Chamaeleonidae – chameleons

Baran, İ., M. Kasparek & M. Öz : On the occurrence and status of the Chameleon, <i>Chamaeleo chamaeleon</i> , in Turkey	2: 52
---	-------

Reptilia (Reptiles): Sauria / Gekkonidae – geckos

Afrasiab, S. R. & S. I. Mohamad: A study on cave-dwelling geckos in Iraq, with the description of a new species from Saffine mountain (Reptilia: Gekkonidae)	47: 49
Ahmazdadeh, F., V. Hojati & A. Faghiri: Morphological variation between three populations of the Caspian Bent-toed Gecko, <i>Cyrtopodion caspium</i> (Eichwald, 1831) in Northern Iran: evidence for incipient speciation?	51: 31
Al-Sirhan, A.: Two new records of <i>Stenodactylus</i> spp. from Kuwait (Reptilia: Gekkonidae) ..	47: 108
Auer, M., S. Richter & A. Khani: A new record of the Turkmenian Fat-Tailed Gecko, <i>Eublepharis turcmenicus</i> Darevsky, 1978, from north-eastern Iran (Squamata: Gekkonidae).	45: 107
Baha El Din, S. M.: A new species of <i>Tropiocolotes</i> (Reptilia: Gekkonidae) from Egypt	19: 17
Baha El Din, S. M.: A synopsis of African and south Arabian geckos of the genus <i>Tropiocolotes</i> (Reptilia: Gekkonidae), with a description of a new species from Egypt	22: 45
Baha El Din, S. M.: An overview of Egyptian species of <i>Hemidactylus</i> (Gekkonidae), with the description of a new species from the high mountains of South Sinai	34: 11
Bauer, A. M., T. Jackman, E. Greenbaum & T. J. Papenfuss: Confirmation of the occurrence of <i>Hemidactylus robustus</i> Heyden, 1827 (Reptilia: Gekkonidae) in Iran and Pakistan	39: 59
Busais, S. & U. Joger: Molecular phylogeny of the gecko genus <i>Hemidactylus</i> Oken, 1817 on the mainland of Yemen	53: 25

Delima, E. C. & A. Al-Nasser: New record of the Web-footed Sand Gecko, <i>Stenodactylus arabicus</i> (Haas, 1957) (Sauria: Gekkonidae), from Kuwait	41: 111
Heidari, N., H. Faizi & N. Rastegar-Pouyani: Sexual dimorphism in the Persian Gecko, <i>Hemidactylus persicus</i> Anderson, 1872, in Hormozgan Province, Southern Iran	53: 35
Hojati, Vida, H. Gh. Kami, A. Faghiri, F. Ahmadzadeh: A morphological study of the Bedriaga Plate-tailed Gecko, <i>Teratoscincus bedriagai</i> Nikolsky, 1900, in Semnan province of Iran (Reptilia: Gekkonidae).....	46: 113
Hojati, Vida, Kazem Parivar, Eskandar Rastegar-Pouyani, and Abdolhossein Shiravi: Observations on the spermatogenic cycle of the Caspian Bent-toed Gecko, <i>Cyrtopodion caspium</i> , in Iran (Sauria: Gekkonidae)	59(1): 20
Ibrahim, A. A.: Behavioural ecology of the White-spotted Gecko, <i>Tarentola annularis</i> (Reptilia: Gekkonidae), in Ismailia City, Egypt	31: 23
Ibrahim, A. A.: Ecology of the Mediterranean Gecko, <i>Hemidactylus turcicus</i> (Linnaeus, 1758) (Reptilia: Gekkonidae), in North Sinai, Egypt	41: 41
Kami, H. G.: A new record of <i>Carinatogecko aspratilis</i> in Iran (Reptilia: Gekkonidae)	17: 15
Mienis, H. K.: A bicephalic <i>Ptyodactylus hasselquistii</i> from Israel	1: 90
Moravec, J. & D. Modry: On the occurrence of <i>Cyrtopodion heterocercus mardinensis</i> and <i>Pseudocerastes persicus fieldi</i> in Syria.....	10: 53
Nazari-Serenjeh, F. & F. Torki: Additional specimens of the gecko <i>Asaccus nasrullahi</i> Werner, 2006 (Reptilia: Phyllodactylidae), with notes on taxonomy and ecology	44: 57
Rajabizadeh, M., N. Rastegar-Pouyani, H. Faizi & H. Bostanchi: New insights in the taxonomy of the Persian Sand Gecko, <i>Tropiocolotes persicus</i> (Nikolsky, 1903) (Sauria: Gekkonidae)	49: 55
Rastegar-Pouyani, N., H. Oraei & M. Johari: A new record of the gekkonid lizard <i>Tropiocolotes latifi</i> Leviton & Anderson, 1972 from Iran (Sauria: Gekkonidae).....	47: 105
Shifman, S., B. Shacham & Y. L. Werner: <i>Tropiocolotes nattereri</i> (Reptilia: Gekkonidae): comments on validity, variation and distribution.....	17: 51
Sindaco, R., G. Serra & M. Menegon: New data on the Syrian herpetofauna, with a newly recorded species of snake	37: 29
Torki, F.: Sexual dimorphism in the Banded Dwarf Gecko, <i>Tropiocolotes heleneae fasciatus</i> (Gekkonidae) on the western Iranian plateau	40: 33
Zari, T. A.: Effects of body mass, temperature, and season on resting metabolism of the nocturnal gecko <i>Hemidactylus flaviviridis</i>	14: 77

Reptilia (Reptiles): Sauria / Scincidae – skinks

Disi, A. M.: Review of the lizard fauna of Jordan (Reptilia: Sauria)	SUP3: 089
Fattah, R., G. F. Ficetola, N. Rastegar-Pouyani, A. Avcı, Y. Kumlutaş, Ç. İlgaç, S. S. Hosseiniyan Yousefkhani: Modelling the potential distribution of the Bridled Skink, <i>Trachylepis vittata</i> (Olivier, 1804), in the Middle East	60(3): 208
Göçmen, B., A. M. Disi, M. Z. Yıldız: On the occurrence of <i>Blanus strauchi aporus</i> Werner, 1898 and <i>Chalcides guentheri</i> Boulenger, 1887 (Reptilia) in the Mediterranean ecozone of Syria	43: 69
Göçmen, B., A. Şenol & A. Mermer: A new record of Schneider's Skink, <i>Eumeces schneideri</i> Daudin, 1802 (Sauria: Scincidae) from Cyprus	25: 19
Karamiani, R., N. Rastegar-Pouyani, E. Rastegar-Pouyani, M. Akbarpour & E. Damadi: Verification of the Minor Snake-eyed Skink, <i>Ablepharus grayanus</i> (Stoliczka, 1872) (Sauria: Scincidae), from Iran.....	61(3): 226
Kiabi, B., B. Zehzad, H. G. Kami & S. Shafii: On a new record of the Persian Skink, <i>Ophiomorus persicus</i> , in Iran	19: 71

Kumlutaş, Y., Y. Kaska, Ç. Ilgaz & W. Böhme: First record of <i>Eumeces schneiderii</i> (Daudin, 1802) (Sauria: Scincidae) from Western Anatolia	32: 111
Nassar, F., Challita, M., Sadek, R., & S. Hraoui-Bloquet: Sexual dimorphism and female reproductive cycle in the scincid lizard <i>Trachylepis vittata</i> (Olivier, 1804) in Lebanon (Reptilia: Scincidae)	59(4): 297
Nassar, F. & S. Hraoui-Bloquet: Distribution and male reproductive system of the Bridled Mabuya, <i>Trachylepis vittata</i> (Olivier, 1804) (Reptilia: Scincidae), in Lebanon	60(4): 314
Rastegar-Pouyani, N. & H. Faizi: Geographic variation in the skull morphology of <i>Trachylepis aurata transcaucasica</i> Chernov, 1926 (Sauria: Scincidae) in the Zagros Mountains, Western Iran	42: 67
Werner, Y. L.: The first record of <i>Eumeces taeniolatus</i> (Reptilia: Sauria: Scincidae) from Jordan	16: 77

Reptilia (Reptiles): Sauria / Lacertidae (lizards)

Al-Hashem, M. A., P. F. Brain: Changed substrate preferences shown by Fringe-toed Lizards, <i>Acanthodactylus scutellatus</i> , from Kuwait's Al-Burgan oil field (Reptilia: Lacertidae) ..	46: 041
Al-Sirhan, A.: First record of the Small-spotted Desert Lizard, <i>Mesalina guttulata</i> (Lichtenstein, 1823) (Sauria: Lacertidae), from Kuwait	45: 110
Baha El Din, S. M.: The occurrence of <i>Acanthodactylus longipes</i> Boulenger, 1918 in Egypt, with remarks on its identification and ecology	12: 053
Baha El Din, S. M.: A new lizard of the <i>Acanthodactylus scutellatus</i> group (Squamata: Lacertidae) from Egypt	40: 021
Bosch, H. A. J. in den: The status of <i>Lacerta mostoufi</i> Baloutch, 1977 (Reptilia: Lacertidae)	19: 013
Bosch, H. A. J. in den: <i>Mesalina brevirostris</i> Blanford, 1874 (Reptilia: Lacertidae) in Lebanon, with data on reproduction	23: 031
Dehghani, A., S. S. Hosseiniyan Yousefkhani, N. Rastegar-Pouyani, S. M. Banan-Khojasteh, & A. Mohammadpour: Sexual size dimorphism in <i>Darevskia raddei</i> (Sauria: Lacertidae) from northwestern Iran	60(2): 120
Disi, A. M.: Review of the lizard fauna of Jordan (Reptilia: Sauria)	SUP3: 089
Gharzi, Ahmad & Afsaneh Yari : Age determination in the Snake-eyed Lizard, <i>Ophisops elegans</i> , by means of skeletochronology (Reptilia: Lacertidae)	59 (1): 010
Goldberg, S. R.: Reproduction in the Desert Lacerta, <i>Mesalina guttulata</i> , from Israel (Squamata: Lacertidae)	56: 027
Goldberg, Stephen R.: Reproduction in Bosk's Fringe-fingered Lizard, <i>Acanthodactylus boskianus</i> from Israel (Squamata: Lacertidae)	59(1): 016
Heidari, N., H. Faizi & N. Rastegar-Pouyani: Sexual dimorphism in Blanford's Fringe-toed Lizard, <i>Acanthodactylus blanfordi</i> Boulenger, 1918, from Southern Iran	55: 035
Hosseiniyan Yousefkhani, S. S., Rastegar-Pouyani, E., Rastegar-Pouyani, N., Masroor, R., and Šmid, J.: Modelling the potential distribution of <i>Mesalina watsonana</i> (Stoliczka, 1872) (Reptilia: Lacertidae) on the Iranian Plateau	59(3): 220
Loos, J., T. Dayan, N. Drescher, T. Levanony, E. Maza, B. Shacham, R. Talbi, Th. Assmann: Habitat preferences of the Levant Green Lizard, <i>Lacerta media israelica</i> (Peters, 1964)	52: 017
Moravec, J., S. Baha El Din, H. Seligmann, N. Sivan & Y. L. Werner: Systematics and distribution of the <i>Acanthodactylus pardalis</i> group (Lacertidae) in Egypt and Israel	17: 21
Oraie, H., H. Rahimian, N. Rastegar-Pouyani, A. Khosravani, & E. Rastegar-Pouyani: Sexual size dimorphism in <i>Ophisops elegans</i> (Squamata: Lacertidae) in Iran	59(4): 302
Oraie, H., H. Rahimian, N. Rastegar-Pouyani, E. Rastegar-Pouyani, G. F. Ficetola, S. S. Hosseiniyan Yousefkhani, & A. Khosravani: Distribution pattern of the Snake-eyed Lizard, <i>Ophisops elegans</i> Ménétriés, 1832 (Squamata: Lacertidae), in Iran.....	60(2): 125

Rastegar-Pouyani, E., S. S. Hosseiniyan Yousefkhani & M. Wink: Taxonomic reevaluation of <i>Eremias strauchi strauchi</i> Kessler, 1878 and <i>Eremias strauchi kopetdagica</i> Szczerbak, 1972, based on nuclear and mitochondrial DNA sequences (Reptilia: Lacertidae)	61(2): 118
Rato, C., M. Z. Yıldız, N. İğci, K. Olgun, Ç. Ilgaz, A. Avci, F. Ahmadzadeh & M. A. Carrettero: Phylogenetic relationships of the populations of <i>Iranolacerta brandtii</i> (de Filippi, 1863) (Squamata: Lacertidae) recently found in Eastern Anatolia, Turkey.....	61(4): 324
Rifai, L., D. Modrý, P. Necas & Z. S. Amr: The occurrence of <i>Acanthodactylus hardyi</i> Haas, 1957 in the Hashemite Kingdom of Jordan and notes on its ecology	28: 33
Rizk, K. & F. Nassar: Male reproduction cycle of Kulzer's Rock Lizard, <i>Phoenicolacerta kulzeri</i> (Müller & Wettstein, 1932), in Lebanon (Reptilia: Lacertidae).....	61(4): 318
Tosunoğlu, M., B. Göçmen, M. K. Atatür & İ. E. Çevik: Morphological and serological investigations on <i>Lacerta laevis</i> Gray, 1838 (Sauria: Lacertidae) populations from Anatolia	23: 55
Tosunoğlu, M., B. Göçmen, E. Taşkavak & A. Budak: A serological comparison of the populations of the <i>Lacerta laevis</i> complex in northern Cyprus and southern Turkey	19: 117
Werner, Y. L.: Geographical sympatry of <i>Acanthodactylus opheodurus</i> with <i>A. boskianus</i> in the Levant	1: 92
Werner, Y. L.: A new species of the <i>Acanthodactylus pardalis</i> group (Reptilia: Lacertidae) from Jordan	32: 39
Werner, Y. W., O. Gajst, R. Talbi & A. Bouskila: <i>Acanthodactylus opheodurus</i> Arnold, 1980 in the Levant revisited, and the striped patterns of Levantine <i>Acanthodactylus</i> (Reptilia: Lacertidae)	56: 31
Zotos, S., Ch. Adamopoulou, B.s Chondropoulos, C. Kadis, A . Ch. Hadjichambis & A. Le-gakis: Evidence of sperm storage in Schreiber's Fringe-fingered Lizard, <i>Acanthodactylus schreiberi schreiberi</i> , from Cyprus (Reptilia: Lacertidae)	56:39

Reptilia (Reptiles): Serpentes (snakes)

Afrasiab, S. R. & S. I. Mohamad: First record of the Rat Snake, <i>Zamenis hohenackeri</i> (Strauch, 1873), from north-eastern Iraq with notes on other colubrid snakes	54: 019
Afrasiab, S. R. & S. I. Mohamad: New records of snakes from Iraq (Reptilia: Colubridae).....	60(1): 092
Afroosheh, M. Rajabizadeh, N. Rastegar-Pouyani & H. Gh. Kami: The Brahminy Blind Snake, <i>Ramphotyphlops braminus</i> (Daudin, 1803), a newcomer to Iran (Ophidia: Typhlopidae)	50: 135
Al-Mohanna, S., S. Jaman & R. Meakins: First report of a melanistic Whip Snake, <i>Coluber jugularis</i> Linnaeus, 1758 from the Arabian Peninsula	14: 073
Al-Oran, R. M. & Z. S. Amr: First record of the Mole Viper, <i>Atractaspis microlepidota engaddensis</i> from Jordan	11: 047
Al-Oran, R. M., S. Rostum, U. Joger & Z. Amr: First record of the Levantine Viper, <i>Macrovipera lebetina</i> , from Jordan	16: 065
Babaei Savasari, R., A. Shiravi & V. Hojati: The male reproductive cycle of the Dice Snake, <i>Natrix tessellata</i> (Serpentes: Colubridae), in northern Iran	61(1): 18
Babocsay, G.: Geographic variation in <i>Echis coloratus</i> (Viperidae, Ophidia) in the Levant with the description of a new subspecies	29: 013
Baran, İ.: On an island population of <i>Eirenis modestus</i> in the Turkish Mediterranean Sea.....	1: 080
Baran, İ., U. Joger, B. Kutrup & O. Türkozan: On new specimens of <i>Vipera barani</i> Böhme & Joger, 1983, from northeastern Anatolia, and implications for the validity of <i>Vipera pontica</i> Billing, Nilson & Sattler, 1990 (Reptilia, Viperidae)	23: 047
Bishop, J. M. & A. H. Alsaffar: Quantitative observations on marine mammals and reptiles of Kuwait's Boubyan Island	43: 003

Böhme, W. & H. Wiedl: Status and zoogeography of the herpetofauna of Cyprus, with taxonomic and natural history notes on selected species (genera <i>Rana</i> , <i>Coluber</i> , <i>Natrix</i> , <i>Vipera</i>)	10: 031
Franzen, Michael: A record of <i>Spalerosophis diadema</i> (Reptilia: Colubridae) from Adiyaman province, Turkey	19: 033
Fautz, R.: The Flounder, <i>Platichthys flesus</i> , as a prey of the Dice Snake, <i>Natrix tessellata</i> , in Turkey	1: 118
Göçmen, B. & W. Böhme: New evidence for the occurrence of the Dice Snake, <i>Natrix tessellata</i> (Laurenti, 1768) on Cyprus	27: 029
Göçmen, B., K. Mebert, N. İğci, B. Akman, M. Z. Yıldız, M. A. Oğuz, & Ç. Altın: New locality records for four rare species of vipers (Reptilia: Viperidae) in Turkey	60(4): 306
Hojati, Vida, Afshin Faghiri, Abdolhossein Shiravi: Diet of the Grass Snake, <i>Natrix natrix</i> (Linnaeus, 1758) (Serpentes: Colubridae), in northern Iran	55: 132
Jandzik, D.: Record of a black-coloured <i>Natrix</i> in northeastern Turkey, with comments on the validity of the Bigheaded Grass Snake, <i>Natrix megalcephala</i> Orlov & Tunijev, 1987 ..	34: 027
Martens, Harald: Three species of snake new for Syria.....	9: 049
Martens, Harald: The rediscovery of the Grass Snake <i>Natrix natrix</i> (L.) in the Levant	12: 059
Menis, Henk K.: Cannibalism in a juvenile Large Whip Snake, <i>Coluber jugularis asianus</i> , in Israel	1: 088
Moravec, J. & David Modry: On the occurrence of <i>Cyrtopodion heterocercus mardinensis</i> and <i>Pseudocerastes persicus fieldi</i> in Syria.....	10: 053
Mulder, J.: The Thread Snake, <i>Leptotyphlops macrorhynchus</i> (Reptilia: Leptotyphlopidae) as a presumed prey item for the racer <i>Coluber rhodochachis</i> (Reptilia: Colubridae)	26: 089
Nilson, Göran & Nasrullah Rastegar-Pouyani: On the occurrence of <i>Eirenis coronelloides</i> (Jan, 1862) in western Iran (Reptilia: Colubridae).....	54: 133
Nilson, Göran, & Nasrullah Rastegar-Pouyani: The occurrence of <i>Telescopus nigriceps</i> (Ahl, 1924) in western Iran, with comments on the genus <i>Telescopus</i> (Serpentes: Colubridae)	59: 131
Rastegar-Pouyani, E., N. Eskandarzadeh, & J. Darvish: Re-evaluation of the taxonomic status of sand boas of the genus <i>Eryx</i> (Daudin, 1803) (Serpentes: Boidae) in north-eastern Iran.....	60(4): 320
Rajabizadeh, M. & N. Rastegar-Pouyani: Additional information on the distribution and morphology of <i>Coluber</i> (s. l.) <i>andreasus</i> (Werner, 1917) (Reptilia: Colubridae) from Iran .	39: 69
Rezaie-Atagholipour, M., A. Riyahi-Bakhtiari, M. Rajabizadeh & P. Ghezellou: Status of the Annulated Sea Snake, <i>Hydrophis cyanocinctus</i> , in the Hara Protected Area of the Persian Gulf (Reptilia: Elapidae: Hydrophiinae)	57: 61
Shafiei, S., H. Fahimi, M. E. Sehhatisabet & N. Moradi: Rediscovery of Maynard's Longnose Sand Snake, <i>Lytorhynchus maynardi</i> , with the geographic distribution of the genus <i>Lytorhynchus</i> Peters, 1863 in Iran	61(1): 32
Sindaco, R., G. Serra & M. Menegon: New data on the Syrian herpetofauna, with a newly-recorded species of snake	37: 29
Sivan, N. & Y. L. Werner: Revision of the Middle-Eastern dwarf-snakes commonly assigned to <i>Eirenis coronella</i> (Colubridae)	28: 39
Soorae, P. S., H. S. Das & H. Al Mazrouei: Records of sea snakes (subfamily Hydrophiinae) from the coastal waters of the Abu Dhabi Emirate, United Arab Emirates	39: 109
Tok, C. V. & Y. Kumlutaş: On <i>Vipera ammodytes transcaucasiana</i> (Viperidae) from Persembe, Black Sea region of Turkey	13: 47
Tok, C. V., D. Cihan & D. Ayaz: A new record of <i>Macrovipera lebetina obtusa</i> (Viperidae) from south-eastern Anatolia	25: 23
Werner, Y. L., G. Babocsay, H. Carmely & M. Thuna: <i>Microtropis</i> in the southern Levant: variation, sexual dimorphism, and a new species (Serpentes: Atractaspididae)	38: 29

Reptilia (Reptiles): Other groups / papers covering more than one group

Al-Oran, R. M.: Notable herpetological records from Central and Southern Jordan	21: 31
Baran, İ., M. Kasperek & M. Öz: On the distribution of the Slow Worm, <i>Anguis fragilis</i> , and the European Glass Lizard, <i>Ophisaurus apodus</i> , in Turkey	2: 57
Bayless, M. K.: A review of the ixodid tick species <i>Amblyomma gervaisi</i> (Ixodoidea) and its host <i>Varanus</i> sp. (Sauria: Varanidae) from Yemen	39: 119
Böhme, W. & H. Wiedl: Status and zoogeography of the herpetofauna of Cyprus, with taxonomic and natural history notes on selected species (genera <i>Rana</i> , <i>Coluber</i> , <i>Natrix</i> , <i>Vipera</i>)	10: 31
Disi, A. M.: A Contribution to the Herpetofauna of Jordan 4. Lizards of Jordan	5: 25
Esterbauer, H. : Die Herpetofauna des östlichen Golani- und Hermongebietes. Funde und Bemerkungen zur Systematik und Ökologie	7: 21
Göçmen, B., A. M. Disi, M. Z. Yıldız: On the occurrence of <i>Blanus strauchi aporus</i> Werner, 1898 and <i>Chalcides guentheri</i> Boulenger, 1887 (Reptilia) in the Mediterranean ecozone of Syria	43: 69
Hraoui-Bloquet, S., R. A. Sadek, R. Sindaco & A. Venchi: The herpetofauna of Lebanon: new data on distribution	27: 35
Lymberakis, P. & A. Kalionzopoulou: Additions to the herpetofauna of Syria	29: 33
Mobaraki, A., Abtin, E., Kami, H. G., Kiabi, B. H.: Reproductive biology of the Mugger Crocodile, <i>Crocodylus palustris</i> , in Iran (Reptilia: Crocodylidae)	59(3): 207
Soorae, P. S.: A herpetological survey of some islands in the Arabian Gulf, Abu Dhabi Emirate, United Arab Emirates	32: 33
Werner, Y. L.: Notable herpetofaunal records from Transjordan	5: 37
Werner, Y. L.: Middle Eastern herpetology loses John Gasperetti, 1920–2001	27: 5

Amphibia (Amphibians)

Arikan, H., M. K. Atatür & M. Tosunoğlu: A study on the blood cells of the Caucasus Frog, <i>Pelodytes caucasicus</i>	30: 43
Ba-Omar, T., I. Ambu-Saidi, S. Al-Bahry & A. Al-Khayat: Embryonic and larval staging of the Arabian Toad, <i>Bufo arabicus</i> (Amphibia: Bufonidae)	32: 47
Baran, I. & M. Öz: On the occurrence of <i>Neurergus crocatus</i> and <i>N. strauchii</i> in Southeast Anatolia	1: 96
Baran, I. & M. K. Atatür: On <i>Mertensiella luschani helverseni</i> populations in Southwestern Anatolia	1: 99
Baran, I. & I. Yılmaz: On the distribution of <i>Triturus vittatus ophryticus</i> in Northern Anatolia	1: 105
Başkale, E. & U. Kaya: Decline of the Levantine Frog, <i>Pelophylax bedriagae</i> Camerano, 1882, in the western Aegean Region of Turkey: changes in population size and implications for conservation (Amphibia: Ranidae)	57: 69
Başkale, E., F. Sayım, Ş. Yıldırım, M. Kutsay Atatür & U. Kaya: Reproductive ecology and body size-fecundity relationships of the Green Toad, <i>Pseudepidalea viridis</i> (Laurenti, 1768), in the Kocaçay Stream, Izmir, Turkey	52: 39
Böhme, W. & H. Wiedl: Status and zoogeography of the herpetofauna of Cyprus, with taxonomic and natural history notes on selected species (genera <i>Rana</i> , <i>Coluber</i> , <i>Natrix</i> , <i>Vipera</i>)	10: 31
Cheatsazan, H., A. Mahjoorazad, V. Rabani & H. G. Kami: Distribution of the Yellow-Lemon Tree Frog, <i>Hyla savignyi</i> Audouin, 1827 (Anura: Hylidae) in Iran	36: 109
Çiçek, K., A. Mermer & C. V. Tok: Population dynamics of <i>Rana macrocnemis</i> Boulenger, 1885 at Uludağ, Western Turkey	53: 41

Delfino, M., G. Bar-Oz & L. Weissbrod: Recent shrinkage of the range of the Eastern Spadefoot Toad, <i>Pelobates syriacus</i> (Amphibia: Anura): archaeological evidence from the Bronze Age in Israel	40: 45
Ebrahimi, M., S. Javanmardi, H. R. Esmaeli, H. G. Kami: Embryo and larval development of Iranian Near Eastern Brown Frogs, <i>Rana macrocnemis pseudodalmatina</i> Eiselt & Schmidtler, 1971 (Amphibia: Ranidae), in Alang Dareh Forest, north-eastern Iran	43: 75
Franzen, M. & F. Glaw: Distress calls of <i>Mertensiella luschani finikensis</i> from Turkey (Amphibia: Salamandridae)	19: 27
Gürcü, B., Y. Başimoğlu Koca & E. Balcan: Histological structure of the skin of the Southern Crested Newt, <i>Triturus karelinii</i> (Salamandridae: Urodela)	31: 39
Kami, H. G.: Additional specimens of the Persian Mountain Salamander, <i>Batrachuperus persicus</i> , from Iran (Amphibia: Hynobiidae)	19: 37
Kami, H. G.: Rediscovery of the Southern Crested Newt, <i>Triturus (cristatus) karelini</i> (Salamandridae), from its easternmost locality in Iran	15: 37
Kaya, U.: Responses to synthetic advertisement calls by marsh frogs from western Anatolia ..	25: 27
Klütsch, C. F. C., W.-R. Grosse, B. Misof, A. K. Nasher & C. M. Naumann: Distribution of the Yellow-lemon Tree Frog, <i>Hyla savignyi</i> (Audouin, 1827), in southern Arabia: updates and extensions of previous records	31: 47
Mienis, H.: An albinistic Tree Frog, <i>Hyla arborea savignyi</i> , from Israel	1: 108
Mohammed, S. A., A. El-Kader Gamal El-Din, H. El-Dawy, H. A. Al-Maskati & M. Saleh: Karyological comparison of water frog (<i>Rana cf. ridibunda</i>) populations from Bahrain, eastern Saudi Arabia and Egypt.....	15: 41
Najafimajd, E. & U. Kaya: A newly found locality for the critically endangered Yellow Spotted Newt, <i>Neurergus microspilotes</i> (Nesterov, 1917) nourishes hope for its conservation	51: 51
Olgun, K., İ. Baran & C. V. Tok: Comparative morphology of <i>Triturus karelinii</i> populations from western and central Turkey (Amphibia: Urodela).....	22: 57
Plötner, J., Ç. Akın Pekşen, F. Baier, T. Uzzell & C. C. Bilgin: Genetic evidence for human-mediated introduction of Anatolian water frogs (<i>Pelophylax cf. bedriagae</i>) to Cyprus (Amphibia: Ranidae)	61(2): 125
Rastegar-Pouyani, N. & H. Faizi: On a collection of the Near Eastern Fire Salamander, <i>Salamandra infraimmaculata semenovi</i> (Salamandridae), from Kurdistan Province, Western Iran	37: 115
Schneider, H.: Calls of the Levantine Frog, <i>Rana bedriagae</i> , at Birket Ata, Israel (Amphibia: Anura)	19: 101
Schneider, H.: Calls and reproductive behaviour of the water frogs of Damascus, Syria (Amphibia: Anura: <i>Rana bedriagae</i> Camerano, 1882)	15: 51
Schneider, H.: Bioacoustic demonstration of the Tree Frog, <i>Hyla arborea</i> (Amphibia: Anura), in western Turkey	21: 77
Schneider, H.: The distribution of <i>Hyla arborea</i> and <i>H. savignyi</i> on the south coast of Turkey (Amphibia: Anura).....	23: 61
Sindaco, R., G. Serra & M. Menegon: New data on the Syrian herpetofauna, with a newly-recorded species of snake	37: 29
Soorae, P., Els, J., Gardner, D., and El Alqamy, H.: Distribution and ecology of the Arabian and Dhofar Toads (<i>Duttaphrynus arabicus</i> and <i>D. dhufarensis</i>) in the United Arab Emirates and adjacent areas of northern Oman	59(3): 229
Taşkin, N. & K. Olgun: Morphological comparison of two populations of the Smooth Newt, <i>Triturus vulgaris</i> , from western Anatolia	28: 61
Tok, C. V., M. K. Atatür & D. Ayaz: Morphological characterisation of a population of <i>Rana ridibunda</i> Pallas, 1771 in the Dalaman area, Turkey	20: 47

Yaman Yakin, B., K. Çiçek, M. Koyun, M. Gürkan, S. Hayretdağ & C. V. Tok: A skeletochronological analysis of a population of the Anatolia Newt, <i>Neurergus strauchi</i> (Steindachner, 1887) (Caudata: Salamandridae), in Eastern Anatolia, Turkey	61(4): 332
Yılmaz, I.: On the distribution of the Fire-bellied Toad, <i>Bombina bombina</i> , in Turkey.....	1: 109
Veith, M., İ. Baran, O. Godmann, A. Kiefer, M. Öz & M. R. Tunç: A revision of population designation and geographic distribution of the Lycian Salamander <i>Mertensiella luscani</i> (Steindachner, 1891).....	22: 67
Werner, Y. L.: Four modes of lightening of coloration in desert populations of the Green Toad, <i>Bufo viridis</i>	2: 68
Werner, Y. L.: Middle Eastern herpetology loses John Gasperetti, 1920–2001	27: 5

Osteichthyes (Bony fish): Freshwater Fishes

Abdoli, A., S. Allahyari, R. Patimar & B. H. Kiabi: Feeding strategies of three <i>Neogobius</i> species in the Gomishan Wetland of Iran, South-east Caspian Sea (Osteichthyes: Gobiidae)	56: 49
Abdoli, A., H. Rahmani & P. Rasooli: On occurrence, diet and reproduction of <i>Neogobius fluviatilis</i> in Madarsoo stream, Golestan National Park (north eastern Iran)	26: 123
Abdoli, A., P. Rasooli & S. Soltaninasab: A contribution to the biology of <i>Acanthalburnus urmianus</i> (Günther, 1899) (Osteichthyes: Cyprinidae): an endemic fish of Iran	43: 111
Abou-Seedo, F., M. J. Otieno & S. Dadzie: Length-weight relationship, condition factor and gonadosomatic index of <i>Liza klunzingeri</i> (Day, 1888) in Kuwait Bay: comparison of data from 1980s and 1990s	25: 37
Ahnelt, H., B. W. Coad, A. Abdoli & H. P. Zirkohy: Gobiid fishes of the genera <i>Chasar</i> , <i>Mesogobius</i> and <i>Neogobius</i> (Teleostei: Gobiidae) from Iran (South Caspian Basin)	41: 55
Al-Absy, A. H. & S. Mir: New localities for the Cyprinid fish <i>Garra tibanaica ghorensis</i> in Jordan	1: 111
Al-Absy, A. H. & S. Mir: A new record of <i>Blennius fluviatilis</i> from Jordan	1: 114
Al-Hassan, L. A . J. & K. A. Muhsin: The presence of <i>Barbus luteus</i> and <i>Heteropneustes fossilis</i> in Khor al Zubair in the North-west of the Arabian Gulf	1: 116
Al-Shamma'a, A. A. & Z. N. Jasmin: The natural food of <i>Liza abu</i> during the flood in Al-Hammar Marsh, South Iraq	9: 59
Attaala, A. M. & B. S. Rubaia: First record of the eel <i>Anguilla bengalensis</i> from Arabia with notes on freshwater fishes from Hadhramout, Yemen	34: 35
Bagherian, A. & H. Rahmani: Morphological differentiation between two populations of the Shemaya, <i>Chalcalburnus chalcooides</i> : a geometrical morphometric approach	40: 53
Bakhtiyari, M., Sh. Kamal, A. Abdoli, H. R. Esmaeli & M. Ebrahimi: Comparison of the feeding behaviour and strategy of the Killifish, <i>Aphanius sophiae</i> Heckel, 1847, at two different localities in Iran	52: 47
Balma, G. A. C., R. Sindaco & N. Fedrighini: Notes on the distribution of two fishes in Anatolia	11: 73
Başkurt, S., Ö. Emiroğlu, A. S. Tarkan & L. Vilizzi: The life-history traits of widespread freshwater fish species: the case of Roach <i>Rutilus rutilus</i> (Linnaeus, 1758) (Pisces: Teleostei) in water bodies at the southern limits of distribution	61(4): 339
Bektaş, Yusuf, Y. Çiftçi, O. Eroğlu & A. O. Beldüz: Genetic discrimination of two <i>Capoeta</i> species in north-eastern Anatolia, using mitochondrial 16S rRNA gene	53: 61
Bektaş, Yusuf, Ali Osman Beldüz, and Davut Turan: The phylogenetic position of Turkish populations within the European Bitterling, <i>Rhodeus amarus</i> (Osteichthyes: Cyprinidae)	59: 39

Breil, M. & J. Bohlen: First record of the loach fish <i>Turcinoemacheilus kosswigi</i> in the basin of Euphrates River, with first observations on habitat and behaviour	23: 71
Coad, B. W.: Zoogeography of the fishes of the Tigris-Euphrates Basin	13: 51
Coad, B. W.: Exotic fishes in the Tigris-Euphrates Basin	13: 71
Coad, B. W.: Systematics of the shah mahi, <i>Chalcalburnus chalcooides</i> (Güldenstädt, 1772), in the southern Caspian Sea basin (Actinopterygii: Cyprinidae)	12: 65
Coad, B. W.: <i>Alburnus zagrosensis</i> n.sp., a new species of fish from the Zagros Mountains of Iran (Actinopterygii: Cyprinidae)	48: 63
Coad, B. W. & A. Abdoli: Exotic Fish Species in the Fresh Waters of Iran	9: 65
Coad, B. W. & A. Abdoli: <i>Rhinogobius cf. similis</i> Gill, 1859, a goby new to the fish fauna of Iran and the problem of alien invasions	20: 55
Coad, B. W. & A. Abdoli: Systematics of an isolated population of tooth-carp from northern Iran (Actinopterygii: Cyprinodontidae)	21: 87
Coad, B. W. & N. A. Hussain: First record of the exotic species <i>Hemiculter leucisculus</i> (Actinopterygii: Cyprinidae) in Iraq	40: 107
Coad, B. W. & N. Keyzer-de Ville: On the systematics and distribution of the snow trout <i>Schizothorax pelzami</i> Kessler, 1870, in Iran (Actinopterygii: Cyprinidae)	32: 57
Coad, B. W. & N. Keyzer-de Ville: On the validity of the species in the snow-trout genus <i>Schizocypris</i> Regan, 1914 (Cyprinidae: Actinopterygii)	35: 35
Coad, B. & F. Krupp: <i>Capoeta aculeata</i> (Valenciennes in Cuv. & Val., 1844), a valid species of cyprinid fish from Iran (Teleostei: Cyprinidae)	10: 63
Coad, B. W. & B. Ya. Vilenkin: Co-occurrence and zoogeography of the freshwater fishes of Iran	31: 53
Elp, M., Özluğ, M., Şen, F., and Freyhof, J.: Validation of <i>Alburnus timarensis</i> from the Lake Van basin, eastern Anatolia (Teleostei: Cyprinidae)	59(3): 235
Emecen, G., E. D. Özsoy, M. Yılmaz & F. G. Ekmekçi: Genetic variation in an isolated population of the newly identified endemic gudgeon <i>Gobio sakaryaensis</i> (Osteichthyes: Cyprinidae)	61(3): 236
Esmaeili, H. R. & B. W. Coad: Range extension for <i>Mystus pelusius</i> (Solander in Russell, 1794) (Actinopterygii: Bagridae) in southern Iran	34: 112
Esmaeili, H. R., Hashem Malekzehi, Abdolrahim Pazira, and Jörg Freyhof: First record of the Kalabans, <i>Bangana dero</i> (Hamilton, 1822), from Iran (Teleostei: Cyprinidae)	59: 89
Esmaeili, H. R. & Z. Piravar: On the karyotype of <i>Cyprinion tenuiradius</i> Heckel, 1849 (Pisces: Cyprinidae) from the Southwest of Iran	39: 75
Esmaeili, H. R. & A. H. Shiva: Reproductive biology of the Persian Tooth-carp, <i>Aphanius persicus</i> (Jenkins, 1910) (Cyprinodontidae), in southern Iran	37: 39
Esmaeili, H. R., A. Teimori, G. Sayyadzadeh, M. Masoudi, & B. Reichenbacher: Phylogenetic relationships of the tooth-carp <i>Aphanius</i> (Teleostei: Cyprinodontidae) in the river systems of southern and south-western Iran based on mtDNA sequences	60(1): 29
Golzarianpour, K., A. Abdoli, B. H. Kiabi & J. Freyhof: First record of the freshwater loach, <i>Turcinoemacheilus kosswigi</i> (Bănărescu and Nalbant, 1964), from Iran (Karoun drainage) (Teleostei: Nemacheilidae)	47: 057
Gözler, A. M., S. Engin, D. Turan & C. Şahin: Age, growth and fecundity of the Turkish Brook Lamprey, <i>Eudontomyzon lanceolata</i> (Kux & Steiner, 1972), in north-eastern Turkey	52: 057
Güclü, S. S., I. I. Turna, Z. Güclü & I. Gölle: Population structure and growth of <i>Aphanius anatoliae sureyanus</i> Neu, 1937 (Osteichthyes: Cyprinodontidae), endemic to Burdur Lake, Turkey	41: 063
Hamidan, N. A. & S. Mir: The status of <i>Garra ghorensis</i> in Jordan: distribution, ecology and threats	30: 049

Johari, S. A., B. W. Coad, S. Mazloomi, M. Kheyri & S. Asghari: Biological and morphometric characteristics of, <i>Capoeta fusca</i> , a cyprinid fish living in the qanats of south Khorasan, Iran (Osteichthyes: Cyprinidae)	47: 063
Kiabi, B. H., A. Abdoli & M. Naderi: Status of the fish fauna in the South Caspian Basin of Iran	18: 057
Krapp, F.: The establishment of the North-American mosquito fish, <i>Gambusia holbrooki</i> , in Syrian inland waters	6: 045
Küçük, F., D. Turan, C. Şahin, I. Güle: <i>Capoeta mauricii</i> n. sp., a new species of cyprinid fish from Lake Beyşehir, Turkey (Osteichthyes: Cyprinidae)	47: 071
Mhaisen, F. T. & N. R. Khamees: Check-list of the parasites and disease agents of the Siluriformes of Iraq	11: 113
Najafpour, N. & B. W. Coad: Ichthyotoxicism in <i>Barbus luteus</i> from Iran (Actinopterygii: Cyprinidae)	26: 129
Niksirat, H., A. Abdoli: On the status of the critically endangered Caspian Brown Trout, <i>Salmo trutta caspius</i> , during recent decades in the southern Caspian Sea basin (Osteichthyes: Salmonidae)	46: 55
Özcan, G.: Reproductive biology of the endemic and threatened Menderes Nase, <i>Chondrostoma meandrense</i> Elvira, 1987, in Western Anatolia (Osteichthyes: Cyprinidae).....	46: 61
Özuluğ, M., N. Meriç & J. Freyhof: The distribution of <i>Carassius gibelio</i> (Bloch, 1782) (Teleostei: Cyprinidae) in Thrace (Turkey)	31: 63
Patimar, R., M. Gh. Chalanchi, V. Chamanara & L. Naderi: Some life history aspects of <i>Garra rufa</i> (Heckel, 1843) in the Kangir River, Western Iran	51: 57
Pazira, A., A. Abdoli, E. Kouhgardi & P. Yousefifard: Age structure and growth of the Mesopotamian Spiny Eel, <i>Mastacembelus mastacembelus</i> (Banks & Solander in Russell, 1974) (Mastacembelidae), in southern Iran	35: 43
Pazooki, J., M. Sheidai, M. M. Korani: A systematic and ecological study of <i>Aphanius vladkovi</i> Coad, 1988 (Actinopterygii: Cyprinodontidae) in Iran	43: 85
Sargeran, P., M. Bakhtiyari, A. Abdoli, B. W. Coad, K. Sarvi, M. R. Lishi & A. Hajimoradloo: The endemic Iranian Cave-fish, <i>Iranocypris typhlops</i> : two taxa or two forms based on the mental disc?	44: 67
Sarı, H. M., S. Balık, M. Bilecenoglu & G. Türe: Recent changes in the fish fauna of Lake Bafa, Aegean region of Turkey	18: 67
Sayyadzadeh, G., H. R. Esmaeili, K. Abbasi, & B. W. Coad: Re-validation of <i>Gonorhynchus adiscus</i> and <i>G. diplochilus</i> (Teleostei: Cyprinidae) using morphological and molecular data	61(4): 349
Tarkan, A. S., Ö. Gaygusuz, H. Acıpinar & Ç. Gürsoy: Characteristics of a Eurasian cyprinid, Shemaya, <i>Chalcalburnus chalcoides</i> (Güldenstädt, 1772), in a mesotrophic water reservoir	35: 49
Turan, D., L. Tomovic & V. Pešić: Morphological variation in a common Turkish cyprinid, <i>Squalius cephalus</i> across Turkish water catchment areas	40: 63
Yalçın Özidlek, Ş.: Occurrence of the Abu Mullet, <i>Liza abu</i> (Heckel, 1843) (Pisces, Mugilidae), in the Orontes River	30: 111
Osteichthyes (Bony fish): Marine Fishes	
Abdoli, L., E. Kamrani, A. Abdoli & B. Kiabi: Age and growth of the Mudskipper, <i>Scartella tenuis</i> (Day, 1876) (Gobiidae: Oxudercinae), in the coastal areas of the Persian Gulf at Bushehr province, Iran	51: 113
Abou-Seedo, F., S. Dadzie, K. Al-Kanaan & J. V. Sukumaran: Aspects of the reproductive biology of the hermaphroditic Yellowfin Seabream, <i>Acanthopagrus latus</i> (Hottuy, 1782), in cages in Kuwait Bay	29: 51

Akamca, E., S. Mavruk, C. E. Özyurt, V. Barış Kiyağa & M. Manaşırı: Two new Lessepsian species found in the north-eastern Levantine Basin: Broadbanded Cardinalfish (<i>Apogon fasciatus</i> (White, 1790)) and Indian Scad (<i>Decapterus russelli</i> (Rüppell, 1830)) (Osteichthyes)	51: 116
Al-Mukhtar, M. A., L. A. Jawad, A. J. Al-Faisal & F. Mustafa: Dotted Grouper, <i>Epinephelus epistictus</i> (Temminck & Schlegel, 1842) (Osteichthyes: Serranidae), recorded from the marine waters of Iraq.....	54: 136
Bayhan, B., T. M. Sever: Food and feeding habits of the Atlantic Horse Mackerel, <i>Trachurus trachurus</i> , from the Aegean Sea (Osteichthyes: Carangidae)	46: 47
Bilecenoglu, M.: Observations on the burrowing behaviour of the Dwarf Blaasop, <i>Torquigen-er flavimaculosus</i> (Osteichthyes: Tetraodontidae) along the coast of Fethiye, Turkey ...	35: 29
Bilecenoglu, M., G. Bilge & H. Filiz: First record of the Small-toothed Argentine, <i>Glossanodon leioglossus</i> (Valenciennes, 1848) (Osteichthyes: Argentinidae), from Turkey	34: 110
Bilecenoglu, M. & E. Taşkavak: Some observations on the habitat of the Red Sea Immigrant Sweeper, <i>Pempheris vanicolensis</i> , at the Mediterranean coast of Turkey	17: 67
Bilecenoglu, M. & E. Taşkavak: General characteristics of the Turkish marine ichthyofauna .	18: 41
Bilge, G. & A. Gülsahin: Relationship between sagittal otolith size and fish size in <i>Argentina sphyraena</i> and <i>Glossanodon leioglossus</i> (Osteichthyes: Argentinidae) in the southern Aegean Sea, Turkey	60(1): 24
Daryanavard, A., A. Abdoli, M. S. Ranjbar, M. R. Shokri & B. H. Kiabi: Spatial and temporal dynamics of the rock-pool ichthyofauna on Qeshm Island, Persian Gulf.....	61(2): 133
Deval, M. C.: New records and uncommon occurrences of deep-water fishes in the Turkish Mediterranean Sea (Osteichthyes)	59(4): 308
Engin, S., A. C. Keskin, T. Akdemir, & D. Seyhan: First record of the goby <i>Buenia affinis</i> Iljin, 1930 (Gobiidae) from the Aegean Sea and Sea of Marmara	60(4): 368
Engin, S. & K. Seyhan: Age, growth, reproduction and diet of the Flatsnout Goby, <i>Neogobius platyrostris</i> (Pallas, 1814), on the south-eastern Black Sea Coast of Turkey (Pisces: Gobiidae)	50: 59
Eryılmaz, L., M. Özluğ & N. Meriç: The Smooth Pufferfish, <i>Sphoeroides pachygaster</i> (Müller & Troschel, 1848) (Teleostei: Tetraodontidae), new to the Northern Aegean Sea	28: 125
Falahatkar, B.: Biological characteristics of the Persian Sturgeon, <i>Acipenser persicus</i> Borodin, 1897 in the southern Caspian Sea	38: 113
Fautz, R.: The Flounder, <i>Platichthys flesus</i> , as a prey of the Dice Snake, <i>Natrix tessellata</i> , in Turkey	1: 118
Fazli, Hasan, Mohammad Ali Afraei Bandpei, Reza Pourgholam, and Aboulghasem Roohi: Long-term changes in fecundity of the Kutum, <i>Rutilus frisii kutum</i> Kamensky, 1901, in the Caspian Sea (Osteichthyes: Cyprinidae)	59: 51
Filiz, H. & N. Sevingel: A new record of the Blue-Barred Parrotfish, <i>Scarus ghobban</i> (Actinopterygii: Scaridae), from the coastal waters of Cyprus.....	60(3): 281
Freinschlag, M. & R. A. Patzner: Shrimp-gobies in the southern Gulf of Aqaba (Red Sea) (Osteichthyes: Gobiidae)	55: 41
Ghanbarifardi, M., M. Aliabadian, H. R. Esmaeili, & G. Polgar: Morphological divergence in the Walton's Mudskipper, <i>Periophthalmus waltoni</i> Koumans, 1941, from the Persian Gulf and Gulf of Oman (Gobioidei: Gobiidae).....	60(2): 133
Golani, D.: The Lessepsian migrant, the Red-eye Round Herring, <i>Etrumeus teres</i> (DeKay, 1842), a new record from Cyprus	20: 61
Golani, D. & Y. Levy: New records and rare occurrences of fish species from the Mediterranean coast of Israel	36: 27

Golestani, N., S. Rezvani Gilkolaei, R. Safari & S. Reyhani: Population genetic structure of the Silver Pomfret, <i>Pampus argenteus</i> (Euphrasén, 1788), in the Persian Gulf and the Sea of Oman as revealed by microsatellite variation (Osteichthyes: Stromateidae)	49: 63
Gökoğlu, M., M. Ünlüsayın, B. A. Balcı, Y. Özvarol & H. Çolak: Two alien fish in the Gulf of Antalya: <i>Apogon queketti</i> Gilchrist, 1903 (Apogonidae) and <i>Champsodon nudivittis</i> (Ogilby, 1895) (Champsodontidae)	54: 138
Irmak, E., & S. Engin: A newly established population of the Indian Ocean Twospot Cardinalfish, <i>Cheilodipterus novemstriatus</i> (Rüppell, 1838), in the Northern Levantine Sea (Osteichthyes: Apogonidae)	61(2): 186
Irmak, E., S. Engin, D. Seyhan & U. Özden: First record of the Slender Pony Fish, <i>Equulites elongatus</i> (Günther, 1874) (Osteichthyes: Leiognathidae), from the Turkish coast of the Levantine Sea	61(4): 386
Jawad, L. A.: Ocular lens diameter and weight as age indicators in two teleost fishes collected from the Red Sea of Yemen	29: 059
Jawad, L. A., & M. E. Al-Badri: <i>Lophiomus setigerus</i> (Vahl, 1797), <i>Nemipterus zyson</i> (Bleeker, 1856) and <i>Parasclopsis eriomma</i> (Jordan & Richardson, 1909) (Osteichthyes: Lophiidae and Nemipteridae) in the marine waters of Iraq	60(2): 186
Kasimoğlu, C. & F. Yılmaz: Feeding habits of the Thin-lipped Grey Mullet, <i>Liza ramada</i> , in Gökova Bay in the southern Aegean Sea (Osteichthyes: Mugilidae)	56: 055
Kaya, M., M. Bilecenoğlu & D. Golani: New record of a Lessepsian migrant <i>Pteragogus pelagicus</i> Randall, 1981 (Teleostei: Labridae) for northern Cyprus	20: 065
Khalaf, M. A.: Five additional records of fishes in the Gulf of Aqaba, including <i>Mola mola</i> (Forskål, 1775), new for the Red Sea	34: 045
Khalaf, M. A., F. A. Al-Horani, S. A. Al-Rousan & R. S. Manasrah: Community structure of the family Pomacentridae along the Jordanian coast, Gulf of Aqaba, Red Sea	37: 047
Khalaf, M. A. & F. Krupp: Two new records of fishes from the Red Sea	30: 055
Kiabi, B. H., A. Abdoli & M. Naderi: Status of the fish fauna in the South Caspian Basin of Iran	18: 057
Mhaisen, F. T. & N. S. Al-Maliki: Parasites, diseases and food of the Dark-blotched Mudskipper <i>Periophthalmus waltoni</i> (Perciformes: Gobiidae) in the Khor Al-Zubair estuary (Iraq)	13: 85
Mojgan Kalantarian, S., Abdoli, A., and Kiabi, B. H.: Feeding strategy of the Deepwater Goby, <i>Chasar bathybius</i> , in the Southern Caspian Sea (Osteichthyes: Gobiidae)	59(3): 245
Özen, Ö., H. Ayyıldız, D. Tuncay, M. Bilecenoğlu: First record of <i>Gobius couchi</i> Miller & El-Tawil, 1974 from the Aegean Sea (Pisces: Gobiidae)	47: 109
Özvarol, Yaşar & Mehmet Gökoğlu: First record of the Indo-Pacific Milkfish, <i>Chanos chanos</i> (Forskål, 1775), in the Turkish Mediterranean Sea	55: 135
Reininger, M.: Mimicry in juvenile wrasses: ecological and behavioural aspects of a <i>Coris-Amphiprion</i> relationship in the northern Red Sea	54: 23
Reininger, M.: Diversity and abundance of wrasse species in the Gulf of Aqaba (Osteichthyes: Labridae)	57: 77
Reyhani, S., S. Rezvani Gilkolaei, P. Ghavam Mostafavi, H. Fazli, M. Porkazemi & N. Golestan: Microsatellite markers indicate a different structure among three populations of the Caspian Roach, <i>Rutilus rutilus caspicus</i> (Jakowlew, 1870), in the Caspian Sea (Osteichthyes: Cyprinidae)	50: 67
Rezai, H. & A. Savari: Observation on reef fishes in the coastal waters off some Iranian Islands in the Persian Gulf	31: 67
Shakman, E. & R. Kinzelbach: The Halfbeak Fish, <i>Hemiramphus far</i> (Forskål, 1775), in the coastal waters of Libya	39: 111

Soofiani, N. M., Y. Keivany & A. M. Shooshtari: Contribution to the biology of the Lizard-fish, <i>Saurida tumbil</i> (Teleostei: Aulopiformes), from the Persian Gulf	38: 49
Taşkavak, E., Ş Gürkan, T. M. Sever, S. Akalın & O. Özaydin: Gut contents and feeding habits of the Great Pipefish, <i>Syngnathus acus</i> Linnaeus, 1758, in İzmir Bay (Aegean Sea, Turkey) (Osteichthyes: Syngnathidae)	50: 75
Yılmaz, R., M. Bilecenoglu & B. Hoşsucu: First record of the Antenna Codlet, <i>Bregmaceros atlanticus</i> Goode & Bean, 1886 (Osteichthyes: Bregmacerotidae), from the eastern Mediterranean Sea	31: 111

Chondrichthyes (Cartilaginous fish)

Ali, Malek, A. Saad, M. M. Ben Amor & C. Capapé: First records of the Honeycomb Stingray, <i>Himantura uarnak</i> (Forskål, 1775), off the Syrian coast (eastern Mediterranean) (Chondrichthyes: Dasyatidae)	49: 104
Ali, Malek, Adib Saad, Christian Reynaud, & Christian Capapé: First records of the Round Fantaill Stingray, <i>Taeniura grabata</i> (Chondrichthyes: Dasyatidae), off the Syrian coast (eastern Mediterranean)	59: 176
Bogorodsky, S. V., P. R. Last, T. J. Alpermann, & A. O. Mal: Records of <i>Himantura granulata</i> (Dasyatidae) and <i>Rhinoptera jayakari</i> (Rhinopteridae) from the Red Sea	60(2): 144
Coad, B. W. & L. A. J. Al-Hassan: Freshwater shark attacks at Basrah, Iraq	3: 49
Eronat, E. G. T. & O. Özaydin: Diet composition of the Thornback Ray, <i>Raja clavata</i> Linnaeus, 1758 (Elasmobranchii: Rajidae) in the Turkish Aegean Sea	61(1): 38
Jawad, L. A., J. Al-Mamry & H. K. Al-Busaidi: First reliable record of the Sicklefin Chimaira, <i>Neoharriotta pinnata</i> (Schnakenbeck, 1931), from the northern Arabian Sea (Chondrichthyes: Rhinochimaeridae)	56: 139
Moore, A. B. M.: The Smalleye Stingray <i>Dasyatis microps</i> (Myliobatiformes: Dasyatidae) in the Gulf: previously unreported presence of a large, rare elasmobranch	49: 101
Moore, A. B. M., W. T. White & R. Peirce: Additions to the shark fauna of the Persian (Arabian) Gulf (Carcharhiniformes: Hemigaleidae and Carcharhinidae)	50: 83
Yaka, U. & R. Yüce: The Rough Ray, <i>Raja radula</i> Delaroche, 1809 (Rajidae), new to the Sea of Marmara, Turkey	39: 112
Spaet, J. L. Y., J. E. M. Cochran & M. L. Berumen: First record of the Pigeye Shark, <i>Carcharhinus amboinensis</i> (Müller & Henle, 1839) (Carcharhiniformes: Carcharhinidae), in the Red Sea	52: 118
Tourenq, Ch., M. K. Shuriqi, K. Foster, G. Foster, C. Chellapermal & D. Rein: First record of a Bowmouth Guitarfish, <i>Rhina australis</i> , in northern Oman, with an up-date on the status of elasmobranchs (sharks and rays) in the United Arab Emirates	44: 114

Cyclostomata (Cyclostomes: lampreys and hagfish)

Çevik, C., D. Ergüden & N. Tekelioğlu: Confirmation of the presence of the Sea Lamprey, <i>Petromyzon marinus</i> Linnaeus, 1758 in the Levantine Sea (Petromyzoniformes: Petromyzonidae)	49: 107
Kazancı, N. & V. Salewski: A record of lampreys (Petromyzontidae) from the Black Sea region in Turkey	11: 79

Insecta (Insects): Coleoptera

Ahrens, D.: Eine neue <i>Maladera</i> -Art von der Sinai-Halbinsel (Coleoptera, Scarabaeoidea, Sericini)	20: 85
Al-Houty, W. & F. Al-Musalam: Dung consumption of <i>Scarabaeus cristatus</i> from Kuwait.....	12: 71

Anlaş, S.: A new species of <i>Tetartopeus</i> Czwalina, 1888 from Turkey, and some additional records from the West Palaearctic region (Coleoptera: Staphylinidae: Paederinae).....	61(2): 153
Anlaş, S., E. A. Khachikov & İ. Özgen: On the genus <i>Achenium</i> Leach, 1819 from Turkey and adjacent regions (Coleoptera: Staphylinidae: Paederinae).....	54: 144
Aslan, I. & H. Özbek: New records of the subfamilies Cassidinae and Cryptocephalinae (Coleoptera, Chrysomelidae) for the Turkish fauna	14: 87
Aslan, İ. & H. Özbek: New records of the subfamily Cryptocephalinae (Coleoptera, Chrysomelidae) for the Turkish fauna	16: 81
Aslan, İ. & A. Warchałowski: New records of the subfamily Galerucinae (Coleoptera, Chrysomelidae) for the Turkish fauna	16: 85
Atay, E., N. Jansson & T. Gürkan: Saproxylic beetles on old hollow oaks (<i>Quercus</i> spp.) in a small isolated area in southern Turkey (Insecta: Coleoptera)	57: 105
Austin, K., Ch. Makris & E. Small: Ground beetles of the Akrotiri peninsula, Cyprus (Coleoptera: Carabidae).....	53: 87
Aydin, G.: Conservation status of the Tiger Beetle <i>Calomera aphrodisia</i> (Baudi di Selve, 1864) in Turkey (Coleoptera: Cicindelidae)	52: 121
Aydin, G., E. Şekeroglu & E. Arndt: Tiger beetles as bioindicators of habitat degradation in the Çukurova Delta, southern Turkey (Coleoptera: Cicindelidae)	36: 51
Bilý, S., G. Curletti & A. van Harten: Further jewel beetles (Coleoptera, Buprestidae) from Yemen, including new species of <i>Ankareus</i> Kerremans and <i>Agrius</i> Curtis	28: 77
Bolu, H.: On the coccinellid fauna (Coleoptera) of almond orchards in south-eastern and eastern Anatolia	35: 109
Buse, J., T. Levanony, A. Timm, T. Dayan & T. Assmann: Saproxylic beetle assemblages of three managed oak woodlands in the Eastern Mediterranean	45: 55
Canpolat, D., M. Lillig & A. Hasbenli: <i>Accanthopuss velikensis</i> (Piller & Mitterpacher, 1783) – new to the Turkish fauna (Coleoptera: Tenebrionidae)	42: 104
Carl, Michael: A revision of the genus <i>Microtelus</i> Solier, 1838 (Coleoptera: Tenebrionidae)...	6: 69
Cassola, Fabio, Drew Gardner, Gary R. Feulner, Brigitte Howarth: <i>Callytron monala</i> (W. Horn, 1927) from the Arabian Peninsula (Coleoptera: Cicindelidae)	55: 137
Chikatunov, V. & T. Pavliček: Passandridae (Coleoptera), a beetle family newly established in the Levant	40: 111
Curletti, G. & A. van Harten: Records of the genus <i>Agrius</i> Curtis (Coleoptera, Buprestidae) from Yemen, including a new species	25: 53
Curletti, G. & A. van Harten: A further contribution to the knowledge of the genus <i>Agrius</i> Curtis (Coleoptera: Buprestidae) in Yemen	32: 69
Darılmaz, M. C., S. Kiyak: Two species of water beetle of the family Dytiscidae (Coleoptera) new to Turkey.....	46: 119
Ekiz, A. N., İ. Şen & A. Gök: Variation in <i>Cryptocephalus (Protophysus) wehnckeii</i> Weise, 1882 with a redescription of the poorly known female	51: 83
Ekiz, A. N., İ. Şen, A. Gök & E. Turanepo: Occurrence of <i>Chrysochus asclepiadeus</i> (Pallas, 1773) (Coleoptera: Chrysomelidae) in Turkey: two distinct subspecies or the same taxon with slightly different populations?	61(2): 148
El-Dayem, M. S. D. Two new species of the ground beetle genus <i>Tachyura</i> Motschulsky, 1862 from Egypt (Coleoptera: Carabidae: Trechinae: Bembidiini)	48: 71
Erbey, M.: A new species of weevil of the genus <i>Rhytideres</i> (Coleoptera: Entiminae: Alopini) from Inner Anatolia (Turkey).....	61(3): 241
Erbey, M. & S. Selami Candan: Ultrastructural analysis of the internal sac in several species of the weevil tribe Phyllobiini (Coleoptera: Curculionidae: Entiminae)	60(4): 339
Franzen, M.: Distribution of the tiger beetle <i>Megacephala (Grammognatha) euphratica</i> in Egypt, the Middle East and Central Asia (Coleoptera: Cicindelidae).....	22: 87

Franzen, M.: Distribution of the tiger beetle <i>Lophyridia aphrodisia</i> (Baudi, 1864) on the Turkish Mediterranean coast (Coleoptera, Cicindelidae)	23: 79
Franzen, M. & W. Bischoff: Ein Nachweis von <i>Lophyra hilariola</i> (Bates, 1874) aus Syrien (Carabidae: Cicindelinae)	11: 87
Franzen, M. & J. Gebert: Distribution of the tiger beetle <i>Lophyridia caucasica</i> (Adams, 1817) in Iran (Coleoptera: Cicindelidae)	29: 79
Franzen, M. & M. Gigli: Rediscovery of <i>Megacephala euphratica</i> on Cyprus (Coleoptera: Cicindelidae)	28: 126
Gharakhloo, M. M., S. Ziani: Occurrence of scarab beetles inside rodent burrows in some parts of Iran (Coleoptera: Scarabaeidae)	46: 95
Gök, A. & Y. Ayvaz: New records for the Turkish Chrysomelidae fauna (Coleoptera)	20: 95
Gök, A. & E. Gülbiloğlu: Records of <i>Psylliodes reitteri</i> Weise, 1888 and <i>Psylliodes aerea</i> Foudras, 1860 from Turkey (Coleoptera: Chrysomelidae)	31: 115
Gültekin, L. & S. Shahreyary-Nejad: A new trehala-constructing <i>Larinus</i> Dejean (Coleoptera: Curculionidae) from Iran	61(3): 246
Halperin, J. & Q. Argaman: Annotated list of Buprestidae (Coleoptera) and their host plants of Israel	20: 99
Halperin, J. & J. Fremuth: Contribution to the knowledge of Curculionoidea (Coleoptera) and their host plants in Israel	29: 93
Hebauer, F.: The Hydrophiloidea of Israel and the Sinai (Coleoptera, Hydrophiloidea)	10: 53
Heinz, W.: Beschreibung einer neuen <i>Carabus</i> (Lamprostus)-Art aus Persien (Coleoptera: Carabidae)	26: 151
Incekara, U., A. Mart & O. Erman: First records of <i>Anacaena lutescens</i> (Stephens, 1829) and <i>Cercyon littoralis</i> (Gyllenhal, 1808) from Turkey (Coleoptera, Hydrophilidae)	31: 103
Katbeh-Bader, A.: Cerambycidae (Coleoptera) of Jordan	13: 93
Katbeh-Bader, A.: Contribution to our knowledge of the Tenebrionidae (Coleoptera) of Jordan	13: 99
Katbeh-Bader, A.: Contribution to the Curculionidae (Coleoptera) of Jordan	25: 71
Katbeh-Bader, A. & E. Barbero: Contribution to the knowledge of the Scarabaeoidea (Coleoptera) of Jordan	18: 77
Keskin, B.: Erstnachweis von <i>Tentyria cypria</i> Kraatz, 1865 (Coleoptera: Tenebrionidae) für die Türkei	29: 116
Keskin, B.: A new record for the Tenebrionidae (Coleoptera) fauna of Turkey: <i>Mesostena puncticollis</i> Solier, 1835 (Pimeliinae: Tentyriini)	34: 119
Keskin, B.: A new species of the genus <i>Otiorhynchus</i> Germar, 1822 (Coleoptera: Curculionidae) from Western Anatolia	42: 106
Keskin, B. & J. Ferrer: First record of <i>Xanthomus</i> cf. <i>ovulus</i> Seidlitz, 1895 (Coleoptera: Tenebrionidae) from Turkey	39: 114
Keskin, B., E. Aydin Yağmur: A new record for the Tenebrionidae fauna of Turkey: <i>Akis subtricostata</i> Redtenbacher, 1850 (Coleoptera: Tenebrionidae)	43: 113
Levey, B.: A preliminary checklist of the Buprestidae (Coleoptera) of Lebanon	37: 83
Lillig, M.: Two new species of the genus <i>Erodius</i> Fabricius, 1775 from Oman and Syria (Coleoptera: Tenebrionidae: Pimeliinae)	48: 75
Lillig, M.: A new species of the genus <i>Phaleria</i> Latreille, 1802 from Dhofar in Oman	51: 89
Lillig, M.: The genera <i>Stegastopsis</i> Kraatz, 1865 and <i>Orostegastopsis</i> Koch, 1962 with description of <i>O. planioculata</i> sp. n. from Oman (Coleoptera: Tenebrionidae: Tentyriini). Lillig, M. & G. Aydin: Three species of Tenebrionidae new to the Turkish fauna (Insecta: Coleoptera)	60(4): 345 37: 119
Lillig, M. & T. Pavláček: The darkling beetles of the Sinai Peninsula	SUPP 1: 1

Lopatin, I., V. Chikatunov & T. Pavlíček: Catalogue of the beetles (Coleoptera) in Israel and adjacent areas: 3. Chrysomelidae (except Alticinae)	28: 87
Makris, Ch., G. Georgiou, K. Austin, E. Small: Additions to our knowledge of the ground beetle (Coleoptera: Carabidae) fauna of Cyprus	43: 91
Nabozhenko, M.: Review of the genus <i>Catomus</i> Allard, 1876 (Coleoptera: Tenebrionidae) in Iran.....	61(1): 64
Niehuis, M.: Contribution to the knowledge of the Jewel Beetles (Coleoptera: Buprestidae) of the Near East.....	3: 73
Niehuis, M.: Beitrag zur Kenntnis der <i>Buprestis</i> -Arten des Nahen Ostens (Coleoptera: Buprestidae)	4: 39
Niehuis, M.: The <i>Melanophila</i> -species of the Near East, with the description of <i>Melanophila knoteki turcica</i> n. ssp. (Coleoptera: Buprestidae)	5: 43
Niehuis, M.: Variation and synonymy in <i>Buprestis humeralis</i> Klug (Coleoptera: Buprestidae)	6: 89
Niehuis, M.: Beitrag zur Kenntnis zweier <i>Anthaxia</i> -Arten der Türkei und Israels mit Beschreibung einer neuen Subspezies (Coleoptera: Buprestidae)	8: 37
Obydov, D.: A new subspecies of the ground beetle <i>Carabus (Archiplectes) edithae</i> Reitter, 1893 from the Caucasus (Coleoptera: Carabidae)	50: 142
Önalp, B.: First record of the beetle <i>Osphranteria coerulescens</i> Redtenbacher, 1850 (Coleoptera, Cerambycidae) from Turkey	2: 113
Özden, Ö., N. Uygun & U. Kersting: Ladybird beetles (Coleoptera: Coccinellidae) from northern Cyprus, including six new records	39: 97
Özdikmen, H.: <i>Korgella</i> nom. nov., a replacement name for the genus <i>Heinzia</i> Korge, 1971 (Coleoptera: Staphylinidae) non Sayn, 1891	36: 118
Özgökçe, M. S., R. Atlıhan, İ. Kasap, F. Özgökçe, Ş. Yıldız, M. Demir & E. Polat: The distribution and habitat of <i>Calomera littoralis mandli</i> (Mandl, 1967) (Coleoptera: Cicindelidae) on the coastal margin of Lake Van in Turkey	38: 69
Pavlíček, T., V. Chikatunov, V. Kravchenko, P. Zahradník & E. Nevo: New records of deathwatch beetles (Anobiidae) from Israel	17: 77
Sánchez Piñero, F.: First record of the dung beetle <i>Catharsius sesostris</i> Waterhouse, 1888 (Coleoptera: Scarabaeidae) in Jordan	42: 105
Schawaller, W., H. M. Al Dhafer, and Hassan H. Fadl: <i>Boromorphus saudicus</i> sp. n., a new record of the genus from the Arabian Peninsula (Tenebrionidae: Pimeliinae: Boromorphini)	59: 148
Schawaller, W., A. M. El Torkey, & H. M. Al Dhafer: The genera <i>Cneocnemis</i> Gebien and <i>Cenoscelis</i> Wollaston in Saudi Arabia (Coleoptera: Tenebrionidae: Ulomini)	59(4): 342
Schawaller, W., H. M. Al Dhafer, & A. A. Elgharbawy: The genera <i>Philhammus</i> and <i>Cnemeplatia</i> (Coleoptera: Tenebrionidae: Cnemeplatii) in the Arabian Peninsula, with taxonomic and faunistic remarks on additional species.....	60(3): 246
Sharaf, K., P. Bure, L. Horov, T. Pavlíček & E. Nevo: Distribution of abundance and genome size variability in the grain beetle <i>Oryzaephilus surinamensis</i> (Linnaeus, 1758) (Coleoptera: Silvanidae)	45: 79
Skalický, S., V. Chikatunov & T. Pavlíček: New records of Heteroceridae (Coleoptera) from Israel	27: 117
Şekeroglu, E. & G. Aydin: Distribution and habitats of the tiger beetle <i>Megacephala euphratica</i> in the Çukurova Delta, southern Turkey (Coleoptera: Cicindelidae)	27: 87
Şen, I.: A new species of the genus <i>Chrysolina</i> Motschulsky, 1860 from Turkey (Coleoptera: Chrysomelidae: Chrysomelinae).....	61(3): 252
Tezcan, S. & M. Rejzek: Longhorn beetles (Coleoptera: Cerambycidae) recorded in cherry orchards in western Turkey	27: 91

Timm, A., J. Buse, T. Dayan, W. Härdtle, T. Levanony & T. Assmann: At the interface of historical and present-day ecology: ground beetles in woodlands and open habitats in Upper Galilee (Israel) (Coleoptera: Carabidae)	47: 75
Tozlu, G.: <i>Anthaxia lgockii lgockii</i> Obenberger, 1917 (Coleoptera: Buprestidae), new for the Turkish fauna, and new localities for some species of this subgenus	25: 99
Tozlu, G. & H. Özbek: <i>Sphenoptera (Chrysoblemma) artemisiae</i> Reitter, 1889 (Coleoptera: Buprestidae), a new record for the Turkish fauna.....	16: 107
Tozlu, G. & H. Özbek: The Tropical Fig Borer, <i>Batocera rufomaculata</i> (Coleoptera: Cerambycidae), new for Turkey	20: 121
Volkovitsh, M., T. Pavláček, V. Chikatunov & E. Nevo: Species diversity and microsite divergence of insects at "Evolution Canyon", Lower Nahal Oren, Mt. Carmel, Israel (Coleoptera: Buprestidae)	20: 125
Ward, D., I. Musli, K. Or, T. Gbenro & O. Skutelsky: Bruchid seed infestation and development time in three host species of <i>Acacia</i>	51: 95
Wiesner, J.: On some tiger beetles collected in the Yemen Arab Republic (Coleoptera, Cicindelidae): 94 th contribution to knowledge of the Cicindelidae	36: 115
Ziani, S.: New records of Scarabaeoidea laparosticta (Coleoptera) from some Middle Eastern countries	22: 103
Ziani, S.: A new genus and species of Aphodiini (Coleoptera: Aphodiidae) inhabiting burrows of small mammals in Lebanon's mountains	27: 101

Insecta (Insects): Collembola

Barjadze, Sh. & R. Djanašvili: Redescription of <i>Plutomurus kelasuricus</i> Martynova, 1969 (Collembola: Tomoceridae) from Georgian caves.....	60(3): 251
Barjadze, Sh., H.-J. Schulz, U. Burkhardt, M.I.B. Potapov & M. Murvanidze: New records for the Georgian springtail fauna (Collembola)	56: 143
Moravvej, S. A., M. Potapov, K. Kamali & S. H. Hodjat: Isotomidae (Collembola) of the Tehran region (Iran)	41: 011
Sevgili, H. & M. A. Özata: Checklist of the springtails (Hexapoda: Collembola) of Turkey....	60(2): 162

Insecta (Insects): Dermaptera

Mienis, H. K.: The first record of the Earwig <i>Apterygida media</i> from Israel	1: 143
---	--------

Insecta (Insects): Diptera

Ackland, D. M. & D. Werner: Description of a new species of <i>Alliopsis</i> Schnabl & Dziedzicki (Diptera, Anthomyiidae) from Armenia and Georgia that is predaceous on black fly larvae (Diptera, Simuliidae)	39: 081
Al-Khalili, Y. H., A. Katbeh-Bader & Z. H. Mohsen: Siphon index of <i>Culex pipiens</i> larvae collected from different biogeographical provinces in Jordan.....	17: 071
Ashrafi, F. & Sh. Pashaei Rad: A new record of the subfamily Syrphinae (Diptera: Syrphidae) for the Iranian fauna	51: 119
Azari-Hamidian, S.: Larval habitat characteristics of mosquitoes of the genus <i>Culiseta</i> Felt, 1904 (Diptera: Culicidae) in the Caspian Sea littoral, Iran	36: 059
Bilgin, C. C., M. Kence & A. Kence: First record of <i>Musca domestica</i> Walker, 1849 (Diptera: Muscidae) from Southern Turkey	11: 081
Blank, M.: Two peculiar breeding sites of mosquitoes (Culicinae) in Anatolia	3: 111
Deeming, John C. & Hathal M. Al-Dhafer: Chloropidae from the Arabian Peninsula (Diptera: Cyclorrhapha)	58: 003

El-Hawagry, M. & F. Gilbert: Zoogeographical affinities and faunal relationships of bee flies (Diptera: Bombyliidae) in Egypt	60(1): 050
Gharali, B., N. Evenhuis & H. Lotfalizadeh: Two new species of the genus <i>Empidideicus</i> Becker, 1907 from northern Iran	54: 113
Gharali, B. & J. Van Steenis: First record of the genus <i>Spilomyia</i> Meigen, 1803 (Diptera: Syrphidae) from Iran	43: 116
Gheibi, M., H. Ostovan, K. Kamali: A contribution to knowledge of the tachinid fly fauna of Fars province, Iran (Diptera: Tachinidae: Dexiinae and Phasiinae)	46: 069
Hayat, R.: <i>Sphegina (Sphegina) alaoglu</i> , a new hover-fly from north-eastern Turkey (Dip- tera: Syrphidae)	14: 109
Hayat, R.: Prey of some Robber Flies (Diptera: Asilidae) in Turkey	15: 087
Hayat, R. & C. Claußen: A new species and new records of the genus <i>Paragus</i> Latreille, 1804 from Turkey (Diptera: Syrphidae)	14: 099
Hayat, R. & H. Çalışkan: Ethology of the robber fly <i>Dasypogon iriniae</i> Weinberg, 1986 (Diptera, Asilidae)	30: 091
Kara, K.: Additions to the fauna of Turkish Tachinidae (Insecta, Diptera)	23: 085
Kara, K.: Contributions to the Turkish Tachinidae (Insecta, Diptera)	27: 118
Kara, K. & Y. Özdemir: Tachinid flies (Diptera: Tachinidae) reared from lepidopterous lar- vae in Central Anatolia (Turkey)	20: 117
Koç, H., O. Özgül, A. Tonguç & M. Barlas: The Tipulidae fauna of southwestern Turkey (In- secta: Diptera: Nematocera)	57: 115
Mehrabi, R. & A. Ssymank: Species composition and flower visiting by Syrphidae (Diptera) in north-eastern Iran	45: 073
Mohamadzade Namin, A. and Kameneva, E. P.: A new species of the genus <i>Herina</i> Robi- neau-Desvoidy, 1830 from Iran and Turkey (Diptera: Ulidiidae)	59(3): 266
Moradi, S., A. Pont, M. Tavassoli, & S. Naem: New records of Muscidae (Diptera) in the west of Iran	59(4): 360
Moussa, Z. & D. Yammouni: First record of <i>Capparimyia savastani</i> (Martelli, 1911) in Leba- non (Diptera: Tephritidae)	61(1): 93
Naderloo, M. & Sh. Pashaei Rad: A new record of the genus <i>Spazigaster</i> (Diptera: Syrphidae) from Iran	50: 147
Özgül, O.: First records of species of the Hesperinidae and Cylindrotomidae (Diptera: Nema- tocera) from Turkey	61(2): 144
Pont, Adrian C.: A preliminary list of the Fanniidae and Muscidae (Insecta: Diptera) from Turkey and the Middle East	5: 063
Pont, Aadrian C., Doreen Werner & E. A. Kachvoryan: A preliminary list of the Fanniidae and Muscidae (Diptera) of Armenia	36: 073
Pont, Aadrian C., N. Vikhrev & Doreen Werner: The hunter-flies of Armenia. I. Some spe- cies of the genus <i>Limnophora</i> Robineau-Desvoidy, with the description of a new spe- cies	52: 089
Pont, Adrian C., Karine Harutyunova, Maria Harutyunova, Doreen Werner: The hunter-flies of Armenia. II. The genus <i>Lispe</i> Latreille, 1796 (Insecta: Diptera: Muscidae)	55: 079
Pont, Adrian C., Karine Harutyunova, Maria Harutyunova, Doreen Werner: The hunter-flies of Armenia. III. New records of the genus <i>Limnophora</i> Robineau-Desvoidy, 1830, with the description of a new species (Insecta: Diptera: Muscidae)	57: 127
Şirin, Ü. & Y. Şahin: New records of black flies (Diptera, Simuliidae) for the Turkish fauna ..	36: 87
Walter, G. & C. Ebenau: Nachweise von Fledermausfliegen aus Syrien (Diptera: Streblidae, Nycteribiidae)	14: 115

Werner, D. & H. Kampen: <i>Simulium (Boophthora) erythrocephalum</i> (De Geer, 1776) – a subgenus and species new to Armenia (Diptera: Simuliidae)	56: 85
Wagner, Rüdiger, Hasan Koç, Okan Özgül, and Alper Tonguç: New moth flies (Diptera: Psychodidae: Psychodinae) from Turkey	59: 152
 Insecta (Insects): Ephemeroptera	
Gattoliat, J.-L., L. Vuataz & M. Sartori: First contribution to the mayflies of Jordan (Insecta: Ephemeroptera)	56: 91
Kazancı, N.: New Ephemeroptera records from Turkey	1: 141
Koch, S.: Mayflies of the Northern Levant (Insecta: Ephemeroptera)	2: 89
Tanatmis, M.: On the Ephemeroptera fauna (Insecta) of Thrace (Turkey)	15: 95
 Insecta (Insects): Hemiptera	
Ahmed, Z., A. F. Sanborn & K. B. R. Hill: A new species of the cicada genus <i>Cicadatra</i> from Pakistan.....	51: 75
Al-Khawaldeh, M., A. Katbeh-Bader & D. Burckhardt: Psylloidea (Hemiptera) of Jordan	15: 71
Barjadze, Sh., G. Japoshvili & N. Bakhtadze: New records for the Georgian aphid fauna (Hemiptera: Aphididae)	50: 140
Demir, D. & A. Demirsoy: Some interesting and new records of Cicadellidae (Insecta: Hemiptera) from eastern Turkey	45: 116
Görür, G.: New records for the Turkish Aphid fauna (Hemiptera: Aphididae)	25: 67
Güçlü, S.: On some Tettigometridae (Hemiptera, Auchenorrhyncha) from Turkey	15: 83
Hussain, S., Y. Aldryhim, H. Al-Dhafer, S. E. Halbert & J. Thomas: New aphid records for Saudi Arabia (Hemiptera: Aphidoidea)	61(4): 368
Japoshvili, G., K. Jalilvand, H. A. Vahedi & M. Fallahzadeh: <i>Metaphycus parthenolecanii</i> sp. n. (Hymenoptera: Encyrtidae), a parasitoid of <i>Parthenolecanium corni</i> (Hemiptera: Coccoidea) in Iran	61(2): 161
Kartal, V. & M. Karavin: Two new species of the genus <i>Bubastia</i> Emeljanov, 1975 from Turkey (Hemiptera: Fulgoromorpha: Issidae)	49: 73
Maryńska-Nadachowska, A., E. Sanaie & Ł. Kajtoch: High genetic diversity in southwest Asian populations of <i>Philaenus spumarius</i> (Hemiptera: Auchenorrhyncha)	61(3): 264
Mozaffarian, F. & A. F. Sanborn: Two new species of <i>Tettigetta</i> Kolenati from Iran (Hemiptera: Cicadomorpha: Cicadidae)	57: 119
Sano, M., S. Barjadze & S.-i. Akimoto: Descriptions of little-known and unknown morphs of <i>Zelkovaphis caucasica</i> (Hemiptera: Aphididae: Eriosomatinae), with an analysis of its phylogenetic position.....	61(1): 55
Şenol, Ö., H. Akyıldırım Beğen, G. Görür & G. Gezici: Some new aphid records for the Turkish aphidofauna (Hemiptera: Aphididae)	61(1): 90
Ulusoy, M. R. & S. Ülgentürk: The natural enemies of whiteflies (Hemiptera: Aleyrodidae) in southern Anatolia	28: 119
Zeybekoğlu, Ü.: A new species of the bug genus <i>Cicadula</i> Zetterstedt, 1838 from Turkey (Hemiptera: Cicadomorpha: Cicadellidae)	50: 107
Zeybekoğlu, Ü., A. Mol & M. Karavin: Morphological and acoustic analysis of <i>Cicada Linnaeus</i> , 1758 species in Turkey	54: 121

Insecta (Insects): Heteroptera

- Arslangündöđdu, Z. & E. Hizal: The Western Conifer Seed Bug, *Leptoglossus occidentalis* (Heidemann, 1910), recorded in Turkey (Heteroptera: Coreidae) 50: 138
Larsen, E. & L. Blaustein: New backswimmer (Heteroptera: Notonectidae) records for Israel 36: 114

Insecta (Insects): Homoptera

- Demir, E.: Two new records for the Cicadellidae fauna of Turkey (Homoptera: Auchenorrhyncha) 35: 111

Insecta (Insects): Hymenoptera

- Abbasi, R.: Sexual dimorphism in the wing morphology of social vespid wasps – a case study on the genus *Polistes* Latreille using geometric morphometrics (Hymenoptera: Vespidae) 47: 83
Ahmed, A., A. Mohammad, A. Yehya & A. Nuru: Morphometric diversity of indigenous Honeybees, *Apis mellifera* (Linnaeus, 1758), in Saudi Arabia (Insecta: Apidae) 57: 97
Alattal, Y., A. Al Ghamdi, M. Al Sharhi, & S. Fuchs: Morphometric characterisation of the native Honeybee, *Apis mellifera* Linnaeus, 1758, of Saudi Arabia 60(3): 226
Al-Ghzawi, A.-M. A., S. T. Zaitoun & H. K. Shannag: Ontogenesis of the parasitic mite *Varroa jacobsoni* on Syrian Honey Bees, *Apis mellifera syriaca* 23: 101
Bayındır, Alime, Mehmet Faruk Gürbüz, Toshko Ljubomirov, and Daniel Pohl: Diversity of digger wasps in Kasnak Oak Forest Nature Reserve, Isparta, Turkey, with records of eight species new to Turkey (Hymenoptera: Sphecidae, Crabronidae and Ampulicidae) 59: 144
Beyarslan, Ahmed: *Orgilus (Orgilus) elazicensis* sp. n. from Eastern Turkey (Hymenoptera: Braconidae: Orgilinae) 53: 95
Collingwood, C. A. & A. van Harten: Further additions to the ant fauna (Hymenoptera: Formicidae) of Yemen 35: 73
Çalmaşur, Ö. & H. Özbek: Check-list of the Argidae fauna (Hymenoptera: Symphyta) of Turkey 39: 89
Çalmaşur, O. & H. Özbek: Distribution data on the Cephidae (Hymenoptera: Symphyta) fauna of Turkey 50: 144
Çam, H.: Five species of *Tetramesa* Walker, 1848 (Hymenoptera, Chalcidoidea, Eurytomidae) new for the Turkish fauna 31: 113
Çoruh, S.: Two little-known Ichneumonidae (Hymenoptera) from Turkey, including one new for the Turkish fauna 48: 106
Çoruh, S. and Kolarov, J.: New data on Turkish Acaenitinae (Hymenoptera: Ichneumonidae) with description of a new species 59(3): 261
Çoruh, S. & H. Özbek: New and rare species of Ichneumonidae (Hymenoptera) from Turkey. 43: 114
Çoruh, S., H. Özbek & J. Kolarov: A contribution to the knowledge of Tryphoninae (Hymenoptera, Ichneumonidae) from Turkey 35: 93
Dikmen, F., V. G. Radchenko & A. M. Aytekin: Taxonomic studies on the genus *Halictus* Latreille, 1804 in Turkey 54: 79
Doğanlar, M. & H. Bolu: A new species of *Gugolzia* Delucchi & Steffan (Hym., Pteromalidae) from Turkey, a parasitoid of *Eurytoma amygdali* Enderlein (Hym., Eurytomidae) 32: 75
Doğanlar, O.: Occurrence of *Lectocybe invasa* Fisher & La Salle, 2004 (Hymenoptera: Chalcidoidea) on *Eucalyptus camaldulensis* in Turkey, with a description of the male sex 35: 112
Dvorak, L. & J. M. Carpenter: The first record of the paper wasp *Polistes smithii neavei* von Schulthess, 1921, from the Middle East (Hymenoptera: Vespidae), with notes on the social wasp fauna of Yemen 44: 119

Ebrahimi, E. & J. M. Carpenter: Distribution pattern of the hornets <i>Vespa orientalis</i> and <i>V. crabro</i> in Iran (Hymenoptera: Vespidae)	56: 63
Farahani, S., A. A. Talebi, & E. Rakhshani: Wasps of the subfamily Doryctinae (Hymenoptera: Braconidae) in Iran	60(10): 65
Ebrahimi, E., G.-R. Tavakoli Korghond, K. Mianbandi, H. Mahmoodi, K. Mohammadipour & J. Noyes: <i>Ooencyrtus ferdowsii</i> sp. n. (Hymenoptera: Encyrtidae), an egg parasitoid of <i>Osphranteria coeruleascens</i> (Coleoptera: Cerambycidae) in Iran	61(1): 45
Firouzi, F., Sh. Pashaei Rad, S. Hossein Nezhad & D. Agosti: Four new records of ants from Iran.....	52: 71
Fischer, Maximilian & Ahmed Beyarslan: New species of <i>Synaldis</i> Foerster and <i>Idiasta</i> Foerster, and further records of Turkish Alysiini (Hymenoptera: Braconidae: Alysiinae)	55: 55
Gadallah, N. S.: Male genitalia as a diagnostic character in determining <i>Bembex</i> F. species from Egypt (Hymenoptera: Sphecidae)	25: 59
Gadallah, N. S.: Eumenidae from the Jeddah region of Saudi Arabia (Hymenoptera: Aculeata)	30: 77
Gadallah, N. S. & A. F. El-Barty: Spider wasps collected from the western region of Saudi Arabia	53: 99
Gayubo, S. F., H. Özbek & E. Yıldırım: A contribution to the knowledge of Spheciiformes of Turkey: Tribes Astatini, Dinetini, Larrini, Palarini and Trypoxylini (Hymenoptera: Apoidea: Crabronidae)	29: 83
Ghahari, H. & R. Jussila: Five species of Ichneumonidae (Hymenoptera) new to Iran	52: 123
Haddad, N. J., S. Fuchs, J. Haddaden & J.-P. Kopelke: Record of <i>Sphecoeca vesparum</i> Curtis, a natural enemy of <i>Vespa orientalis</i> in northern Jordan	35: 114
Canan Hazır, Nevin Keskin & Erwin Scheuchl: First record of four species of <i>Andrena</i> sand bees in Turkey (Hymenoptera: Apoidea: Andrenidae)	56: 141
Heinze, J.: The ant-tribe Leptothoracini in Turkey (Hymenoptera, Formicidae)	2: 86
Heinze, J. & S. Kauffmann: The socially parasitic ants of Turkey (Hymenoptera: Formicidae)	8: 31
Hossein Nezhad, Sakine, Shahrokh Pashaei Rad, Fateme Firouzi & Donat Agosti: New and additional records for the ant fauna from Iran (Hymenoptera: Formicidae)	55: 65
Katılmış, Y. & S. Kiyak: New records of oak gallwasps of the genus <i>Andricus</i> (Burgsdorf, 1783) from Turkey (Hymenoptera: Cynipidae)	48: 108
Khaghaninia, S., Y. Güler, & F. Dikmen: New records for the bee fauna of Iran (Hymenoptera: Apoidea).....	(59(4): 319
Khodaparast, R., & A. Monfared:On the eucerine bees of Fars province, Iran (Hymenoptera: Apidae: Eucerini).....	59(4): 326
Kolarov, J. & S. Çoruh: Stilbopinae, a subfamily new for the Turkish fauna (Hymenoptera: Ichneumonidae)	55: 75
Kolarov, J., S. Çoruh, M. Yurtcan, M. F. Gürbüz: A study of Metopiinae from Turkey with description of a new species (Hymenoptera: Ichneumonidae).....	46: 75
Kolarov, J. & H. Ghahari: A study of the Iranian Ichneumonidae (Hymenoptera): I. Pimplinae and Tryphoninae	38: 63
Kolarov, J. & H. Ghahari: A study of the Iranian Ichneumonidae (Hymenoptera): II. Brachycyrtinae and Cryptinae	42: 75
Kolarov, J., E.Yıldırım, S. Çoruh, & M. Yüksel: Contribution to the knowledge of the Ichneumonidae (Hymenoptera) fauna of Turkey	60(2): 154
Kuhlmann, M.: The bee genus <i>Colletes</i> Latreille (Hymenoptera: Apidae: Colletinae) in the Arabian Peninsula, including the description of the female of <i>C. arabicus</i>	32: 79
Liston, A. D. & H.-J. Jacobs: Review of the sawfly fauna of Cyprus, with descriptions of two new species (Hymenoptera: Symphyta)	56: 67

Lotfalizadeh, H. & B. Gharali: Some notes on the genus <i>Sycophila</i> Walker, 1871 (Hymenoptera: Eurytomidae) in the west of Iran	40: 77
Lotfalizadeh, H. & B. Gharali: Introduction to the Torymidae fauna (Hymenoptera: Chalcidoidea) of Iran	36: 67
Lush, M. J.: A new species of <i>Monomorium</i> (Hymenoptera: Formicidae) from Kuwait	45: 67
Lush, M. J.: Some ant records (Hymenoptera: Formicidae) from the Middle East	47: 114
Madjdzadeh, S. M., H. A. Dawah & M. Bruford: Morphometric differentiation of <i>Tetramesa leucospae</i> Zerova & Madjdzadeh, 2005, populations associated with two geographically isolated grass species in Iran	52: 79
Monfared, A., A. A. Talebi, Gh. Tahmasbi, E. Ebrahimi, J. Biesmeijer: Bumblebee diversity and abundance in the Iranian Alborz Mountains (Hymenoptera: Apidae).....	46: 83
Moradloo, S., R. Nafisi Fard, S. Pashaei Rad & B. Taylor: Records of ants (Hymenoptera: Formicidae) from Northern Iran	61(2): 168
Murai, M. N. & Z. S. Amr: Sphecidae and Crabronidae of the Al Thawrah Nature Reserve, northern Syria, with a checklist of the species known from Syria (Insecta: Hymenoptera).....	53: 107
Nieves-Aldrey, J. L. & B. Massa: Contribution to the knowledge of the Cynipidae (Hymenoptera) of Jordan	37: 73
Orabi, G. M., F. M. Semida, M. S. Abdel-Dayem, M. R. Sharaf & S. M. Zalat: Diversity patterns of ants along an elevation gradient at St. Catherine Protectorate, South Sinai, Egypt	54: 101
Özbek, H.: On the bumblebee fauna of Turkey: II. The genus <i>Pyrobombus</i> (Hymenoptera, Apidae, Bombinae).....	16: 89
Özbek, H.: On the Bumblebee Fauna of Turkey: IV. The Subgenera <i>Megabombus</i> , <i>Eversmannibombus</i> , <i>Laesobombus</i> , <i>Rhodobombus</i> and <i>Subterraneobombus</i> (Hymenoptera, Apidae, Bombini)	25: 79
Özbek, H. & S. Anlas: New records for some Turkish Scoliidae (Hymenoptera).....	41: 112
Özbek, H., E. Yıldırım, H. Wolf & R. Wahis: The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey. Part I. Ceropalinae and Pepsinae.....	18: 91
Özbek, H., E. Yıldırım, H. Wolf & R. Wahis: The Pompilidae (Hymenoptera: Aculeata) fauna of Turkey: Part II. Pompilinae	21: 109
Paknia, O. & H. G. Kami: New and additional records for the formicid fauna (Insecta: Hymenoptera) of Iran	40: 85
Pashaei Rad, S., R. Abassi & E. Ebrahimi: Two new records for the fauna of solitary wasps of the subfamily Eumeninae (Hymenoptera: Vespidae) in Iran	39: 117
Pashaei Rad, Sh., R. Abbasi, Gh. Soleimani & L. Dvořák: New and supplementary information on the vespid fauna of Iran (Hymenoptera: Vespidae)	50: 95
Riedel, M., J. Kolarov, S. Çoruh, & H. Özbek: A contribution to the Mesochorinae (Hymenoptera: Ichneumonidae) of Turkey	60(3): 217
Scheuchl, E., M. Schindler & A. Majeed Al-Ghzawi: <i>Andrena (Holandrena) fimbriatoides</i> Scheuchl spec. nov. (Hymenoptera: Apoidea, Andrenidae), a new bee species from Jordan	32: 85
Sharaf, M. R.: <i>Monomorium dentatum</i> sp. n., a new ant species from Egypt (Hymenoptera: Formicidae) related to the <i>fossulatum</i> -group	41: 93
Sharaf, M. R., S. H. Al-Hajri & A. S. Aldawood: First record of the ant genus <i>Strumigenys</i> S. Smith, 1860 (Hymenoptera: Formicidae) from Qatar by the invasive species <i>S. membranifera</i> Emery, 1869	61(4): 362
Sharaf, M. R., S. Salman & A. S. Aldawood: First description of the queen of the ant <i>Solenopsis saudiensis</i> Sharaf & Aldawood (Hymenoptera: Formicidae) from Saudi Arabia	61(1): 50

Shebl, M. A. & M. Farag: Bee diversity (Hymenoptera: Apoidea) visiting Broad Bean (<i>Vicia faba</i> L.) flowers in Egypt	61(3): 256
Soliman, A. M. and Gadallah, N. S.: Taxonomic revision of the genus <i>Gynecaptera</i> Skorikov, 1935 from Egypt, with description of a new species (Hymenoptera: Bradynobaenidae, Apterogyninae)	59(3): 273
Tirgari, S. & O. Paknia: Additional records for the Iranian fauna of Formicidae (Hymenoptera)	32: 115
Tirgari, S. & O. Paknia: First record of the ponerine ant <i>Pachycondyla sennaarensis</i> (Hymenoptera: Formicidae) in Iran, with notes on its ecology	34: 67
Yıldırım, E.: A new species of <i>Onychopterochelius</i> Blüthgen (Hymenoptera: Vespidae: Eu-meninae) from Turkey	60(3): 222
Zaitoun, S. T. A.-M. Al-Ghzawi & H. K. Shannag: Population dynamics of the Syrian Honeybee, <i>Apis mellifera syriaca</i> , under semi-arid Mediterranean conditions	21: 129
 Insecta (Insects): Isoptera	
GHAYOURFAR, R.: Three new species of termite from Iran (Isoptera, Termitidae)	34: 61
 Insecta (Insects): Lepidoptera	
Alipanah, H.: New record of a choreutid species (Lepidoptera: Choreutidae) from Iran	45: 114
Atay, E.: <i>Tegostoma baphialis</i> (Staudinger, 1871) (Lepidoptera: Crambidae): new for Turkey	30: 117
Atay, E.: <i>Herpetogramma licarsialis</i> (Walker, 1859) (Lepidoptera: Crambidae): the Grass Webworm, new for Turkey	31: 117
Atay, E. & E. Oğur: Occurrence of species of Pyralidae and Crambidae in Cyprus (Lepidoptera).....	53: 79
Atay, E. & B. Altıntaş: <i>Anania verbascalis</i> (Denis & Schiffermüller, 1775) (Lepidoptera: Crambidae: Pyraustinae), new for Turkey	34: 117
Berlinger, M. J., S. Yathom & J. Halperin: <i>Ophiusa tirhaca</i> Cramer (Noctuidae: Lepidoptera) infesting pistachio trees in Israel	22: 83
Biricik, M.: First record of <i>Junonia orithya</i> (Linnaeus, 1758) (Lepidoptera: Nymphalidae) in Turkey	53: 130
Büttiker, W.: Arabinose-feeding by <i>Sideridis chersotoides</i> Wilt. (Lepidoptera: Noctuidae) in Saudi Arabia	14: 93
CAN DOĞANLAR, F. & N. ARAP: On the geometrid moths (Lepidoptera) of northern Cyprus, including three new records	35: 79
DOĞANLAR, F.: <i>Alsophila aceraria</i> (Denis & Schiffermüller, 1775), a new record from Turkey (Lepidoptera: Geometridae)	30: 119
Halperin, J. & M. Wysoki: On biology and ecology of <i>Uresiphita limbalis</i> (Lepidoptera: Pyralidae) in Israel	35: 87
Hasselbach, W.: A record of the Plain Tiger, <i>Danaus chrysippus</i> , in Turkey	1: 139
Kara, K. & Y. Özdemir: Tachinid flies (Diptera: Tachinidae) reared from lepidopterous larvae in Central Anatolia (Turkey)	20: 117
Kasperek, M.: A record of the Plain Tiger, <i>Danaus chrysippus</i> , in Western Anatolia	9: 81
Kayci, L., & Y. Kaya: A vision system for automatic identification of butterfly species using a grey-level co-occurrence matrix and multinomial logistic regression	60(1): 57
Okyar, Z. & S. Tezcan: On the noctuid fauna (Lepidoptera: Noctuidae) of ecological cherry orchards in western Turkey	22: 95
Ozdemir, M., & S. Seven Çalışkan: Contribution to knowledge of the leafroller fauna (Lepidoptera: Tortricidae) of Turkey	60(3): 236

Seven, S. & M. Özdemir: <i>Acleris lacordairana</i> (Duponchel, 1836) (Lepidoptera: Tortricidae), new for Turkey	40: 113
Seven Çalışkan, S. & M. Özdemir: Two new records for the Olethreutinae fauna of Turkey (Lepidoptera: Tortricidae)	53: 133
Ustjuzhanin, P., V. Kovtunovich & A. Ustjuzhanina: A new species of plume moth (Lepidoptera: Pterophoridae) from Jordan	61(2): 166
Zahiri, R., B. Plössl & G. Tarmann: <i>Ctenoplusia vittata</i> (Wallengren, 1856) (Lepidoptera: Noctuidae): a new genus and species record for Iran	40: 115
Zahiri, R., A. Sarafrazi, L. Salehi & J. G. Kunkel: A geometric morphometric study on populations of the Rice Stem Borer, <i>Chilo suppressalis</i> Walker (Lepidoptera: Crambidae) in northern Iran	38: 73
Mozaffarian, F., A. Sarafrazi, G. N. Ganbalani & A. Ariana: Morphological variation among Iranian populations of the Carob Moth, <i>Ectomyelois ceratoniae</i> (Zeller, 1839) (Lepidoptera: Pyralidae)	41: 81

Insecta (Insects): Neuroptera

Canbulat, S. & S. Kiyak: Four species of Lacewing (Insecta; Neuroptera) new to the fauna of Turkey	32: 113
Mirmoayedi, A.: Forty years of studies by Iranian entomologists on the Chrysopidae fauna of Iran (1961–2000) (Insecta, Neuroptera)	26: 157
Mirmoayedi, A.: Rearing of the third stage larva of <i>Cueta luteola</i> Hölzel, 1972 (Neuroptera: Myrmeleontidae) for the first time in Iran	29: 101
Mirmoayedi, A.: Records of three species of Ant-lions (Neuroptera: Myrmeleontidae), new for the fauna of Iran	41: 115
Saji, A. & A. E. Whittington: Ant-lion fauna recorded in the Abu Dhabi Emirate (Neuroptera: Myrmeleontidae)	44: 83
Satar, A., S. Canbulat & C. Özbay: Rediscovery and redescription of <i>Dielocroce ephemera</i> (Gerstaeker, 1894) in Turkey (Insecta: Neuroptera)	31: 107
Satar, A. & C. Özbay: Eggs, first instar larvae and distribution of the neuropterids <i>Lertha extensa</i> and <i>L. sheppardi</i> (Neuroptera: Nemopteridae) in south-eastern Turkey	32: 91

Insecta (Insects): Odonata

Bakhshi, Y. & S. Sadeghi: Odonata fauna of Khuzestan province (Iran) with a note on an Oriental species <i>Trithemis aurora</i> (Burmeister, 1839) as a new record for the south-west of Iran.....	60(4): 372
Dia, A. & H. J. Dumont: The Odonata of Lebanon	52: 63
Dumont, H. J.: Dragonflies from Azerbaijan	31: 87
Heidari, H. & H. J. Dumont: An annotated check-list of the Odonata of Iran	26: 133
Miroğlu, A.: First record of the Black Darter, <i>Sympetrum danae</i> (Sulzer, 1776) (Odonata: Libellulidae), from Turkey	53: 129
Mousatat, F., H. J. Dumont, M. Karrom & N. M. Ali: Dragonflies from northern Syria	51: 105
Olthoff, M. & D. Ikemeyer: Dragonflies of a peat bog in northwestern Turkey (Odonata: Anisoptera, Zygoptera)	57: 142
Riservato, E., C. Grieco, F. Pella, R. Sindaco, F. Pupin, A. S. Suleiman, M. Fasola: A contribution to the knowledge of the odonatofauna of the Socotra Archipelago (Yemen) (Insecta: Odonata)	50: 101
Sadeghi, S. & H. J. Dumont: First record of <i>Libellula fulva pontica</i> Selys, 1887 (Odonata, Anisoptera) from Iran	32: 116

Schneider, T. & J. Schneider: Occurrence, behaviour, and habitat preference of the Levant Pinertail, <i>Onychogomphus macrodon</i> Selys, 1887 in Turkey (Insecta: Odonata)	49: 79
Schneider, T., D. Ikemeyer & H. J. Dumont: New records of dragonflies (Odonata) from Belutschistan-e-Sistan province in Iran	61(3): 288
Schneider, W. & F. Krupp: A possible hybrid between <i>Ischnura elegans ebneri</i> Schmidt, 1939 and <i>Ischnura fountainei</i> Morton, 1905 (Odonata: Coenagrionidae)	12: 75
Tailly, M., V. Ananian & H. J. Dumont: Recent dragonfly observations in Armenia, with an updated checklist	31: 93

Insecta (Insects): Orthoptera

Aydin, G.: Distribution of the Dune Cricket, <i>Schizodactylus inexpectatus</i> (Orthoptera: Schizodactylidae), in the Çukurova Delta, southern Turkey	36: 111
Katbeh-Bader, A.: Acridoidae (Orthoptera) of Jordan	23: 89
Katbeh-Bader, A. & B. Massa: A new species of <i>Anadrymadusa</i> Karabağ (Orthoptera: Tettigoniidae) from Al Mujeb Nature Reserve, Jordan	20: 91
Massa, B. & P. Fontana: On some Drymadusini from the Middle East (Orthoptera: Tettigoniidae)	48: 81
Stalling, T.: A new species of ant-loving cricket, <i>Myrmecophilus</i> Berthold, 1827, and comments on <i>M. nigricornis</i> (Chopard, 1963) from the Middle East (Orthoptera: Myrmecophilidae)	49: 89
Türkoğlu, S., S. Koca & N. Akpinar: Karyological observations on the Field Cricket, <i>Gryllus campestris</i> L. (Gryllidae, Orthoptera)	28: 113

Insecta (Insects): Strepsiptera

Pohl, H., A. Katbeh-Bader & W. Schneider: Description of a new genus and two new species of Corioxenidae from Jordan (Insecta: Strepsiptera)	13: 107
--	---------

Insecta (Insects): Trichoptera

Mirmoayedi, A. & H. Malicky: An updated check-list of caddisflies (Insecta, Trichoptera) from Iran, with new records	26: 163
--	---------

Insecta (Insects): Other groups

Itzhak, M. J.-J.: Seed harvester and scavenger ants along roadsides in Northern Israel	44: 75
--	--------

Tardigrada (Water bears)

Schill, R.O., F. Huhn & H.-R. Köhler: The first record of tardigrades (Tardigrada) from the Sinai Peninsula, Egypt	42: 83
--	--------

Chilopoda (Centipedes)

Lewis, J. G. E. & W. Wranik: On the centipedes of Yemen	4: 61
---	-------

Diplopoda (Millipedes)

Enghoff, H. & S. A. Moravvej: A review of the millipede fauna of Iran (Diplopoda)	35: 61
Kheirallah, A.-M., A.-N. H. Aly & N. Y. Abdel-Wahed: Anamorphosis and life-history of the millipede <i>Nopoiulus kochii</i> (Gervais, 1847), new for Egypt	21: 159

Crustacea (Crustaceans): Maxillopoda

Ibraheem, M. H. & K. Izawa: On the morphology of <i>Lamproglena monodi</i> Capart, a parasitic Copepod on the gills of Tilapia in Egypt	21: 103
Karaytuğ, S. & S. Sak: A new species of <i>Schizopera</i> Sars, 1906 (Copepoda: Harpacticoida) from Israel	36: 33
Mirabdullayev, I. M. & R. S. Urazova: Redescription of the female and first description of the male of <i>Microcyclops karvei</i> (Kiefer & Moorthy, 1935) (Copepoda, Cyclopoida)	38: 57
Monchenko, V.I.: Redescription of the Oriental <i>Thermocyclops taihokuensis</i> (Harada, 1931) (Copepoda: Cyclopoida) from its westernmost population	43: 99

Crustacea (Crustaceans): Malacostraca

Bakır, K. & T. Katağan: On the occurrence of <i>Caprella scaura</i> Templeton, 1836 (Crustacea: Amphipoda) in Turkish waters	52: 125
Bariche, M. & J.-P. Trilles: Preliminary check-list of Cymothoids (Crustacea: Isopoda) parasitic on marine fishes from Lebanon	34: 53
Gökoğlu, Mehmet & Yaşar Özvarol: The Southern Brown Shrimp, <i>Farfantepenaeus subtilis</i> (Pérez Farfante, 1967) (Decapoda: Penaeidae), a new migrant in the Mediterranean Sea	59: 183
Hussein, M. A. & A. H. Obuid: Freshwater crabs in Egypt and redescription of <i>Potamonautes niloticus</i>	8: 113
Hussein, M. A. & A. H. Obuid-Allah: Larval development of the freshwater prawn <i>Caridina nilotica nilotica</i> in Egypt	3: 113
Hussein, M. A. & A. H. Obuid-Allah: External morphology of the freshwater prawn <i>Caridina africana</i> collected from Egypt	4: 71
Kinzelbach, R.: The southern limits of the crayfish species <i>Astacus torrentium</i> and <i>A. astacus</i> in Greece	1: 145
Kocataş, A. & T. Katağan: The Decapod Crustacean fauna of the Turkish Seas	29: 63
Mirzajani, A. R.: A study on the population biology of <i>Pontogammarus maeoticus</i> (Sowinsky, 1894) in Bandar Anzali, southwest Caspian Sea	30: 61
Moradmand, M. & A. Sarı: New record of the hermit crab <i>Pagurus kulkarnii</i> Sankolli, 1961 (Anomura: Paguridae) from the Gulf of Oman, Iran	42: 112
Obuid-Allah, A. H.: On sexual dimorphism in the freshwater prawns <i>Atyaephyra desmaresti desmaresti</i> and <i>A. desmaresti orientalis</i>	3: 129
Obuid-Allah, A. H.: Scanning electron microscope studies on the internal structures of the stomachs of some atyid and palaemonid prawns	6: 101
Özbek, M.: An overview of the <i>Gammarus</i> Fabricius (Gammaridae: Amphipoda) species of Turkey, with an updated checklist	53: 71
Özbek, M.: A new freshwater amphipod species, <i>Gammarus katagani</i> sp. nov., from Turkey (Amphipoda: Gammaridae)	55: 47
Özbek, M., S. Balık & M. R. Ustaoğlu: An amphipod species new for the Turkish fauna: <i>Pontogammarus aestuarius</i> (Derzhavin, 1924)	32: 63
Özbek, M., M. R. Ustaoğlu, S. Balık: Contribution to knowledge of the variation and ecology of <i>Echinogammarus antalyae</i> Karaman, 1971 (Crustacea: Amphipoda)	29: 113
Özbek, M. & N. Özkan: <i>Amathillina cristata</i> Sars 1894, a Ponto-Caspian amphipod genus newly recorded from Turkey (Amphipoda: Gammaridae)	50: 148
Özcan, T., H. Erdogan & Ch. Ashelby: First record of <i>Palaemonetes mesopotamicus</i> Pesta, 1913 (Decapoda: Palaemonidae) from Turkey	56: 146
Ragonese, S. & G. Giusto: Deep water occurrence of <i>Penaeus semisulcatus</i> De Haan, 1850, in the North Levant (Eastern Mediterranean Sea) (Crustacea: Decapoda: Penaeidae)	54: 141

Roth, J. & R. Kinzelbach: The distribution of the Pontian Crayfish, <i>Astacus leptodactylus</i> , in Turkey	1: 147
Seyfabadi, J., N. Kheirabadi, F. Owfi, & A. Mahvary: Shell selection behaviour and spatial distribution of three species of intertidal hermit crabs from Hormuz Island, Persian Gulf (Crustacea: Paguroidea).....	60(4): 327
Seyfabadi, J., M. Motazedi, S. Khodabandeh, N. Kheirabadi, & M. Safaei: Shell selection in the Land Hermit Crab, <i>Coenobita scaevola</i> (Forskål, 1775), from Larak Island, Persian Gulf (Decapoda: Coenobitidae)	59: 59
Shakman, E. & R. Kinzelbach: First record of the Mantis Shrimp, <i>Erugosquilla massavensis</i> (Kossmann, 1880), a Lessepsian migrant, in the coastal waters of Libya (Crustacea: Stomatopoda)	40: 109
Topaloğlu, B.: Remarks on the deep-sea decapod fauna of the Sea of Marmara (Crustacea: Decapoda).....	60(4): 335
Warburg, M. R., K.-O. Amar, D. Davidson, L. Sayag, Y. Schwartz, B. Tudiver & H. Yifrach: Long-term study on a brachyuran crab community (Crustacea: Decapoda) inhabiting a boulder shore in the Eastern Mediterranean: relative abundance	41: 71

Crustacea (Crustaceans): Ostracoda

Altınsaçlı, S. & S. Altınsaçlı: The freshwater ostracod <i>Potamocypris producta</i> (Sars, 1924) new for Turkey (Ostracoda: Cyprididae)	48: 110
Altınsaçlı, S., So. Altınsaçlı & Ş. Tombuloğlu: The freshwater Ostracod <i>Metacypris cordata</i> Brady & Robertson, 1870, new for Turkey	32: 118
Altınsaçlı, S. & H. I. Griffiths: A review of the occurrence and distribution of the recent non-marine Ostracoda (Crustacea) of Turkey	27: 61
Artüz, M. L., D. Gülen, & C. Kubanç: <i>Cytherella maremensis</i> sp. n., a new ostracod from the Sea of Marmara (Turkey) (Crustacea: Ostracoda)	59(4): 314
Aygen, C. & S. Balık: A new record for the freshwater ostracod fauna of Turkey: <i>Hungarocypris madaraszi</i> (Örley, 1886) (Crustacea: Ostracoda)	25: 49
Aygen, C., S. Balık & M. R. Ustaoglu: Two new records for the non-marine ostracod fauna of Turkey: <i>Humphcypris subterranea</i> (Hartmann, 1964) and <i>Herpetocypris brevicaudata</i> Kaufmann, 1900	31: 77
Kubanç, C.: New records of recent Ostracoda (Crustacea) for the marine fauna of Turkey	36: 43
Külköylüoğlu, O.: <i>Paralimnocythere psammophila</i> (Flössner, 1965) (Crustacea), a species new for the freshwater ostracod fauna of Turkey	30: 114
Martens, K., R. Ortal & C. Meisch: The ostracod fauna of Marpilla Pool (Jerusalem, Israel) (Crustacea, Ostracoda)	7: 95
Özuluğ, O.: Living specimens of <i>Ilyocypris salebrosa</i> Stepanaitys, 1959 (Crustacea: Ostracoda) from Thrace, Turkey	34: 114
Özuluğ, O. & S. Yaltalier: A new record for the Ostracoda fauna of Turkey: <i>Candonopsis scourfieldi</i> Brady, 1910 (Crustacea: Podocopida)	48: 112

Crustacea (Crustaceans): Branchiopoda

Altındağ, A. & S. Yiğit: A short list of Cladoceran species (Crustacea) from Turkey	23: 77
Asem, A., B. Atashbar, N. Rastegar-Pouyani & N. Agh: Biometric comparison of two parthenogenetic populations of <i>Artemia</i> Leach, 1819 from the Urmia Lake basin, Iran (Anostraca: Artemiidae)	47: 117
Asem, A., B. Atashbar, N. Rastegar-Pouyani & N. Agh: Morphological and biometric characterisation of rare males and sexual dimorphism in parthenogenetic <i>Artemia</i> (Crustacea: Anostraca)	49: 115

Eid, E. Kh.: New records of large Branchiopods from northern Jordan (Crustacea: Branchiopoda).....	46: 117
Khodabandeh, S., A. Golzari & J. Seyfabadi: Occurrence of the Tadpole Shrimp, <i>Triops cancriformis</i> (Bosc, 1801) (Crustacea: Notostraca), in Iran	42: 109
Arachnida: Araneae	
Akpınar, A., M. İ. Varol & A. Bayram: New records of funnel web spiders of the genus <i>Malthonica</i> Simon from Turkey (Araneae: Agelenidae).....	53: 135
Ali, A. Y.: First record in Syria of <i>Androthrips ramachandrai</i> Karny, 1926 (Thysanoptera: Phlaeothripidae).....	61(3): 291
Azarkina, G. N., & O. Mirshamsi: Description of a new <i>Aelurillus</i> species from Khorasan province of Iran, with comments on <i>A. concolor</i> Kulczyński, 1901 (Araneae: Salticidae).....	60(1): 82
Bayram, A., T. Danışman, N. Yiğit, İ. Çorak & Z. Sancak: New records for the Turkish arachneo-fauna: <i>Theridion varians</i> Hahn, 1833, <i>Dipoena melanogaster</i> (C. L. Koch, 1837) and <i>Achaearanea riparia</i> (Blackwall, 1834) (Araneae: Theridiidae)	40: 119
Bayram, A. & M. İ. Varol: Spiders active on snow in eastern Turkey	21: 133
Bayram, A. & M. İ. Varol: On <i>Poecilochroa variana</i> , recently collected in Turkey for the first time (Araneae: Gnaphosidae)	30: 101
Danışman, Tarık & İlhan Coşar: <i>Orchestina topcui</i> sp. n., a new spider from Turkey (Araneae: Oonopidae)	57: 146
Danışman, Tarık, Zafer Sancak, Melek Erdek, İlhan Cosar: A new species of the genus <i>Hersiliola</i> Thorell, 1870 from Turkey (Araneae: Hersiliidae).....	55: 79
Demir, H., M. Aktaş, A. Topçu: New records of little-known species of <i>Xysticus</i> C. L. Koch, 1835 in Turkey (Araneae: Thomisidae).....	46: 99
Demir, H., O. Seyyar & M. Aktaş: <i>Peucetia</i> Thorell, 1869 – a genus new for the Turkish spider fauna (Araneae: Oxyopidae).....	49: 113
Demir, H., A. Topçu & O. Seyyar: Contribution to the knowledge of the Philodromidae (Arachnida: Araneae) of Turkey	43: 118
Zamani, A., Z. Nikmagham, M. Allahdadi, F. Ghassemzadeh & O. Mirshamsi: New data on the spider fauna of Iran (Arachnida: Araneae).....	60(4): 362
Karabulut, Hayriye & Tuncay Türkeş: Description of the females of the spiders <i>Plesiophantes joosti</i> Heimer, 1981 and <i>Araeoncus clavatus</i> Tanasevitch, 1987 from Turkey (Araneae: Linyphiidae)	55: 85
Kovblyuk, Mykola M., Zoya A. Kastrygina, Yuri M. Marusik, and Mikhail M. Omelko: Redescription of the spider <i>Haplodrassus caspius</i> Ponomarev & Belosludtsev, 2008, with the first description of the male (Araneae: Gnaphosidae)	59: 66
Kumbiçak, Z., S. Ergene & S. Saygideğer: Chromosomal data on six araneomorph spiders belonging to the families Lycosidae and Gnaphosidae (Araneae: Araneomorphae)	48: 89
Marusik, Y. M., F. Ballarin & M. M. Omelko: On the <i>Pardosa monticola</i> -species group from Iran (Araneae: Lycosidae)	56: 111
Marusik, Y. M., A. Nadimi, M. M. Omelko & S. Koponen: First data about cave spiders (Arachnida: Araneae) from Iran	60(3): 255
Mirshamsi, O., Y. M. Marusik, & E. Jamili: The spider family Hersiliidae Thorell, 1870 (Arachnida: Araneae) in Iran	59(4): 347
Moradmand, M., O. Mirshamsi Kakhki & V. Hula: New records of the huntsman spider genus <i>Olios</i> (Araneae: Sparassidae) from Iran, Iraq and Afghanistan	61(1): 76
Seyyar, O., A. Topçu & H. Demir: New records of ground spiders (Araneae: Gnaphosidae) from Anatolia	38: 118

Soufi, Mahmoud, Hiva Nasserdzadeh, Haji Gholi Kami, Bahram Zehzad, Bahram Hasan Zahdeh Kiabi, and Ali Turk Qashqaei: First record of the Truly Aquatic Spider, <i>Argyroneta aquatica</i> (Clerck, 1757) in Iran (Araneae: Cybaeidae).....	59: 186
Topçu, A., A. Babaşoğlu, K. Boğaç Kunt, H. Demir & O. Seyyar: <i>Mimetus laevigatus</i> (Keyserling, 1863), a species new for the araneofauna of Turkey (Araneae, Mimetidae)	35: 119
Topçu, A., H. Demir & O. Seyyar: Contribution to the jumping spider fauna of Turkey (Araneae: Salticidae)	47: 112
Topçu, A. & N. Demircan: A new species of the genus <i>Chaetopelma</i> Ausserer, 1871 (Araneae: Theraphosidae) from Turkey.....	60(3): 267
Topçu, A., T. Türkeş & O. Seyyar: A new spider of the genus <i>Troglolyphantes</i> (Araneae: Linyphiidae) from a Turkish cave	45: 91
Türkeş, T. & O. Mergen: Records of spiders (Araneae: Theridiidae and Araneidae) new for the Turkish Fauna	36: 119
Topcu, Aydin, Osman Seyyar, Nurcan Demircan: A contribution to the cave spider fauna of Turkey (Araneae)	59: 91
Zonstein, S.L., Y. M. Marusik & M. Omelko: A survey of spider taxa new to Israel (Arachnida: Araneae).....	61(4): 372

Arachnida: Opiliones – harvestmen

Kurt, K.: A new species of the harvestmen genus <i>Rilaena</i> (Opiliones: Phalangiidae) from Turkey	61(2): 179
--	------------

Arachnida: Scorpiones – scorpions

Al-Safadi, M. M.: Additions to the scorpion fauna of Yemen	6: 095
Azghadi, S., O. Mirshamsi, S. Navidpour, & M. Aliabadian: Scorpions of the genus <i>Odontobuthus</i> Vachon, 1950 (Scorpiones: Buthidae) from Iran: Phylogenetic relationships inferred from mitochondrial DNA sequence data	60(2): 169
Graham, M. R., V. Oláh-Hemmings, & V. Fet: Phylogeography of co-distributed dune scorpions identifies the Amu Darya River as a long-standing component of Central Asian biogeography (Scorpiones: Buthidae)	55: 089
Kabakibi, M. M., N. Khalil & Z. Amr: Scorpions of southern Syria.....	17: 079
Karataş, A. & M. Mouradi Gharkheloo: A contribution to the knowledge of <i>Hottentotta saulcyi</i> (Simon, 1880) (Scorpiones: Buthidae)	38: 085
Karataş, A., M. Mouradi Garkheloo & M. Uçak: Contribution to the distribution of the scorpions of Iran (Arachnida: Scorpiones)	55: 111
Levy, G.: The first troglobite scorpion from Israel and a new chactoid family (Arachnida: Scorpiones)	40: 091
Lourenço, W. R.: A new genus and a new species of scorpion (Buthidae) from Iran	12: 093
Lourenço, W. R.: On the phylogenetic position of the genus <i>Birulatus</i> Vachon, 1973 (Scorpiones, Buthidae) and redescription of <i>Birulatus haasi</i>	18: 107
Lourenço, W. R. & Bernard Duhem: Two new species of scorpions from the Arabian Peninsula belonging to the genera <i>Butheolus</i> Simon and <i>Compsobuthus</i> Vachon (Scorpiones: Buthidae)	55: 121
Lourenço, W. R. & D. Huber: Two new species of scorpions (Scorpiones, Buthidae) of the genus <i>Paraorthochirus</i> Lourenço & Vachon from Oman	20: 137
Lourenço, W. R. & E.-A. Leguin: A new species of the genus <i>Buthacus</i> Birula, 1908 from the United Arab Emirates (Scorpiones: Buthidae).....	46: 103
Lourenço, W. L. & E.-A. Leguin: A new species of <i>Compsobuthus</i> Vachon, 1949 (Scorpiones: Buthidae) from Armenia	61(3): 273

Lourenço, W. R., E.-A. Leguin, B. Duhem: Notes on the type material of <i>Compsobuthus acutecarinatus</i> (Simon, 1882) and <i>C. maindroni</i> (Kraepelin, 1900), and description of a new species from United Arab Emirates.....	50: 119
Lourenço, W. R. & J.-x. Qi: Further considerations on the genus <i>Buthaeolus</i> Simon, 1882 and description of one new species from Saudi Arabia (Scorpiones: Buthidae)	37: 91
Lourenço, W. R. & J.-x. Qi: A new species of <i>Androctonus</i> Ehrenberg, 1828 from Afghanistan (Scorpiones, Buthidae)	38: 93
Lourenço, W. R. & J.-X. Qi: Description of a new species of the genus <i>Hottentotta</i> Birula, 1908 (Scorpiones: Buthidae) from Iraq	41: 99
Lourenço, W. R., E. A. Yağmur & B. Duhem: A new species of <i>Buthus</i> Leach, 1815 from Jordan (Scorpiones: Buthidae)	49: 95
Qumsiyeh, M. B., I. N. A. Salman, M. Salsaa', & Z. S. Amr: Records of scorpions from the Palestinian Territories, with the first chromosomal data (Arachnida: Scorpiones)	59: 70
Stathi, I. & W. R. Lourenço: Description of a new scorpion species of the genus <i>Birulatus</i> Vachon, 1974 (Scorpiones, Buthidae) from Syria	30: 105
Vignoli, V.: Description of a new species of <i>Compsobuthus</i> Vachon, 1949 (Scorpiones: Buthidae) from southern Iran	34: 079

Arachnida: Pseudoscorpiones

Nassirkhani, M.: A new pseudoscorpion species of the genus <i>Calocheiridius</i> Beier & Turk (Arachnida: Pseudoscorpiones: Olpiidae) from Iran.....	60(4): 353
Nassirkhani, M. & R. V. Shoushtari: Redescription and remarks on the species <i>Minniza persica</i> (Pseudoscorpiones: Olpiidae) from Iran	60(3): 272

Arachnida: Solifugae

Bayram, A., N. Yiğit, M. Erdek, H. Koç, Z. Sancak, A. Melekoğlu & İ. Çorak Öcal: Comparative cheliceral morphology of the solifuge species <i>Biton zederbaueri</i> (Werner) and <i>Gluvioipsilla discolor</i> (Kraepelin) through scanning electron microscopy.....	53: 121
Erdek, M.: <i>Gylippus (Hemigylippus) bayrami</i> sp. n. from Turkey with comparative remarks on the species of the subgenus <i>Gylippus (Hemigylippus)</i> Birula (Solifugae: Gylippidae)	61(1): 69
Maddahi, H., H. G. Kami, M. Aliabadian & O. Mirshamsi: Redescription of <i>Rhagodes eylandti</i> (Walter, 1889) (Arachnida: Solifugae) with notes on its morphological variation and geographic distribution	61(3): 278

Arachnida: Acari

Akrami, Mohammad Ali: Some genera and species of oribatid mites, new to the fauna of Iran (Acari)	49: 111
Akrami, Mohammad Ali: A new species of the oribatid mite genus <i>Berniniella</i> Balogh, 1983 from Iran (Acari: Oribatida: Oppiidae).....	55: 139
Akrami, Mohammad Ali, M. Majidi & M. Behmanesh: A new species of oribatid mite from Iran (Acari: Oribatida)	54: 147
Akrami, Mohammed Ali, & Forough Ebrahimi: A new species of the genus <i>Pergalumna</i> Grandjean, 1936 from Iran (Acari: Oribatida: Galumnidae).....	59: 168
Al-Ghzawi, A.-M. A., S. T. Zaitoun & H. K. Shannag: Ontogenesis of the parasitic mite <i>Varroa jacobsoni</i> on Syrian Honey Bees, <i>Apis mellifera syriaca</i>	23: 101
Asadi, M., V. Pesic & A. Saboori: Two interesting water mite species (Acari, Hydrachnidia) from Iran, with a redescription of the female of <i>Atractides</i> cf. <i>arcuatus</i> Thor, 1914	30: 95

Bayless, M. K.: A review of the ixodid tick species <i>Amblyomma gervaisi</i> (Ixodoidea) and its host <i>Varanus</i> sp. (Sauria: Varanidae) from Yemen	39: 119
Boyacı, Y. Ö.: New records of water mites (Acari, Hydrachnidia, Torrenticolidae) from Turkey	38: 115
Çobanoğlu, S. & Mikat Doğanlar: A new <i>Pyemotes</i> (Acari: Pyemotidae) reared from larvae of the Almond Seed Wasp, <i>Eurytoma amygdali</i> (Hymenoptera: Eurytomidae) from Hatay, Turkey	39: 101
Duran, E. H., & R. Urhan: A new species of the genus <i>Prozercon</i> Sellnick, 1943 (Acari: Mesostigmata: Zerconidae) from Turkey	61(2): 174
Ekiz, A. N. & R. Urhan: A new record of <i>Uroobovella</i> Berlese, 1903 (Acari: Uropodina) from Turkey with some ecological notes	29: 105
El-Rabie, Y., Z. S. Amr &, K. E. Hyland: Observations on the ixodid ticks associated with domestic ungulate animals in Jordan	4: 085
Karataş, Ah. & M. Çakır: <i>Spinturnix acuminata</i> (C. L. Koch, 1836), a species new to the fauna of Turkey (Acari, Mesostigmata)	31: 119
Koç, K.: Three new records of cheyletid mites from Turkey (Acari: Cheyletidae)	52: 126
Koç, K., M. Türksel & V. Pešić: New records of marine water mites (Acari: Hydrachnidia, Pontarachnidae) from the eastern Mediterranean Sea (İzmir Bay, Turkey).....	61(3): 285
Mašán, P., J. Hajizadeh & S. Ramroodi: Three new mites of the genus <i>Pseudolaelaps</i> Berlese, 1916 (Acari: Mesostigmata, Pseudolaelapidae) from Iran, with an updated key to known species.....	61(1): 81
Mirzaie, M., K. H. Irani-Nejad & M. A. Akrami: New records of primitive oribatid mites (Acari: Oribatida) from the Shendabad region (East Azerbaijan province), Iran	53: 137
Ömer Boyacı, Y.: A species of water mite of the genus <i>Atractides</i> Koch, 1837 (Acari: Hydrachnidia) new for the Turkish fauna	42: 115
Pešić, V., A. Saboori, M. Asadi & R. Vafaei: New records of water mites (Acari, Hydrachnidia) from Iran, with the description of one new species	32: 097
Saboori, A. & M. Bagheri: A new species of <i>Smaris</i> Latreille, 1796 from Iran (Acari: Smarididae)	52: 105
Toluk, Ayşe & Nusret Ayyıldız: New and unrecorded oribatid mites from Kahramanmaraş province in Turkey (Acari: Orbatida)	59: 77
Turan, D. & V. Pešić: <i>Atractides allgaier</i> Gerecke, 2003 (Acari, Hydrachnidia, Hygrobatiidae), a species new for the water mite fauna of Turkey	35: 117
Ujvári, Z., H. Moradian, & H. Ostovan: <i>Prozercon iranensis</i> sp. n., a new species of Zerconidae (Acari: Mesostigmata) from Iran	59(4): 353
Urhan, R.: A new species of the genus <i>Zercon</i> Koch (Acari, Gamasida, Zerconidae) from Turkey	22: 107
Urhan, R.: Descriptions of two new species of the genus <i>Zercon</i> Koch (Acari, Gamasida, Zerconidae) from Turkey	23: 107
Urhan, R.: Two new species of zerconid mites from Turkey	50: 110
Urhan, R., Y. Katılmış & A. Öksüz Kahveci: Vertical distribution of oribatid mites (Acari: Oribatida) and some ecological parameters affecting the distribution pattern in southwest Turkey	37: 099
Urhan, R.: <i>Zercon carpaticus</i> Sellnick, 1958 (Acari: Zerconidae), a species of mite new for the Turkish fauna	41: 105
Urhan, R.: <i>Zercon inonunensis</i> n. sp. (Acari: Zerconidae) from Turkey	42: 117
Urhan, R.: Contributions to the genus <i>Prozercon</i> Sellnick, 1943 (Acari: Zerconidae) from Turkey, with the description of two new species and a key to species	45: 097
Urhan, R.: <i>Zercon honazicus</i> sp. n., a new species of mite from Turkey (Acari: Zerconidae) ...	48: 097

Urhan, R.: Two new species of <i>Zercon</i> C. L. Koch, 1836 from Turkey (Acari: Zerconidae)	56: 125
Urhan, Raşit & Murat Öztaş: A new species of mite from Turkey: <i>Zercon mirabilis</i> sp. n. (Acari: Zerconidae)	59: 84

Pycnogonida (Sea spiders)

Özcan, T., K. Bakır, V. Vignoli & T. Katağan: A new record of a sea spider from the Eastern Mediterranean Sea: <i>Ascorhynchus castelli</i> (Dohrn, 1881) (Arthropoda: Pycnogonida) ..	47: 111
Kocak, C. & T. Katağan: A pycnogonid species new for the Turkish fauna: <i>Pycnogonum nodulosum</i> Dohrn, 1881 (Arthropoda: Pycnogonidae)	42: 110
Kocak, C., T. Katağan & A. Sukatar: New records of shallow-water sea spiders (Arthropoda: Pycnogonida) from Turkey	49: 118

Annelida (Annelids)

Abukenova, V. S. & M. R. Khanturin: Adaptive features of life forms in <i>Aporrectodea caliginosa</i> (Oligochaeta: Lumbricidae)	SUP2: 058
Abukenova, V. S.: Earthworm fauna of Kazakh upland (Oligochaeta: Lumbricidae)	SUP2: 161
Arslan, N., A. Çiçek, C. Akkan, D. Kılınç, E. Açı: Accumulation of heavy metals by earth-worms in boron-contaminated area (Kirka-Eskişehir) (Oligochaeta: Lumbricidae)	SUP2: 111
Blakemore, Robert J.: Saga of Herr Hilgendorf's worms... (Oligochaeta, Megascolecidae)....	SUP2: 007
Blakemore, Robert J.: Restating scope of genus <i>Metaphire</i> Sims & Easton, 1972: 40 years on	SUP4: 005
Blakemore, Robert J.: Japanese earthworms revisited a decade on	SUP4: 015
Blakemore, Robert J.: Call for a census of soil invertebrates (CoSI)	SUP4: 163
Boros, Gergely: First record of reproduction by fragmentation in the genus <i>Marionina</i> (Oligochaeta: Enchytraeidae)	SUP4: 151
Boros, G., G. Cech, E. Ari, K. Dozsa-Farkas: Extension of employing ITS region in the investigation of Hungarian <i>Fridericia</i> species (Oligochaeta: Enchytraeidae)	SUP2: 023
Boyer, S. & S. D. Wratten: Using molecular tools to identify New Zealand endemic earthworms in a mine restoration project (Oligochaeta: Acanthodrilidae, Lumbricidae, Megascolecidae)	SUP2: 031
Briard, Charlène, Jiang-Ping Qiu, Qi Zhao, Muriel Guernion, Daniel Cluzeau: Phylogenetic study of some Aporrectodea species (Oligochaeta: Lumbricidae) based on molecular markers	SUP4: 023
Bromley, H. J. & R. Ortal: On the occurrence of the Medical Leech, <i>Hirudo medicinalis</i> L., in the Levant	SUP2: 115
Carlo, Eduardo Boothby, Sonia Borges, Mónica Alfaro: Abundance and distribution of <i>Pontodrilus litoralis</i> in the shores of the Cabo Rojo Lighthouse, Puerto Rico	SUP4: 083
Csuzdi, C. & T. Pavláček: <i>Murchieona minuscula</i> (Rosa, 1906), a newly recorded earthworm from Israel, and distribution of the genera <i>Dendrobaena</i> and <i>Bimastos</i> in Israel (Oligochaeta, Lumbricidae)	25: 105
Csuzdi, C. & T. Pavláček: The earthworms (Oligochaeta) of Jordan	34: 071
Çinar, M. E. & Z. Ergen: On the ecology of the Nereididae (Polychaeta: Annelida) in the Bay of İzmir, Aegean Sea	22: 113
Dozsa-Farkas, K.: Significance of using nephridia in the taxonomy of family Enchytraeidae (Annelida: Oligochaeta).....	SUP2: 041
El-Shimy, N.: Distribution of the Medicinal Leech, <i>Hirudo medicinalis</i> , in the Middle East	1: 154
El-Shimy, N. A.: Description of a new species of <i>Alboglossiphonia</i> Lukin, 1976 (Hirudinea: Glossiphoniidae) from Egypt	4: 093

El-Shimy, N. A.: A new subspecies of <i>Salifa perspicax</i> Blanchard, 1897 (Hirudinea: Salifidae) from Egypt	5: 113
El-Shimy, N. A.: Revision of the genus <i>Barbronia</i> Johansson, 1918 (Hirudinea: Erpobdelliformes: Barbronidae) in Egypt	12: 099
Ergen, Z., M. E. Çınar & G. Ergen: On the Nereididae (Polychaeta: Annelida) fauna of the Bay of İzmir	21: 139
Ezzatpanah, Somayeh: Geographic differences in the setal pattern of <i>Eisenia fetida</i> (Savigny, 1826) in Iran	SUP4: 157
Ezzatpanah, S., L. Robabeh, M. Masoumeh, S. Hasan: Earthworm fauna of the western Mazandaran province, Iran (Oligochaeta: Lumbricidae, Megascolecidae)	SUP2: 067
Glasstetter, Michèle: Earthworm diversity in urban habitats of Basel (Northwestern Switzerland) (Oligochaeta: Lumbricidae)	SUP4: 095
Jaric, D., B. K. Hackenberger, S. Krcmar: The characteristics of earthworm communities along vertically stratified transect of Velika Kapela Mountain grasslands (Croatia) (Oligochaeta: Lumbricidae)	SUP2: 117
Kami, H. G., M. Ebrahimi & H. R. Esmaeli: First record of the Sea Turtle leech, <i>Ozobranchus branchiatus</i> , in Iranian coastal waters (Hirudinea: Rhynchobdellida)	40: 117
Kuu, A. & M. Ivask: Distribution of <i>Octolasion cyaneum</i> (Savigny, 1826) in Estonia 1993–2008 (Oligochaeta, Lumbricidae)	SUP2: 075
Mienis, H.: An American Leech, <i>Helobdella punctatolineata</i> , in Israel.....	1: 153
Misırlioğlu, M.: New records of two peregrine megascolecid earthworms from Turkey (Oligochaeta: Megascolecidae)	40: 116
Misırlioğlu, M.: Distribution of endemic earthworm species in Turkey (Oligochaeta: Lumbricidae)	SUP2: 083
Misırlioğlu, Mete: Distribution of earthworms belonging to families Acanthodrilidae, Criedrilidae, and Megascolecidae in Turkey	SUP4: 103
Neubert, E. & H. Nesemann: A new species of <i>Batracobdella</i> (Hirudinea: Glossiphoniidae) from Turkey	11: 109
Pavlíček, Tomáš & Csaba Csuzdi: Earthworm fauna of French Guiana	SUP4: 107
Pavlíček, Tomáš, C. Csuzdi & Y. Coşkun First earthworm records in Mesopotamia (Oligochaetae)	48: 119
Pavlíček, Tomáš, Yarin Hadid, Csaba Csuzdi: Opening Pandora's box: Clitellum in phylogeny and taxonomy of earthworms	SUP4: 031
Plisko, Jadwiga Danuta: Remarks on the South African endemic <i>Proandricus lesothoensis</i> species-group (Oligochaeta: Microchaetidae)	SUP2: 055
Plisko, Jadwiga Danuta: Notes on status of the family Microchaetidae (Oligochaeta)	SUP4: 047
Pop, Adriana Antonia, Victor V. Pop & Cs. Csuzdi: Significance of the Apuseni Mountains (the Carpathians) in the origin and distribution of Central European earthworm fauna (Oligochaeta: Lumbricidae)	SUP2: 089
Pop, Victor V., Adriana Antonia Pop, Csaba Csuzdi: An annotated checklist of the Romanian earthworm fauna (Oligochaeta: Lumbricidae)	SUP4: 059
Ramos, C., M. Alfaro, S. Borges, J. A. Amador: Earthworm taxonomic structure of coffee plantations at three soil associations in Puerto Rico (Oligochaeta: Glossoscolecidae, Megascolecidae)	SUP2: 125
Razieh, Ghayouri & Latif Robabeh: First recorded earthworms from the Mouteh Wildlife Refuge, Iran	SUP4: 091
Sağlam, N.: First record of the leech <i>Placobdella costata</i> (Hirudinoidea: Glossiphoniidae) in Turkey	23: 113
Sağlam, N. & M. Dörücü: Observations on the ecology of the freshwater leech <i>Helobdella stagnalis</i> (Hirudinoidea: Glossiphoniidae), new for Turkey	25: 115

Shaskov, Maxim P.: Lumbricus - database on earthworms ranges	SUP4: 171
Shen, Y: Earthworms in Traditional Chinese Medicine (Oligochaeta: Lumbricidae, Megascolecidae)	SUP2: 171
Sherlock, Emma & Louise Berridge: History of the earthworm collections at the Natural History Museum, London	SUP4: 177
Singh, Satyendra M., Om Prakash, G. R. Gangwar, Rachna: Species richness and density of earthworms in western Uttar Pradesh, India (Oligochaeta: Megascolecidae, Octochaetidae)	SUP2: 133
Singh, Satyendra M. & Om Prakash: Species richness and density of earthworm populations in grasslands of Western Uttar Pradesh, India (Oligochaeta: Megascolecidae, Octochaetidae)	SUP4: 111
Solomou, Alexandra D., Athanassios I. Sfougaris, Evangelia M. Vavoulidou, Csaba Csuzdi: The effects of farming practices on earthworm dynamics in olive groves of central Greece	SUP4: 119
Timm, Tarmo: Life forms in Oligochaeta: a literature review	SUP4: 071
Tripathi, Ghanshyam & K. R. Panwar: Biotic interaction of earthworms in arid pedoecosystem	SUP4: 127
Tripathi, Ghanshyam & K. R. Panwar: Earthworm fauna of Indian Thar Desert	SUP4: 133
Ustaoğlu, M. R., S. Balık, M. Özbeş & H. M. Sarı: The freshwater leeches (Annelida: Hirudinea) of the Gediz catchment area (İzmir region)	29: 118
Vavoulidou, E., L. Dellaporta, D. J. Bilalis: Collagen distribution in the tissue of the earthworm <i>Octodrilus complanatus</i> (Oligochaeta: Lumbricidae).....	SUP2: 175
Yıldız, S. & S. Balık: <i>Nais christinae</i> Kasprzak, 1973: an Oligochaeta species new for Turkey (Annelida: Naididae)	50: 151
Yıldız, S., M. R. Ustaoğlu, S. Balık: Littoral Oligochaeta (Lumbriculidae and Enchytraeidae) communities of some mountain lakes in the Eastern Black Sea Range (Turkey).....	SUP2: 151
Zenkova, I. V.: Diversity of earthworms and ecology of the dominating species <i>Lumbricus rubellus</i> Hoffmeister, 1843 in the northern taiga podzols of the Murmansk region (Oligochaeta, Lumbricidae)	SUP2: 141
Zhao, Qi, Daniel Cluzeau, Jing Sun, Jibao Jiang, Charlène Briard, Muriel Guernion, Jiang-Ping Qiu: Hainan earthworm community and its comparison with other East and Southeast Asia countries for geographical distribution and endemic rate	SUP4: 141

Mollusca (Molluscs)

Aartsen, J. J. van & R. Kinzelbach: Marine molluscs from the Iztuzu beach near Dalyan (Mediterranean coast of Turkey)	4: 103
Albayrak, S.: On the Mollusca fauna of the Black Sea near Istanbul	30: 069
Albayrak, S.: First record of <i>Tapes philippinarum</i> (Adams & Reeve, 1850) (Bivalvia: Veneridae) from the Sea of Marmara	35: 108
Al-Nimeh, M. & I. Elassafin: Vermitid reefs (Gastropoda: Vermitidae) on the coast of Syria ..	13: 089
Al-Safadi, M.: Notes on some land molluscs of Yemen	7: 087
Bößneck, U.: New records of freshwater and land molluscs from Lebanon	54: 035
Cevik, C., L. Cavas, D. Erguden & C. Turan: A second observation of <i>Dendrodoris fumata</i> (Rüppell & Leuckart, 1830) from the Mediterranean Sea (Nudibranchia: Dendrodorididae)	56: 148
Galil, Bella S.: Going going gone: the loss of a reef building gastropod (Mollusca: Caenogastropoda: Vermetidae) in the southeast Mediterranean Sea.....	59: 179
Gat, G. & H. K. Mienis: First record of the nudibranch <i>Hypselodoris webbi</i> from the Mediterranean coast of Israel	1: 120

Glöer, P., M. Z. Yıldırım & Ü. Kebapçı: Description of two new species of <i>Pseudamnicola</i> from southern Turkey (Mollusca: Gastropoda: Hydrobiidae).....	61(2): 139
Kinzelbach, R.: New records of Thomas' Rapa Whelk, <i>Rapana venosa</i> , from the Black Sea and Maramara Sea	1: 122
Emam, W. M. & N. S. Ismail: Intraspecific variations in the morphometrics of <i>Acanthopleura haddoni</i> (Mollusca: Polyplacophora) from the Arabian Gulf of Oman	8: 045
Frank, Ch. & R. Kinzelbach: The distribution of the Great Ramshorn, <i>Planorbarius corneus grandis</i> , in the Southern Balkan Peninsula and in Anatolia	1: 125
Glöer, P., A. Dia & G. Falkner: The genus <i>Pseudobithynia</i> in Lebanon, with a redescription of three species and additional notes on its ecology (Mollusca: Bithyniidae)	57: 087
Kinzelbach, R.: Additional records of the River Limpet, <i>Ancylus fluviatilis</i> , in the Middle East	1: 129
Kinzelbach, R.: The recent distribution of the Zebra Mussel, <i>Dreissena polymorpha</i> , in the Aegean Region and in Anatolia	1: 132
Kinzelbach, R.: Freshwater mussels (genus <i>Anodonta</i>) from Anatolia and adjacent areas (Bivalvia, Unionidae)	3: 059
Kinzelbach, R.: The distribution of the freshwater clam <i>Corbicula fluminalis</i> in the Near East (Bivalvia: Corbiculidae)	6: 051
Marrone, F., M. D. Naser, A. Gh. Yasser, F. Sacco, & M. Arculeo: First record of the North American cryptic invader <i>Ferrissia fragilis</i> (Tryon, 1863) (Mollusca: Gastropoda: Planorbidae) in the Middle East	60(1): 039
Mienis, H. K., E. Galili & J. Rapoport: The Spiny Oyster, <i>Spondylus spinosus</i> , a well-established Indo-Pacific bivalve in the Eastern Mediterranean off Israel (Mollusca, Bivalvia, Spondylidae)	9: 083
Mirzajani, A. R. & R. Vonk: Spatial and temporal aspects of the lagoon cockle and its commensal amphipod in the southwestern Caspian Sea	37: 063
Nasarat, H., Z. Amr, & E. Neubert: Two invasive freshwater snails new to Jordan (Mollusca: Gastropoda)	60(1): 046
Nemeth, L. & M. Szekeres: The systematic position of some new and little-known species of Clausiliidae from Turkey (Mollusca, Stylommatophora)	11: 093
Neubert, E.: Descriptions of new taxa of the Clausiliidae from Turkey (Mollusca: Stylommatophora)	7: 065
Neubert, E.: Contribution to the knowledge of the Orculinae from Northeastern Turkey (Mollusca: Stylommatophora: Orculidae)	8: 053
Neubert, E.: Two new taxa of the Clausiliidae from the East Mediterranean area	9: 093
Neubert, E.: Note on some genera of Clausiliidae from Turkey (Mollusca: Stylommatophora)	11: 101
Neubert, E. & P. M. G. Menkhorst: New taxa of <i>Armenica</i> (Mollusca, Stylommatophora, Clausiliidae) from Turkey.....	10: 139
Örstan, A.: The rediscovery of <i>Zonites algirus</i> in İstanbul, Turkey (Gastropoda: Pulmonata: Zonitidae)	29: 075
Örstan, A.: Notes on the reproduction of <i>Rumina saharica</i> from Turkey (Pulmonata: Subulinidae).....	45: 118
Örstan, A.: An observation of the mating of <i>Chondrus tournefortianus</i> (Pulmonata: Enidae)...	48: 117
Örstan, A. & M. Z. Yıldırım: Conchological and genitalic comparisons of <i>Jaminia loewii</i> populations in Turkey (Gastropoda: Pulmonata: Enidae)	28: 067
Örstan, A. & M. Haase: The first record of <i>Ecrobia maritima</i> (Milaschewitsch, 1916) from the Aegean coast of Turkey (Gastropoda: Hydrobiidae)	60(4): 375
Öztürk, B., B. Bitlis & M. Er Filiz: The genus <i>Chrysallida</i> Carpenter, 1856 on the Turkish coasts	54: 053

Öztürk, B., Z. Ergen & M. Önen: Polyplacophora (Mollusca) from the Aegean coast of Turkey	20: 069
Páll-Gergely, B.: New and little-known land snails from Turkey (Gastropoda: Pulmonata).....	50: 089
Sattmann, H. & R. Kinzelbach : Notes on inland water molluscs from Egypt (Mollusca: Gastropoda, Bivalvia).....	2: 072
Schütt, H., R. Ortal & E. Tchernov: A preliminary correlation between the plio-pleistocene malacofaunas of the Jordan Valley (Israel) and the Orontes Valley (Syria)	8: 069
Schütt, H.: The Danubian character of the Mollusc fauna of the Sapancı Gölü (Marmara region, Turkey)	2: 79
Schütt, H. & R. Şeşen : The freshwater molluscs of Ceylanpınar	3: 55
Schütt, H. & R. Şeşen : The genus <i>Theodoxus</i> in south-western Anatolia, Turkey (Gastropoda, Prosobranchia, Neritidae).....	6: 63
Schütt, H. & Z. Yıldırım: Türkische Arten der Gattung <i>Ljudmilena</i> Schileyko, 1984 (Pulmonata: Buliminidae)	12: 83
Şeşen, R. & H. Schütt: Land snails from Sason Mountains in Siirt Province in eastern Anatolia	20: 77
Şeşen, R. & H. Schütt: Land snails from the Turkish Province Osmaniye in Southern Anatolia	27: 77
Şeşen, R. & H. Schütt: Five species of land snail previously unknown from Turkey	31: 83
Ullmann, J.: Population status of giant clams (Mollusca: Tridacnidae) in the northern Red Sea, Egypt	59(3): 253
Wronski, T.: The molluscan bio-fouling community on the Red Sea pearl oyster beds	51: 67
Yekta, F. A., A. A. Ardalan & M. R. Shokri: First record of <i>Clypeomorus isselii</i> (Pagenstecher, 1877) (Gastropoda: Cerithiidae) from the Persian Gulf, Iran	49: 109

Ectoprocta (Moss animals)

Gugel, J.: The Bryozoan <i>Conopeum seurati</i> (Canu, 1928) (Bryozoa, Cheilostomata, Anasca) in Lake Köyceğiz, Turkey	15: 107
--	---------

Plathelminthes

Mhaisen, F. T. & E. S. Abus-Eis: Parasitic helminths of eight species of aquatic birds in Babylon Fish Farm, Hilla, Iraq	7: 115
Mhaisen, F. T., N. R. Khamees & A. A. Al-Sayab: Flat worms (Platyhelminthes) of two species of gull (<i>Larus ichthyaetus</i> and <i>L. canus</i>) from Basrah, Iraq	4: 113

Nematoda (Nematodes)

González-Solís, D., F. Moravec & B. W. Coad: Some nematode parasites of fishes from southwestern Iran	15: 113
Mienis, H.: First record of the parasitic nematode <i>Hexamerismis albicans</i> from a slug in Israel	1: 156

Rotatoria (Rotifers)

Akbulut (Emir), N.: On the Rotifera fauna of Inner Anatolia.....	22: 123
Akbulut (Emir), N. & M. Kaya: Records of species of <i>Lecane</i> Nitzsch, 1827 new for the Turkish rotifer fauna (Ploima, Lecanidae)	41: 119
Altındağ, A., M. Kaya, M. Borga Ergönül & S. Yiğit: Six Rotifer species new for the Turkish fauna	36: 99
Altındağ, A. & S. Yiğit: A short list of Rotifers from Turkey	22: 129

Kaya, M., E. A. Herniou, T. G. Barraclough & D. Fontaneto: A faunistic survey of bdelloid rotifers in Turkey	48: 114
Kaya, M., S. Yiğit & A. Altındağ: Rotifers in Turkish inland waters	40: 71
Cnidaria (Cnidarians)	
Akber Saadalla, H. A.: First record of the freshwater medusa <i>Craspedacusta</i> sp. (Cnidaria, Hydrozoa) from an artificial lake in Baghdad, Iraq	37: 107
Balık, S., M. R. Ustaoğlu & M. Özbek: A new locality for the freshwater jellyfish <i>Craspedacusta sowerbyi</i> Lankester, 1880 in Turkey	22: 133
Şaşı, H. & S. Balık: The first record of the Brown Hydra, <i>Hydra oligactis</i> (Cnidaria) in Turkey	27: 120
Tunçer, S.: An investigation of the Common Jellyfish, <i>Aurelia aurita</i> , in the harbour of Trabzon	4: 117
Porifera (Sponges)	
Gözcelioğlu, B., R. van Soest, P. Proksh & B. Konuklulgil: Contribution to the knowledge of the Demospongiae (Porifera) fauna of Turkey	54: 149
Gugel, J.: The occurrence of <i>Spongilla alba</i> Carter, 1849 (Porifera, Spongillidae) in Lake Köycegiz (SW Turkey).....	12: 105
Protozoa (Protozoa)	
Al-Salim, N. K.: <i>Haemogregarina majeedi</i> n. sp. from the freshwater fish <i>Barbus sharpeyi</i> Günther (Cyprinidae).....	9: 97
Echinodermata	
Bengil, F., M. Özaydinlı, Ş. Kuşcu & K. C. Bizzel: Morphometric study on the brittlestar, <i>Amphiura chiajei</i> Forbes, 1843 (Echinodermata: Ophiuroidea), in the Aegean Sea	56: 149
Hydrozoa	
Gülşahin, Nurçin, Ahmet Nuri Tarkan, and Gökçen Bilge: The hydrozoan <i>Geryonia proboscidalis</i> (Forskål, 1775), new for Turkey (Hydrozoa)	59: 93